

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
FOW	CAISO	CAISO.DLAP_PGAE-APND_month_on_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	On Peak	25	3261	3261	39132	78
FOX	CAISO	CAISO.DLAP_PGAE-APND_month_off_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	Off Peak	25	2705	2705	32460	77
FOY	CAISO	CAISO.DLAP_SCE-APND_month_on_dap	DLAP_SCE-APND	Zone	Day Ahead Power	On Peak	25	3303	3303	39636	80
FOZ	CAISO	CAISO.DLAP_SCE-APND_month_off_dap	DLAP_SCE-APND	Zone	Day Ahead Power	Off Peak	25	2629	2629	31548	79
FPA	CAISO	CAISO.DLAP_SDGE-APND_month_on_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	On Peak	25	669	669	8028	82
FPB	CAISO	CAISO.DLAP_SDGE-APND_month_off_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	Off Peak	25	515	515	6180	81
FQA	CAISO	CAISO.PALOVVRDE_ASR-APND_month_on_dap	PALOVVRDE_ASR-APND	Interface	Day Ahead Power	On Peak	25	832	832	9984	181
FQB	CAISO	CAISO.PALOVVRDE_ASR-APND_month_off_dap	PALOVVRDE_ASR-APND	Interface	Day Ahead Power	Off Peak	25	832	832	9984	180
FQU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	On Peak	25	4707	4707	56484	215
FQV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	Off Peak	25	3961	3961	47532	214
FQW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	On Peak	25	6934	6934	83208	217
FQX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	Off Peak	25	6070	6070	72840	216
FQY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	On Peak	25	588	588	7056	219
FQZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	Off Peak	25	495	495	5940	218
HKU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	4707	4707	56484	215
HKV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	3961	3961	47532	214
HKW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	On Peak	25	6934	6934	83208	217
HKX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	Off Peak	25	6070	6070	72840	216
HKY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	588	588	7056	219
HKZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	495	495	5940	218
HLA	CAISO	CAISO.DLAP_PGAE-APND_month_on_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	On Peak	25	3261	3261	39132	78
HLB	CAISO	CAISO.DLAP_PGAE-APND_month_off_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	Off Peak	25	2705	2705	32460	77
HLC	CAISO	CAISO.DLAP_SCE-APND_month_on_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	On Peak	25	3303	3303	39636	80
HLD	CAISO	CAISO.DLAP_SCE-APND_month_off_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	Off Peak	25	2629	2629	31548	79
HLE	CAISO	CAISO.DLAP_SDGE-APND_month_on_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	On Peak	25	669	669	8028	82
HLF	CAISO	CAISO.DLAP_SDGE-APND_month_off_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	Off Peak	25	515	515	6180	81
HLG	CAISO	CAISO.CAPTJACK_5_N015_month_on_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	On Peak	25	957	957	11484	
HLH	CAISO	CAISO.CAPTJACK_5_N015_month_off_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	Off Peak	25	957	957	11484	
HLI	CAISO	CAISO.DEVERS_2_B2_month_on_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	On Peak	25	742	742	8904	
HLJ	CAISO	CAISO.DEVERS_2_B2_month_off_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	Off Peak	25	742	742	8904	
HLK	CAISO	CAISO.FOURCORN_5_N501_month_on_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	On Peak	25	411	411	4932	
HLL	CAISO	CAISO.FOURCORN_5_N501_month_off_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	Off Peak	25	411	411	4932	
HLM	CAISO	CAISO.IMPRLVLY_2_B2_month_on_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	On Peak	25	907	907	10884	
HLN	CAISO	CAISO.IMPRLVLY_2_B2_month_off_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	Off Peak	25	907	907	10884	
HLO	CAISO	CAISO.INTERM1G_7_N501_month_on_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	On Peak	25	182	182	2184	
HLP	CAISO	CAISO.INTERM1G_7_N501_month_off_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	Off Peak	25	182	182	2184	
HLQ	CAISO	CAISO.MALIN_5_N101_month_on_dac	MALIN_5_N101	Interface	DA Cong. + Energy	On Peak	25	767	767	9204	
HLR	CAISO	CAISO.MALIN_5_N101_month_off_dac	MALIN_5_N101	Interface	DA Cong. + Energy	Off Peak	25	767	767	9204	
HLS	CAISO	CAISO.MARKETPL_5_N501_month_on_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	On Peak	25	151	151	1812	
HLT	CAISO	CAISO.MARKETPL_5_N501_month_off_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	Off Peak	25	151	151	1812	
HLU	CAISO	CAISO.MEADS_2_N101_month_on_dac	MEADS_2_N101	Interface	DA Cong. + Energy	On Peak	25	465	465	5580	
HLV	CAISO	CAISO.MEADS_2_N101_month_off_dac	MEADS_2_N101	Interface	DA Cong. + Energy	Off Peak	25	465	465	5580	
HLY	CAISO	CAISO.MIDWAY_5_B1_month_on_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	On Peak	25	2268	2268	27216	
HLZ	CAISO	CAISO.MIDWAY_5_B1_month_off_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	Off Peak	25	2268	2268	27216	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
HMA	CAISO	CAISO.MISSION_2_N035_month_on_dac	MISSION_2_N035	Generator	DA Cong. + Energy	On Peak	25	2	2	24	
HMB	CAISO	CAISO.MISSION_2_N035_month_off_dac	MISSION_2_N035	Generator	DA Cong. + Energy	Off Peak	25	2	2	24	
HMC	CAISO	CAISO.MISSON_1_N015_month_on_dac	MISSON_1_N015	Generator	DA Cong. + Energy	On Peak	25	1	1	12	
HMD	CAISO	CAISO.MISSON_1_N015_month_off_dac	MISSON_1_N015	Generator	DA Cong. + Energy	Off Peak	25	1	1	12	
HME	CAISO	CAISO.MOENKOPI_5_N101_month_on_dac	MOENKOPI_5_N101	Interface	DA Cong. + Energy	On Peak	25	353	353	4236	
HMF	CAISO	CAISO.MOENKOPI_5_N101_month_off_dac	MOENKOPI_5_N101	Interface	DA Cong. + Energy	Off Peak	25	353	353	4236	
HMG	CAISO	CAISO.MONA_3_N501_month_on_dac	MONA_3_N501	Interface	DA Cong. + Energy	On Peak	25	76	76	912	
HMH	CAISO	CAISO.MONA_3_N501_month_off_dac	MONA_3_N501	Interface	DA Cong. + Energy	Off Peak	25	76	76	912	
HMI	CAISO	CAISO.POD_MOSSLD_2_PSP2-APND_month_on_dac	POD_MOSSLD_2_PSP2-APND	Generator	DA Cong. + Energy	On Peak	25	633	633	7596	
HMJ	CAISO	CAISO.POD_MOSSLD_2_PSP2-APND_month_off_dac	POD_MOSSLD_2_PSP2-APND	Generator	DA Cong. + Energy	Off Peak	25	633	633	7596	
HMK	CAISO	CAISO.PALOVRDE_ASR-APND_month_on_dac	PALOVRDE_ASR-APND	Interface	DA Cong. + Energy	On Peak	25	832	832	9984	181
HML	CAISO	CAISO.PALOVRDE_ASR-APND_month_off_dac	PALOVRDE_ASR-APND	Interface	DA Cong. + Energy	Off Peak	25	832	832	9984	180
HMM	CAISO	CAISO.POD_DIABLO_7_UNIT 2-APND_month_on_dac	POD_DIABLO_7_UNIT 2-APND	Generator	DA Cong. + Energy	On Peak	25	560	560	6720	
HMN	CAISO	CAISO.POD_DIABLO_7_UNIT 2-APND_month_off_dac	POD_DIABLO_7_UNIT 2-APND	Generator	DA Cong. + Energy	Off Peak	25	560	560	6720	
HMO	CAISO	CAISO.POD_PITTSP_7_UNIT 7-APND_month_on_dac	POD_PITTSP_7_UNIT 7-APND	Generator	DA Cong. + Energy	On Peak	25	328	328	3936	
HMP	CAISO	CAISO.POD_PITTSP_7_UNIT 7-APND_month_off_dac	POD_PITTSP_7_UNIT 7-APND	Generator	DA Cong. + Energy	Off Peak	25	328	328	3936	
HMQ	CAISO	CAISO.ROA-230_2_N101_month_on_dac	ROA-230_2_N101	Interface	DA Cong. + Energy	On Peak	25	200	200	2400	201
HMR	CAISO	CAISO.ROA-230_2_N101_month_off_dac	ROA-230_2_N101	Interface	DA Cong. + Energy	Off Peak	25	200	200	2400	200
HMS	CAISO	CAISO.SLAP_PGHB-APND_month_on_dac	SLAP_PGHB-APND	Subzone	DA Cong. + Energy	On Peak	25	32	32	384	78
HMT	CAISO	CAISO.SLAP_PGHB-APND_month_off_dac	SLAP_PGHB-APND	Subzone	DA Cong. + Energy	Off Peak	25	27	27	324	77
HMU	CAISO	CAISO.SLVRPS2_7_N001_month_on_dac	SLVRPS2_7_N001	Interface	DA Cong. + Energy	On Peak	25	4	4	48	
HMV	CAISO	CAISO.SLVRPS2_7_N001_month_off_dac	SLVRPS2_7_N001	Interface	DA Cong. + Energy	Off Peak	25	4	4	48	
HMW	CAISO	CAISO.SMDA_ASR-APND_month_on_dac	SMDA_ASR-APND	Interface	DA Cong. + Energy	On Peak	25	957	957	11484	
HMX	CAISO	CAISO.SMDA_ASR-APND_month_off_dac	SMDA_ASR-APND	Interface	DA Cong. + Energy	Off Peak	25	957	957	11484	
HMY	CAISO	CAISO.SONOFR2_7_B1_month_on_dac	SONOFR2_7_B1	Generator	DA Cong. + Energy	On Peak	25	562	562	6744	
HMZ	CAISO	CAISO.SONOFR2_7_B1_month_off_dac	SONOFR2_7_B1	Generator	DA Cong. + Energy	Off Peak	25	562	562	6744	
HNA	CAISO	CAISO.SYLMARDC_2_N501_month_on_dac	SYLMARDC_2_N501	Interface	DA Cong. + Energy	On Peak	25	305	305	3660	
HNB	CAISO	CAISO.SYLMARDC_2_N501_month_off_dac	SYLMARDC_2_N501	Interface	DA Cong. + Energy	Off Peak	25	305	305	3660	
HNC	CAISO	CAISO.SYLMARS_2_B1_month_on_dac	SYLMARS_2_B1	Interface	DA Cong. + Energy	On Peak	25	775	775	9300	
HND	CAISO	CAISO.SYLMARS_2_B1_month_off_dac	SYLMARS_2_B1	Interface	DA Cong. + Energy	Off Peak	25	775	775	9300	
HNE	CAISO	CAISO.TJI-230_2_N101_month_on_dac	TJI-230_2_N101	Interface	DA Cong. + Energy	On Peak	25	200	200	2400	201
HNF	CAISO	CAISO.TJI-230_2_N101_month_off_dac	TJI-230_2_N101	Interface	DA Cong. + Energy	Off Peak	25	200	200	2400	200
HNG	CAISO	CAISO.VICTORVL_5_N101_month_on_dac	VICTORVL_5_N101	Interface	DA Cong. + Energy	On Peak	25	600	600	7200	
HNH	CAISO	CAISO.VICTORVL_5_N101_month_off_dac	VICTORVL_5_N101	Interface	DA Cong. + Energy	Off Peak	25	600	600	7200	
HNI	CAISO	CAISO.VINCENT_5_B2_month_on_dac	VINCENT_5_B2	Interface	DA Cong. + Energy	On Peak	25	1649	1649	19788	
HNJ	CAISO	CAISO.VINCENT_5_B2_month_off_dac	VINCENT_5_B2	Interface	DA Cong. + Energy	Off Peak	25	1649	1649	19788	
HNK	CAISO	CAISO.WESTWING_5_N501_month_on_dac	WESTWING_5_N501	Interface	DA Cong. + Energy	On Peak	25	45	45	540	
HNL	CAISO	CAISO.WESTWING_5_N501_month_off_dac	WESTWING_5_N501	Interface	DA Cong. + Energy	Off Peak	25	45	45	540	
HNO	CAISO	CAISO.MCCULLGH_5_N101_month_on_dac	MCCULLGH_5_N101	Interface	DA Cong. + Energy	On Peak	25	650	650	7800	
HNP	CAISO	CAISO.MCCULLGH_5_N101_month_off_dac	MCCULLGH_5_N101	Interface	DA Cong. + Energy	Off Peak	25	650	650	7800	
HNS	CAISO	CAISO.VALLEYSC_1_N013_month_on_dac	VALLEYSC_1_N013	Generator	DA Cong. + Energy	On Peak	25	1	1	12	
HNT	CAISO	CAISO.VALLEYSC_1_N013_month_off_dac	VALLEYSC_1_N013	Generator	DA Cong. + Energy	Off Peak	25	1	1	12	
HNW	CAISO	CAISO.MCSWAIN_6_N001_month_on_dac	MCSWAIN_6_N001	Generator	DA Cong. + Energy	On Peak	25	2	2	24	
HNX	CAISO	CAISO.MCSWAIN_6_N001_month_off_dac	MCSWAIN_6_N001	Generator	DA Cong. + Energy	Off Peak	25	2	2	24	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
CHO	MISO	MISO.ONT_month_on_dap	ONT	Interface	Day Ahead Power	On Peak	25	470	470	5640	285
CHP	MISO	MISO.ONT_month_off_dap	ONT	Interface	Day Ahead Power	Off Peak	25	470	470	5640	289
CJG	MISO	MISO.OTP.NSP_month_on_dap	OTP.NSP	Subzone	Day Ahead Power	On Peak	25	223	223	2676	179
CJH	MISO	MISO.OTP.NSP_month_off_dap	OTP.NSP	Subzone	Day Ahead Power	Off Peak	25	184	184	2208	178
CJK	MISO	MISO.OTP.OTP_month_on_dap	OTP.OTP	Zone	Day Ahead Power	On Peak	25	223	223	2676	179
CJL	MISO	MISO.OTP.OTP_month_off_dap	OTP.OTP	Zone	Day Ahead Power	Off Peak	25	184	184	2208	178
COE	MISO	MISO.WEC.PTBHGB2_month_on_dap	WEC.PTBHGB2	Generator	Day Ahead Power	On Peak	25	296	296	3552	229
COF	MISO	MISO.WEC.PTBHGB2_month_off_dap	WEC.PTBHGB2	Generator	Day Ahead Power	Off Peak	25	296	296	3552	228
CQI	MISO	MISO.WPS.WPSM_month_on_dap	WPS.WPSM	Zone	Day Ahead Power	On Peak	25	443	443	5316	238
CQJ	MISO	MISO.WPS.WPSM_month_off_dap	WPS.WPSM	Zone	Day Ahead Power	Off Peak	25	366	366	4392	237
FJY	MISO	MISO.INDIANA.HUB_month_on_rtp	INDIANA.HUB	Main Hub	Real Time Power	On Peak	25	1924	1924	23088	124
FJZ	MISO	MISO.INDIANA.HUB_month_off_rtp	INDIANA.HUB	Main Hub	Real Time Power	Off Peak	25	1680	1680	20160	123
FRK	MISO	MISO.MICHIGAN.HUB_month_on_rtp	MICHIGAN.HUB	Hub	Real Time Power	On Peak	25	4905	4905	58860	
FRL	MISO	MISO.MICHIGAN.HUB_month_off_rtp	MICHIGAN.HUB	Hub	Real Time Power	Off Peak	25	4284	4284	51408	
FSQ	MISO	MISO.AMIL.AMILSES_month_on_rtp	AMIL.AMILSES	Subzone	Real Time Power	On Peak	25	1666	1666	19992	
FSR	MISO	MISO.AMIL.AMILSES_month_off_rtp	AMIL.AMILSES	Subzone	Real Time Power	Off Peak	25	1375	1375	16500	
FSU	MISO	MISO.ILLINOIS.HUB_month_on_rtp	ILLINOIS.HUB	Hub	Real Time Power	On Peak	25	1308	1308	15696	
FSV	MISO	MISO.ILLINOIS.HUB_month_off_rtp	ILLINOIS.HUB	Hub	Real Time Power	Off Peak	25	1142	1142	13704	
FSW	MISO	MISO.MINN.HUB_month_on_rtp	MINN.HUB	Hub	Real Time Power	On Peak	25	2910	2910	34920	
FSX	MISO	MISO.MINN.HUB_month_off_rtp	MINN.HUB	Hub	Real Time Power	Off Peak	25	2542	2542	30504	
FUS	MISO	MISO.WEC.PTBHGB1_month_on_dap	WEC.PTBHGB1	Generator	Day Ahead Power	On Peak	25	296	296	3552	229
FUT	MISO	MISO.WEC.PTBHGB1_month_off_dap	WEC.PTBHGB1	Generator	Day Ahead Power	Off Peak	25	296	296	3552	228
FVW	MISO	MISO.ENERGY_month_on_dae	ENERGY	Hub	Day Ahead Energy	On Peak	25	24507	24507	294084	
FVX	MISO	MISO.ENERGY_month_off_dae	ENERGY	Hub	Day Ahead Energy	Off Peak	25	22205	22205	266460	
FVY	MISO	MISO.ENERGY_month_on_rte	ENERGY	Hub	Real Time Energy	On Peak	25	24507	24507	294084	
FVZ	MISO	MISO.ENERGY_month_off_rte	ENERGY	Hub	Real Time Energy	Off Peak	25	22205	22205	266460	
FYU	MISO	MISO.NSP.NU_month_on_dap	NSP.NU	Subzone	Day Ahead Power	On Peak	25	1594	1594	19128	177
FYV	MISO	MISO.NSP.NU_month_off_dap	NSP.NU	Subzone	Day Ahead Power	Off Peak	25	1316	1316	15792	176
FYW	MISO	MISO.CONS.LANS_month_on_dap	CONS.LANS	Subzone	Day Ahead Power	On Peak	25	1611	1611	19332	61
FYX	MISO	MISO.CONS.LANS_month_off_dap	CONS.LANS	Subzone	Day Ahead Power	Off Peak	25	1330	1330	15960	60
FZI	MISO	MISO.ALTW.ALTW_month_on_dap	ALTW.ALTW	Zone	Day Ahead Power	On Peak	25	825	825	9900	284
FZJ	MISO	MISO.ALTW.ALTW_month_off_dap	ALTW.ALTW	Zone	Day Ahead Power	Off Peak	25	681	681	8172	288
FZO	MISO	MISO.CONS.SESB_month_on_dap	CONS.SESB	Subzone	Day Ahead Power	On Peak	25	1611	1611	19332	61
FZP	MISO	MISO.CONS.SESB_month_off_dap	CONS.SESB	Subzone	Day Ahead Power	Off Peak	25	1330	1330	15960	60
GAC	MISO	MISO.WPS.GLU_month_on_dap	WPS.GLU	Subzone	Day Ahead Power	On Peak	25	443	443	5316	238
GAD	MISO	MISO.WPS.GLU_month_off_dap	WPS.GLU	Subzone	Day Ahead Power	Off Peak	25	366	366	4392	237
GAE	MISO	MISO.UPPC.ESC_month_on_dap	UPPC.ESC	Subzone	Day Ahead Power	On Peak	25	21	21	252	223
GAF	MISO	MISO.UPPC.ESC_month_off_dap	UPPC.ESC	Subzone	Day Ahead Power	Off Peak	25	17	17	204	222
GBQ	MISO	MISO.AMIL.WPSE_month_on_dap	AMIL.WPSE	Subzone	Day Ahead Power	On Peak	25	1666	1666	19992	31
GBR	MISO	MISO.AMIL.WPSE_month_off_dap	AMIL.WPSE	Subzone	Day Ahead Power	Off Peak	25	1375	1375	16500	30
GBS	MISO	MISO.DPC.DPC_month_on_dap	DPC.DPC	Zone	Day Ahead Power	On Peak	25	175	175	2100	241
GBT	MISO	MISO.DPC.DPC_month_off_dap	DPC.DPC	Zone	Day Ahead Power	Off Peak	25	144	144	1728	242
GBU	MISO	MISO.DECO.SESA_month_on_dap	DECO.SESA	Subzone	Day Ahead Power	On Peak	25	1923	1923	23076	72
GBV	MISO	MISO.DECO.SESA_month_off_dap	DECO.SESA	Subzone	Day Ahead Power	Off Peak	25	1587	1587	19050	71
GCE	MISO	MISO.NSP.AEPM4_month_on_dap	NSP.AEPM4	Subzone	Day Ahead Power	On Peak	25	4594	4594	49128	177
GCF	MISO	MISO.NSP.AEPM4_month_off_dap	NSP.AEPM4	Subzone	Day Ahead Power	Off Peak	25	4316	4316	45792	176
GCK	MISO	MISO.CIN.HAG.AEPM_month_on_dap	CIN.HAG.AEPM	Subzone	Day Ahead Power	On Peak	25	1211	1211	14532	57
GCL	MISO	MISO.CIN.HAG.AEPM_month_off_dap	CIN.HAG.AEPM	Subzone	Day Ahead Power	Off Peak	25	1000	1000	12000	56

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
FXI	MISO_RT O	MISO_RTO.AMIL.BGS6_month_on_dap	AMIL.BGS6	Subzone	Day Ahead Power	On Peak	25	1666	1666	19992	31
FXJ	MISO_RT O	MISO_RTO.AMIL.BGS6_month_off_dap	AMIL.BGS6	Subzone	Day Ahead Power	Off Peak	25	1375	1375	16500	30
FXM	MISO_RT O	MISO_RTO.INDIANA.HUB_month_on_dap	INDIANA.HUB	Main Hub	Day Ahead Power	On Peak	25	1924	1924	23088	122
FXN	MISO_RT O	MISO_RTO.INDIANA.HUB_month_off_dap	INDIANA.HUB	Main Hub	Day Ahead Power	Off Peak	25	1680	1680	20160	121
FXO	MISO_RT O	MISO_RTO.INDIANA.HUB_month_on_rtp	INDIANA.HUB	Main Hub	Real Time Power	On Peak	25	1924	1924	23088	124
FXP	MISO_RT O	MISO_RTO.INDIANA.HUB_month_off_rtp	INDIANA.HUB	Main Hub	Real Time Power	Off Peak	25	1680	1680	20160	123
FXQ	MISO_RT O	MISO_RTO.ILLINOIS.HUB_month_on_dap	ILLINOIS.HUB	Hub	Day Ahead Power	On Peak	25	1308	1308	15696	116
FXR	MISO_RT O	MISO_RTO.ILLINOIS.HUB_month_off_dap	ILLINOIS.HUB	Hub	Day Ahead Power	Off Peak	25	1142	1142	13704	115
FXS	MISO_RT O	MISO_RTO.MICHIGAN.HUB_month_on_dap	MICHIGAN.HUB	Hub	Day Ahead Power	On Peak	25	4905	4905	58860	157
FXT	MISO_RT O	MISO_RTO.MICHIGAN.HUB_month_off_dap	MICHIGAN.HUB	Hub	Day Ahead Power	Off Peak	25	4284	4284	51408	156
FXU	MISO_RT O	MISO_RTO.MINN.HUB_month_on_dap	MINN.HUB	Hub	Day Ahead Power	On Peak	25	2910	2910	34920	161
FXV	MISO_RT O	MISO_RTO.MINN.HUB_month_off_dap	MINN.HUB	Hub	Day Ahead Power	Off Peak	25	2542	2542	30504	160
FXY	MISO_RT O	MISO_RTO.AMIL.IP_month_on_dap	AMIL.IP	Subzone	Day Ahead Power	On Peak	25	1666	1666	19992	31
FXZ	MISO_RT O	MISO_RTO.AMIL.IP_month_off_dap	AMIL.IP	Subzone	Day Ahead Power	Off Peak	25	1375	1375	16500	30
FYY	MISO_RT O	MISO_RTO.WPS.MPU_month_on_dap	WPS.MPU	Subzone	Day Ahead Power	On Peak	25	443	443	5316	238
FYZ	MISO_RT O	MISO_RTO.WPS.MPU_month_off_dap	WPS.MPU	Subzone	Day Ahead Power	Off Peak	25	366	366	4392	237
GBW	MISO_RT O	MISO_RTO.NSP.AEPM4_month_on_dap	NSP.AEPM4	Subzone	Day Ahead Power	On Peak	25	1594	1594	19128	177
GBX	MISO_RT O	MISO_RTO.NSP.AEPM4_month_off_dap	NSP.AEPM4	Subzone	Day Ahead Power	Off Peak	25	1316	1316	15792	176
GMA	MISO_RT O	MISO_RTO.AMIL.AMILSES_month_on_dac	AMIL.AMILSES	Subzone	DA Cong. + Energy	On Peak	25	1666	1666	19992	31
GMB	MISO_RT O	MISO_RTO.AMIL.AMILSES_month_off_dac	AMIL.AMILSES	Subzone	DA Cong. + Energy	Off Peak	25	1375	1375	16500	30
GMC	MISO_RT O	MISO_RTO.AMIL.BGS6_month_on_dac	AMIL.BGS6	Subzone	DA Cong. + Energy	On Peak	25	1666	1666	19992	31
GMD	MISO_RT O	MISO_RTO.AMIL.BGS6_month_off_dac	AMIL.BGS6	Subzone	DA Cong. + Energy	Off Peak	25	1375	1375	16500	30
GMG	MISO_RT O	MISO_RTO.AMIL.WPSE.OLIN_month_on_dac	AMIL.WPSE.OLIN	Subzone	DA Cong. + Energy	On Peak	25	1666	1666	19992	31
GMH	MISO_RT O	MISO_RTO.AMIL.WPSE.OLIN_month_off_dac	AMIL.WPSE.OLIN	Subzone	DA Cong. + Energy	Off Peak	25	1375	1375	16500	30
GMI	MISO_RT O	MISO_RTO.ILLINOIS.HUB_month_on_dac	ILLINOIS.HUB	Hub	DA Cong. + Energy	On Peak	25	1308	1308	15696	116
GMJ	MISO_RT O	MISO_RTO.ILLINOIS.HUB_month_off_dac	ILLINOIS.HUB	Hub	DA Cong. + Energy	Off Peak	25	1142	1142	13704	115
GMK	MISO_RT O	MISO_RTO.INDIANA.HUB_month_on_dac	INDIANA.HUB	Main Hub	DA Cong. + Energy	On Peak	25	1924	1924	23088	122
GML	MISO_RT O	MISO_RTO.INDIANA.HUB_month_off_dac	INDIANA.HUB	Main Hub	DA Cong. + Energy	Off Peak	25	1680	1680	20160	121
GMM	MISO_RT O	MISO_RTO.MICHIGAN.HUB_month_on_dac	MICHIGAN.HUB	Hub	DA Cong. + Energy	On Peak	25	4905	4905	58860	157
GMN	MISO_RT O	MISO_RTO.MICHIGAN.HUB_month_off_dac	MICHIGAN.HUB	Hub	DA Cong. + Energy	Off Peak	25	4284	4284	51408	156

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
GMO	MISO_RT O	MISO_RTO.MINN.HUB_month_on_dac	MINN.HUB	Hub	DA Cong. + Energy	On Peak	25	2910	2910	34920	161
GMP	MISO_RT O	MISO_RTO.MINN.HUB_month_off_dac	MINN.HUB	Hub	DA Cong. + Energy	Off Peak	25	2542	2542	30504	160
GMQ	MISO_RT O	MISO_RTO.NSP.AEPM4_month_on_dac	NSP.AEPM4	Subzone	DA Cong. + Energy	On Peak	25	1594	1594	19128	177
GMR	MISO_RT O	MISO_RTO.NSP.AEPM4_month_off_dac	NSP.AEPM4	Subzone	DA Cong. + Energy	Off Peak	25	1316	1316	15792	176
GMS	MISO_RT O	MISO_RTO.AMIL.BALDWI51_month_on_dac	AMIL.BALDWI51	Generator	DA Cong. + Energy	On Peak	25	440	440	5280	33
GMT	MISO_RT O	MISO_RTO.AMIL.BALDWI51_month_off_dac	AMIL.BALDWI51	Generator	DA Cong. + Energy	Off Peak	25	440	440	5280	32
GMU	MISO_RT O	MISO_RTO.CONS.PALISA2A1_month_on_dac	CONS.PALISA2A1	Generator	DA Cong. + Energy	On Peak	25	205	205	2460	
GMV	MISO_RT O	MISO_RTO.CONS.PALISA2A1_month_off_dac	CONS.PALISA2A1	Generator	DA Cong. + Energy	Off Peak	25	205	205	2460	
GMW	MISO_RT O	MISO_RTO.ALTW.DAEC_month_on_dac	ALTW.DAEC	Generator	DA Cong. + Energy	On Peak	25	139	139	1668	
GMX	MISO_RT O	MISO_RTO.ALTW.DAEC_month_off_dac	ALTW.DAEC	Generator	DA Cong. + Energy	Off Peak	25	139	139	1668	
GMY	MISO_RT O	MISO_RTO.AMMO.LABADIE1_month_on_dac	AMMO.LABADIE1	Generator	DA Cong. + Energy	On Peak	25	632	632	7584	
GMZ	MISO_RT O	MISO_RTO.AMMO.LABADIE1_month_off_dac	AMMO.LABADIE1	Generator	DA Cong. + Energy	Off Peak	25	632	632	7584	
GNA	MISO_RT O	MISO_RTO.AMIL.NEWTON21_month_on_dac	AMIL.NEWTON21	Generator	DA Cong. + Energy	On Peak	25	315	315	3780	
GNB	MISO_RT O	MISO_RTO.AMIL.NEWTON21_month_off_dac	AMIL.NEWTON21	Generator	DA Cong. + Energy	Off Peak	25	315	315	3780	
GNC	MISO_RT O	MISO_RTO.WEC.OKCGC7_month_on_dac	WEC.OKCGC7	Generator	DA Cong. + Energy	On Peak	25	219	219	2628	
GND	MISO_RT O	MISO_RTO.WEC.OKCGC7_month_off_dac	WEC.OKCGC7	Generator	DA Cong. + Energy	Off Peak	25	219	219	2628	
GNE	MISO_RT O	MISO_RTO.AMMO.RUSHIS1_month_on_dac	AMMO.RUSHIS1	Generator	DA Cong. + Energy	On Peak	25	318	318	3816	
GNF	MISO_RT O	MISO_RTO.AMMO.RUSHIS1_month_off_dac	AMMO.RUSHIS1	Generator	DA Cong. + Energy	Off Peak	25	318	318	3816	
GNG	MISO_RT O	MISO_RTO.NIPS.SCHAHP18_month_on_dac	NIPS.SCHAHP18	Generator	DA Cong. + Energy	On Peak	25	406	406	4872	
GNH	MISO_RT O	MISO_RTO.NIPS.SCHAHP18_month_off_dac	NIPS.SCHAHP18	Generator	DA Cong. + Energy	Off Peak	25	406	406	4872	
GNI	MISO_RT O	MISO_RTO.ALTW.OTTUMW1_month_on_dac	ALTW.OTTUMW1	Generator	DA Cong. + Energy	On Peak	25	191	191	2292	
GNJ	MISO_RT O	MISO_RTO.ALTW.OTTUMW1_month_off_dac	ALTW.OTTUMW1	Generator	DA Cong. + Energy	Off Peak	25	191	191	2292	
GNK	MISO_RT O	MISO_RTO.AMIL.CLINTO51_month_on_dac	AMIL.CLINTO51	Generator	DA Cong. + Energy	On Peak	25	264	264	3168	
GNL	MISO_RT O	MISO_RTO.AMIL.CLINTO51_month_off_dac	AMIL.CLINTO51	Generator	DA Cong. + Energy	Off Peak	25	264	264	3168	
GNM	MISO_RT O	MISO_RTO.NSP.OTP_month_on_dac	NSP.OTP	Subzone	DA Cong. + Energy	On Peak	25	1594	1594	19128	177
GNN	MISO_RT O	MISO_RTO.NSP.OTP_month_off_dac	NSP.OTP	Subzone	DA Cong. + Energy	Off Peak	25	1316	1316	15792	176
GNO	MISO_RT O	MISO_RTO.WEC.PLPRG41_month_on_dac	WEC.PLPRG41	Generator	DA Cong. + Energy	On Peak	25	154	154	1848	
GNP	MISO_RT O	MISO_RTO.WEC.PLPRG41_month_off_dac	WEC.PLPRG41	Generator	DA Cong. + Energy	Off Peak	25	154	154	1848	
GNQ	MISO_RT O	MISO_RTO.WEC.PTBHGB1_month_on_dac	WEC.PTBHGB1	Generator	DA Cong. + Energy	On Peak	25	296	296	3552	229
GNR	MISO_RT O	MISO_RTO.WEC.PTBHGB1_month_off_dac	WEC.PTBHGB1	Generator	DA Cong. + Energy	Off Peak	25	296	296	3552	228