

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits**

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level***	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
FOW	CAISO	CAISO.DLAP_PGAE-APND_month_on_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	On Peak	25	3261	3261	39132	78
FOX	CAISO	CAISO.DLAP_PGAE-APND_month_off_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	Off Peak	25	2705	2705	32460	77
FOY	CAISO	CAISO.DLAP_SCE-APND_month_on_dap	DLAP_SCE-APND	Zone	Day Ahead Power	On Peak	25	3303	3303	39636	80
FOZ	CAISO	CAISO.DLAP_SCE-APND_month_off_dap	DLAP_SCE-APND	Zone	Day Ahead Power	Off Peak	25	2629	2629	31548	79
FPA	CAISO	CAISO.DLAP_SDGE-APND_month_on_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	On Peak	25	669	669	8028	82
FPB	CAISO	CAISO.DLAP_SDGE-APND_month_off_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	Off Peak	25	515	515	6180	81
FQA	CAISO	CAISO.PALOVDRDE_ASR-APND_month_on_dap	PALOVDRDE_ASR-APND	Interface	Day Ahead Power	On Peak	25	832	832	9984	181
FQB	CAISO	CAISO.PALOVDRDE_ASR-APND_month_off_dap	PALOVDRDE_ASR-APND	Interface	Day Ahead Power	Off Peak	25	832	832	9984	180
FQU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	On Peak	25	4707	4707	56484	215
FQV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	Off Peak	25	3961	3961	47532	214
FQW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	On Peak	25	6934	6934	83208	217
FQX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	Off Peak	25	6070	6070	72840	216
FQY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	On Peak	25	588	588	7056	219
FQZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	Off Peak	25	495	495	5940	218
HKU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	4707	4707	56484	215
HKV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	3961	3961	47532	214
HKW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	On Peak	25	6934	6934	83208	217
HKX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	Off Peak	25	6070	6070	72840	216
HKY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	588	588	7056	219
HKZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	495	495	5940	218
HLA	CAISO	CAISO.DLAP_PGAE-APND_month_on_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	On Peak	25	3261	3261	39132	78
HLB	CAISO	CAISO.DLAP_PGAE-APND_month_off_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	Off Peak	25	2705	2705	32460	77
HLC	CAISO	CAISO.DLAP_SCE-APND_month_on_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	On Peak	25	3303	3303	39636	80
HLD	CAISO	CAISO.DLAP_SCE-APND_month_off_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	Off Peak	25	2629	2629	31548	79
HLE	CAISO	CAISO.DLAP_SDGE-APND_month_on_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	On Peak	25	669	669	8028	82
HLF	CAISO	CAISO.DLAP_SDGE-APND_month_off_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	Off Peak	25	515	515	6180	81
HLG	CAISO	CAISO.CAPTJACK_5_N015_month_on_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	On Peak	25	957	957	11484	
HLH	CAISO	CAISO.CAPTJACK_5_N015_month_off_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	Off Peak	25	957	957	11484	
HLI	CAISO	CAISO.DEVERS_2_B2_month_on_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	On Peak	25	742	742	8904	
HLJ	CAISO	CAISO.DEVERS_2_B2_month_off_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	Off Peak	25	742	742	8904	
HLK	CAISO	CAISO.FOURCORN_5_N501_month_on_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	On Peak	25	411	411	4932	
HLL	CAISO	CAISO.FOURCORN_5_N501_month_off_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	Off Peak	25	411	411	4932	
HLM	CAISO	CAISO.IMPRLVLY_2_B2_month_on_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	On Peak	25	907	907	10884	
HLN	CAISO	CAISO.IMPRLVLY_2_B2_month_off_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	Off Peak	25	907	907	10884	
HLO	CAISO	CAISO.INTERM1G_7_N501_month_on_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	On Peak	25	182	182	2184	
HLP	CAISO	CAISO.INTERM1G_7_N501_month_off_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	Off Peak	25	182	182	2184	
HLQ	CAISO	CAISO.MALIN_5_N101_month_on_dac	MALIN_5_N101	Interface	DA Cong. + Energy	On Peak	25	767	767	9204	
HLR	CAISO	CAISO.MALIN_5_N101_month_off_dac	MALIN_5_N101	Interface	DA Cong. + Energy	Off Peak	25	767	767	9204	
HLS	CAISO	CAISO.MARKETPL_5_N501_month_on_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	On Peak	25	151	151	1812	
HLT	CAISO	CAISO.MARKETPL_5_N501_month_off_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	Off Peak	25	151	151	1812	
HLU	CAISO	CAISO.MEADS_2_N101_month_on_dac	MEADS_2_N101	Interface	DA Cong. + Energy	On Peak	25	465	465	5580	
HLV	CAISO	CAISO.MEADS_2_N101_month_off_dac	MEADS_2_N101	Interface	DA Cong. + Energy	Off Peak	25	465	465	5580	
HLY	CAISO	CAISO.MIDWAY_5_B1_month_on_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	On Peak	25	2268	2268	27216	
HLZ	CAISO	CAISO.MIDWAY_5_B1_month_off_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	Off Peak	25	2268	2268	27216	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level ^{***}	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
LJY	SPP	SPP.BLKW_month_on_dap	BLKW	Interface	Day Ahead Power	On Peak	25	50	50	600	
LJZ	SPP	SPP.BLKW_month_off_dap	BLKW	Interface	Day Ahead Power	Off Peak	25	50	50	600	
LKA	SPP	SPP.EDDY_month_on_dap	EDDY	Interface	Day Ahead Power	On Peak	25	50	50	600	
LKB	SPP	SPP.EDDY_month_off_dap	EDDY	Interface	Day Ahead Power	Off Peak	25	50	50	600	
LKC	SPP	SPP.ERCOTE_month_on_dap	ERCOTE	Interface	Day Ahead Power	On Peak	25	150	150	1800	
LKD	SPP	SPP.ERCOTE_month_off_dap	ERCOTE	Interface	Day Ahead Power	Off Peak	25	150	150	1800	
LKE	SPP	SPP.ERCOTN_month_on_dap	ERCOTN	Interface	Day Ahead Power	On Peak	25	55	55	660	
LKF	SPP	SPP.ERCOTN_month_off_dap	ERCOTN	Interface	Day Ahead Power	Off Peak	25	55	55	660	
LKG	SPP	SPP.LAM345_month_on_dap	LAM345	Interface	Day Ahead Power	On Peak	25	53	53	636	
LKH	SPP	SPP.LAM345_month_off_dap	LAM345	Interface	Day Ahead Power	Off Peak	25	53	53	636	
LKI	SPP	SPP.MCWEST_month_on_dap	MCWEST	Interface	Day Ahead Power	On Peak	25	50	50	600	
LKJ	SPP	SPP.MCWEST_month_off_dap	MCWEST	Interface	Day Ahead Power	Off Peak	25	50	50	600	
LKK	SPP	SPP.MISO_month_on_dap	MISO	Interface	Day Ahead Power	On Peak	25	334	334	4008	295
LKL	SPP	SPP.MISO_month_off_dap	MISO	Interface	Day Ahead Power	Off Peak	25	334	334	4008	296
LKM	SPP	SPP.OKGE.BALKO.WIND.1_month_on_dap	OKGE.BALKO.WIND.1	Generator	Day Ahead Power	On Peak	25	75	75	900	
LKN	SPP	SPP.OKGE.BALKO.WIND.1_month_off_dap	OKGE.BALKO.WIND.1	Generator	Day Ahead Power	Off Peak	25	75	75	900	
LKO	SPP	SPP.OKGEKEENANWIND_month_on_dap	OKGEKEENANWIND	Generator	Day Ahead Power	On Peak	25	38	38	456	
LKP	SPP	SPP.OKGEKEENANWIND_month_off_dap	OKGEKEENANWIND	Generator	Day Ahead Power	Off Peak	25	38	38	456	
LKQ	SPP	SPP.OKGE_OKGE_month_on_dap	OKGE_OKGE	Zone	Day Ahead Power	On Peak	25	925	925	11100	
LKR	SPP	SPP.OKGE_OKGE_month_off_dap	OKGE_OKGE	Zone	Day Ahead Power	Off Peak	25	764	764	9168	
LKS	SPP	SPP.RCEAST_month_on_dap	RCEAST	Interface	Day Ahead Power	On Peak	25	51	51	612	
LKT	SPP	SPP.RCEAST_month_off_dap	RCEAST	Interface	Day Ahead Power	Off Peak	25	51	51	612	
LKU	SPP	SPP.SCSE_month_on_dap	SCSE	Interface	Day Ahead Power	On Peak	25	50	50	600	
LKV	SPP	SPP.SCSE_month_off_dap	SCSE	Interface	Day Ahead Power	Off Peak	25	50	50	600	
LKW	SPP	SPP.SPPNORTH_HUB_month_on_dap	SPPNORTH_HUB	Hub	Day Ahead Power	On Peak	25	1468	1468	17616	
LKX	SPP	SPP.SPPNORTH_HUB_month_on_rtp	SPPNORTH_HUB	Hub	Real Time Power	On Peak	25	1468	1468	17616	
LKY	SPP	SPP.SPPNORTH_HUB_month_off_dap	SPPNORTH_HUB	Hub	Day Ahead Power	Off Peak	25	1213	1213	14556	
LKZ	SPP	SPP.SPPNORTH_HUB_month_off_rtp	SPPNORTH_HUB	Hub	Real Time Power	Off Peak	25	1213	1213	14556	
LLA	SPP	SPP.SPPSOUTH_HUB_month_on_dap	SPPSOUTH_HUB	Main Hub	Day Ahead Power	On Peak	25	4115	4115	49380	
LLB	SPP	SPP.SPPSOUTH_HUB_month_on_rtp	SPPSOUTH_HUB	Main Hub	Real Time Power	On Peak	25	4115	4115	49380	
LLC	SPP	SPP.SPPSOUTH_HUB_month_off_dap	SPPSOUTH_HUB	Main Hub	Day Ahead Power	Off Peak	25	3401	3401	40812	
LLD	SPP	SPP.SPPSOUTH_HUB_month_off_rtp	SPPSOUTH_HUB	Main Hub	Real Time Power	Off Peak	25	3401	3401	40812	
LLE	SPP	SPP.SPS_SPS_month_on_dap	SPS_SPS	Zone	Day Ahead Power	On Peak	25	815	815	9780	
LLF	SPP	SPP.SPS_SPS_month_off_dap	SPS_SPS	Zone	Day Ahead Power	Off Peak	25	673	673	8076	
LLI	SPP	SPP.WR_WR_month_on_dap	WR_WR	Zone	Day Ahead Power	On Peak	25	832	832	9984	
LLJ	SPP	SPP.WR_WR_month_off_dap	WR_WR	Zone	Day Ahead Power	Off Peak	25	688	688	8256	

* In addition to the individual position limit of each contract, Nodal Exchange has a separate algorithm to check the combined position limit of contracts within the same aggregation group.

** For Options expiring during, or at the close of, the Underlying Contract's delivery period, the combined Underlying Contract and futures-equivalent Options position will be subject to the position limit established for the Underlying Contract.

*** Reporting Level for Option is 25