

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HPF	ISONE	ISONE..H.INTERNAL_HUB_month_off_dac	.H.INTERNAL_HUB	Main Hub	DA Cong. + Energy	Off Peak	25	5,695	5,695	68,340	1				
HPE	ISONE	ISONE..H.INTERNAL_HUB_month_on_dac	.H.INTERNAL_HUB	Main Hub	DA Cong. + Energy	On Peak	25	6,834	6,834	82,008	2				
AAB	ISONE	ISONE..H.INTERNAL_HUB_month_off_dap	.H.INTERNAL_HUB	Main Hub	Day Ahead Power	Off Peak	25	5,695	5,695	68,340	1				
AAA	ISONE	ISONE..H.INTERNAL_HUB_month_on_dap	.H.INTERNAL_HUB	Main Hub	Day Ahead Power	On Peak	25	6,834	6,834	82,008	2				
FRZ	ISONE	ISONE..H.INTERNAL_HUB_month_off_rtp	.H.INTERNAL_HUB	Main Hub	Real Time Power	Off Peak	25	5,695	5,695	68,340					
FRY	ISONE	ISONE..H.INTERNAL_HUB_month_on_rtp	.H.INTERNAL_HUB	Main Hub	Real Time Power	On Peak	25	6,834	6,834	82,008					
HPH	ISONE	ISONE..Z.CONNECTICUT_month_off_dac	Z.CONNECTICUT	Zone	DA Cong. + Energy	Off Peak	25	800	800	9,600	3				
HPG	ISONE	ISONE..Z.CONNECTICUT_month_on_dac	Z.CONNECTICUT	Zone	DA Cong. + Energy	On Peak	25	1,034	1,034	12,408	4				
AAP	ISONE	ISONE..Z.CONNECTICUT_month_off_dap	Z.CONNECTICUT	Zone	Day Ahead Power	Off Peak	25	800	800	9,600	3				
AAO	ISONE	ISONE..Z.CONNECTICUT_month_on_dap	Z.CONNECTICUT	Zone	Day Ahead Power	On Peak	25	1,034	1,034	12,408	4				
HPJ	ISONE	ISONE..Z.MAINE_month_off_dac	Z.MAINE	Zone	DA Cong. + Energy	Off Peak	25	316	316	3,792	5				
HPJ	ISONE	ISONE..Z.MAINE_month_on_dac	Z.MAINE	Zone	DA Cong. + Energy	On Peak	25	386	386	4,632	6				
AAR	ISONE	ISONE..Z.MAINE_month_off_dap	Z.MAINE	Zone	Day Ahead Power	Off Peak	25	316	316	3,792	5				
AAQ	ISONE	ISONE..Z.MAINE_month_on_dap	Z.MAINE	Zone	Day Ahead Power	On Peak	25	386	386	4,632	6				
HPL	ISONE	ISONE..Z.NEMASSBOST_month_off_dac	Z.NEMASSBOST	Zone	DA Cong. + Energy	Off Peak	25	656	656	7,872	7				
HPK	ISONE	ISONE..Z.NEMASSBOST_month_on_dac	Z.NEMASSBOST	Zone	DA Cong. + Energy	On Peak	25	838	838	10,056	8				
AAT	ISONE	ISONE..Z.NEMASSBOST_month_off_dap	Z.NEMASSBOST	Zone	Day Ahead Power	Off Peak	25	656	656	7,872	7				
AAS	ISONE	ISONE..Z.NEMASSBOST_month_on_dap	Z.NEMASSBOST	Zone	Day Ahead Power	On Peak	25	838	838	10,056	8				
HPN	ISONE	ISONE..Z.NEWHAMPSHIRE_month_off_dac	Z.NEWHAMPSHIRE	Zone	DA Cong. + Energy	Off Peak	25	410	410	4,920	9				
HPM	ISONE	ISONE..Z.NEWHAMPSHIRE_month_on_dac	Z.NEWHAMPSHIRE	Zone	DA Cong. + Energy	On Peak	25	532	532	6,384	10				
AAV	ISONE	ISONE..Z.NEWHAMPSHIRE_month_off_dap	Z.NEWHAMPSHIRE	Zone	Day Ahead Power	Off Peak	25	410	410	4,920	9				
AAU	ISONE	ISONE..Z.NEWHAMPSHIRE_month_on_dap	Z.NEWHAMPSHIRE	Zone	Day Ahead Power	On Peak	25	532	532	6,384	10				
HPP	ISONE	ISONE..Z.RHODEISLAND_month_off_dac	Z.RHODEISLAND	Zone	DA Cong. + Energy	Off Peak	25	268	268	3,216	11				
HPO	ISONE	ISONE..Z.RHODEISLAND_month_on_dac	Z.RHODEISLAND	Zone	DA Cong. + Energy	On Peak	25	346	346	4,152	12				
AAZ	ISONE	ISONE..Z.RHODEISLAND_month_off_dap	Z.RHODEISLAND	Zone	Day Ahead Power	Off Peak	25	268	268	3,216	11				
AAW	ISONE	ISONE..Z.RHODEISLAND_month_on_dap	Z.RHODEISLAND	Zone	Day Ahead Power	On Peak	25	346	346	4,152	12				
HPR	ISONE	ISONE..Z.SEMASS_month_off_dac	Z.SEMASS	Zone	DA Cong. + Energy	Off Peak	25	382	382	4,584	13				
HPQ	ISONE	ISONE..Z.SEMASS_month_on_dac	Z.SEMASS	Zone	DA Cong. + Energy	On Peak	25	492	492	5,904	14				
AAZ	ISONE	ISONE..Z.SEMASS_month_off_dap	Z.SEMASS	Zone	Day Ahead Power	Off Peak	25	382	382	4,584	13				
AAZ	ISONE	ISONE..Z.SEMASS_month_on_dap	Z.SEMASS	Zone	Day Ahead Power	On Peak	25	492	492	5,904	14				
HPT	ISONE	ISONE..Z.VERMONT_month_off_dac	Z.VERMONT	Zone	DA Cong. + Energy	Off Peak	25	150	150	1,800	15				
HPS	ISONE	ISONE..Z.VERMONT_month_on_dac	Z.VERMONT	Zone	DA Cong. + Energy	On Peak	25	185	185	2,220	16				
ABB	ISONE	ISONE..Z.VERMONT_month_off_dap	Z.VERMONT	Zone	Day Ahead Power	Off Peak	25	150	150	1,800	15				
ABA	ISONE	ISONE..Z.VERMONT_month_on_dap	Z.VERMONT	Zone	Day Ahead Power	On Peak	25	185	185	2,220	16				
HPV	ISONE	ISONE..Z.WCMASS_month_off_dac	Z.WCMASS	Zone	DA Cong. + Energy	Off Peak	25	447	447	5,364	17				
HPU	ISONE	ISONE..Z.WCMASS_month_on_dac	Z.WCMASS	Zone	DA Cong. + Energy	On Peak	25	574	574	6,888	18				
ABD	ISONE	ISONE..Z.WCMASS_month_off_dap	Z.WCMASS	Zone	Day Ahead Power	Off Peak	25	447	447	5,364	17				
ABC	ISONE	ISONE..Z.WCMASS_month_on_dap	Z.WCMASS	Zone	Day Ahead Power	On Peak	25	574	574	6,888	18				
GGT	PJM	PJM.1 LASALL24 KVLA-2_month_off_dac	1 LASALL24 KVLA-2	Generator	DA Cong. + Energy	Off Peak	25	585	585	7,020					
GGG	PJM	PJM.1 LASALL24 KVLA-2_month_on_dac	1 LASALL24 KVLA-2	Generator	DA Cong. + Energy	On Peak	25	585	585	7,020					
HIX	PJM	PJM.196 KATY34.5 KVTROPWF_month_off_dac	196 KATY34.5 KVTROPWF	Generator	DA Cong. + Energy	Off Peak	25	75	75	900					
HIW	PJM	PJM.196 KATY34.5 KVTROPWF_month_on_dac	196 KATY34.5 KVTROPWF	Generator	DA Cong. + Energy	On Peak	25	75	75	900					
GGV	PJM	PJM.20 BRAID24 KVBR-2_month_off_dac	20 BRAID24 KVBR-2	Generator	DA Cong. + Energy	Off Peak	25	612	612	7,344					
GGU	PJM	PJM.20 BRAID24 KVBR-2_month_on_dac	20 BRAID24 KVBR-2	Generator	DA Cong. + Energy	On Peak	25	612	612	7,344					
GJV	PJM	PJM.4 QUAD C18 KVQC-1_month_off_dac	4 QUAD C18 KVQC-1	Generator	DA Cong. + Energy	Off Peak	25	505	505	6,060					
GIU	PJM	PJM.4 QUAD C18 KVQC-1_month_on_dac	4 QUAD C18 KVQC-1	Generator	DA Cong. + Energy	On Peak	25	505	505	6,060					
HSR	PJM	PJM.55 HEGEW138 KVCIDGRF_month_off_dac	55 HEGEW138 KVCIDGRF	Generator	DA Cong. + Energy	Off Peak	25	2	2	24		7	7		84
HSQ	PJM	PJM.55 HEGEW138 KVCIDGRF_month_on_dac	55 HEGEW138 KVCIDGRF	Generator	DA Cong. + Energy	On Peak	25	2	2	24		7	7		84
HHR	NYISO	NYISO.59TH STREET GT 1_month_off_dac	59TH STREET GT 1	Generator	DA Cong. + Energy	Off Peak	25	4	4	48					
HHQ	NYISO	NYISO.59TH STREET GT 1_month_on_dac	59TH STREET GT 1	Generator	DA Cong. + Energy	On Peak	25	4	4	48					
GCZ	PJM	PJM.6 BYRON25 KVBY-1_month_off_dac	6 BYRON25 KVBY-1	Generator	DA Cong. + Energy	Off Peak	25	612	612	7,344	19				2
GCV	PJM	PJM.6 BYRON25 KVBY-1_month_on_dac	6 BYRON25 KVBY-1	Generator	DA Cong. + Energy	On Peak	25	612	612	7,344	20				1
GJX	PJM	PJM.6 BYRON25 KVBY-2_month_off_dac	6 BYRON25 KVBY-2	Generator	DA Cong. + Energy	Off Peak	25	612	612	7,344	19				2
GJW	PJM	PJM.6 BYRON25 KVBY-2_month_on_dac	6 BYRON25 KVBY-2	Generator	DA Cong. + Energy	On Peak	25	612	612	7,344	20				1
HST	PJM	PJM.945 CRET13.5 KVCT-1_month_off_dac	945 CRET13.5 KVCT-1	Generator	DA Cong. + Energy	Off Peak	25	87	87	1,044					
HSS	PJM	PJM.945 CRET13.5 KVCT-1_month_on_dac	945 CRET13.5 KVCT-1	Generator	DA Cong. + Energy	On Peak	25	87	87	1,044					
HIZ	PJM	PJM.989 TWIN34.5 KVHTRAILWF_month_off_dac	989 TWIN34.5 KVHTRAILWF	Generator	DA Cong. + Energy	Off Peak	25	50	50	600					
HIY	PJM	PJM.989 TWIN34.5 KVHTRAILWF_month_on_dac	989 TWIN34.5 KVHTRAILWF	Generator	DA Cong. + Energy	On Peak	25	50	50	600					
GRV	MISO_RTO	MISO_RTO.AECI_month_off_dac	AECI	Interface	DA Cong. + Energy	Off Peak	25	100	100	1,200					
GRU	MISO_RTO	MISO_RTO.AECI_month_on_dac	AECI	Interface	DA Cong. + Energy	On Peak	25	100	100	1,200					
GDB	PJM	PJM.AECO_month_off_dac	AECO	Zone	DA Cong. + Energy	Off Peak	25	292	292	3,504	21				
GDA	PJM	PJM.AECO_month_on_dac	AECO	Zone	DA Cong. + Energy	On Peak	25	351	351	4,212	22				
DLP	PJM	PJM.AECO_month_off_dap	AECO	Zone	Day Ahead Power	Off Peak	25	292	292	3,504	21				
DLO	PJM	PJM.AECO_month_on_dap	AECO	Zone	Day Ahead Power	On Peak	25	351	351	4,212	22				
GDD	PJM	PJM.AEP_month_off_dac	AEP	Zone	DA Cong. + Energy	Off Peak	25	3,646	3,646	43,752	23				
GDC	PJM	PJM.AEP_month_on_dac	AEP	Zone	DA Cong. + Energy	On Peak	25	4,312	4,312	51,744	24				
DLR	PJM	PJM.AEP_month_off_dap	AEP	Zone	Day Ahead Power	Off Peak	25	3,646	3,646	43,752	23				
DLQ	PJM	PJM.AEP_month_on_dap	AEP	Zone	Day Ahead Power	On Peak	25	4,312	4,312	51,744	24				

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
GDF	PJM	PJM.AEP-DAYTON HUB_month off dac	AEP-DAYTON HUB	Hub	DA Cong. + Energy	Off Peak	25	6,535	6,535	78,420	25				
GDE	PJM	PJM.AEP-DAYTON HUB_month on dac	AEP-DAYTON HUB	Hub	DA Cong. + Energy	On Peak	25	7,031	7,031	84,372	26				
HXP	PJM	PJM.AEP-DAYTON HUB_month 2x16 dap	AEP-DAYTON HUB	Hub	Day Ahead Power	2x16 PeakWE	25	6,535	6,535	78,420	25				3
HXO	PJM	PJM.AEP-DAYTON HUB_month 7x8 dap	AEP-DAYTON HUB	Hub	Day Ahead Power	7x8 Off Peak	25	5,441	5,441	65,292	25				3
DLX	PJM	PJM.AEP-DAYTON HUB_month off dap	AEP-DAYTON HUB	Hub	Day Ahead Power	Off Peak	25	6,535	6,535	78,420	25				3
DLW	PJM	PJM.AEP-DAYTON HUB_month on dap	AEP-DAYTON HUB	Hub	Day Ahead Power	On Peak	25	7,031	7,031	84,372	26				
HLN	PJM	PJM.AEP-DAYTON HUB_month 2x16 rtp	AEP-DAYTON HUB	Hub	Real Time Power	2x16 PeakWE	25	6,535	6,535	78,420	27				4
HXM	PJM	PJM.AEP-DAYTON HUB_month 7x8 rtp	AEP-DAYTON HUB	Hub	Real Time Power	7x8 Off Peak	25	5,441	5,441	65,292	27				4
FKB	PJM	PJM.AEP-DAYTON HUB_month off rtp	AEP-DAYTON HUB	Hub	Real Time Power	Off Peak	25	6,535	6,535	78,420	27				4
FKA	PJM	PJM.AEP-DAYTON HUB_month on rtp	AEP-DAYTON HUB	Hub	Real Time Power	On Peak	25	7,031	7,031	84,372					
GOT	MISO_RTO	MISO_RTO.ALTE.ALTE_month off dac	ALTE.ALTE	Zone	DA Cong. + Energy	Off Peak	25	412	412	4,944					
GOS	MISO_RTO	MISO_RTO.ALTE.ALTE_month on dac	ALTE.ALTE	Zone	DA Cong. + Energy	On Peak	25	499	499	5,988					
AOB	MISO	MISO.ALTE.ALTE_month off dap	ALTE.ALTE	Zone	Day Ahead Power	Off Peak	25	412	412	4,944					
AOA	MISO	MISO.ALTE.ALTE_month on dap	ALTE.ALTE	Zone	Day Ahead Power	On Peak	25	499	499	5,988					
APB	MISO	MISO.ALTE.ROCKGEN1_month off dap	ALTE.ROCKGEN1	Generator	Day Ahead Power	Off Peak	25	117	117	1,404					
APA	MISO	MISO.ALTE.ROCKGEN1_month on dap	ALTE.ROCKGEN1	Generator	Day Ahead Power	On Peak	25	117	117	1,404					
HKT	MISO_RTO	MISO_RTO.ALTW.8THST3_month off dac	ALTW.8THST3	Generator	DA Cong. + Energy	Off Peak	25	18	18	216					
HKS	MISO_RTO	MISO_RTO.ALTW.8THST3_month on dac	ALTW.8THST3	Generator	DA Cong. + Energy	On Peak	25	18	18	216					
GOV	MISO_RTO	MISO_RTO.ALTW.ALTW_month off dac	ALTW.ALTW	Zone	DA Cong. + Energy	Off Peak	25	681	681	8,172					
GOU	MISO_RTO	MISO_RTO.ALTW.ALTW_month on dac	ALTW.ALTW	Zone	DA Cong. + Energy	On Peak	25	825	825	9,900					
FZJ	MISO	MISO.ALTW.ALTW_month off dap	ALTW.ALTW	Zone	Day Ahead Power	Off Peak	25	681	681	8,172					
FZJ	MISO	MISO.ALTW.ALTW_month on dap	ALTW.ALTW	Zone	Day Ahead Power	On Peak	25	825	825	9,900					
GPJ	MISO_RTO	MISO_RTO.ALTW.BVRCH2_month off dac	ALTW.BVRCH2	Generator	DA Cong. + Energy	Off Peak	25	59	59	708					
GPI	MISO_RTO	MISO_RTO.ALTW.BVRCH2_month on dac	ALTW.BVRCH2	Generator	DA Cong. + Energy	On Peak	25	59	59	708					
GMX	MISO_RTO	MISO_RTO.ALTW.DAEC_month off dac	ALTW.DAEC	Generator	DA Cong. + Energy	Off Peak	25	139	139	1,668					
GMW	MISO_RTO	MISO_RTO.ALTW.DAEC_month on dac	ALTW.DAEC	Generator	DA Cong. + Energy	On Peak	25	139	139	1,668					
ARF	MISO	MISO.ALTW.FOXLK1_month off dap	ALTW.FOXLK1	Generator	Day Ahead Power	Off Peak	25	27	27	324	28				6
ARE	MISO	MISO.ALTW.FOXLK1_month on dap	ALTW.FOXLK1	Generator	Day Ahead Power	On Peak	25	27	27	324	29				5
ARJ	MISO	MISO.ALTW.FOXLK3_month off dap	ALTW.FOXLK3	Generator	Day Ahead Power	Off Peak	25	27	27	324	28				6
ARI	MISO	MISO.ALTW.FOXLK3_month on dap	ALTW.FOXLK3	Generator	Day Ahead Power	On Peak	25	27	27	324	29				5
GON	MISO_RTO	MISO_RTO.ALTW.JOULGSCP_month off dac	ALTW.JOULGSCP	Generator	DA Cong. + Energy	Off Peak	25	189	189	2,268					
GOM	MISO_RTO	MISO_RTO.ALTW.JOULGSCP_month on dac	ALTW.JOULGSCP	Generator	DA Cong. + Energy	On Peak	25	189	189	2,268					
GSL	MISO_RTO	MISO_RTO.ALTW.LOSTLAKES_month off dac	ALTW.LOSTLAKES	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
GSK	MISO_RTO	MISO_RTO.ALTW.LOSTLAKES_month on dac	ALTW.LOSTLAKES	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
GNJ	MISO_RTO	MISO_RTO.ALTW.OTTUMW1_month off dac	ALTW.OTTUMW1	Generator	DA Cong. + Energy	Off Peak	25	191	191	2,292					
GNI	MISO_RTO	MISO_RTO.ALTW.OTTUMW1_month on dac	ALTW.OTTUMW1	Generator	DA Cong. + Energy	On Peak	25	191	191	2,292					
GPL	MISO_RTO	MISO_RTO.ALTW.PIONPRAR2_month off dac	ALTW.PIONPRAR2	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
GPK	MISO_RTO	MISO_RTO.ALTW.PIONPRAR2_month on dac	ALTW.PIONPRAR2	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
GPF	MISO_RTO	MISO_RTO.ALTW.WSEC3_month off dac	ALTW.WSEC3	Generator	DA Cong. + Energy	Off Peak	25	168	168	2,016					
GPE	MISO_RTO	MISO_RTO.ALTW.WSEC3_month on dac	ALTW.WSEC3	Generator	DA Cong. + Energy	On Peak	25	168	168	2,016					
HHT	NYISO	NYISO.AMERICAN_REF_FUEL_month off dac	AMERICAN_REF_FUEL	Generator	DA Cong. + Energy	Off Peak	25	13	13	156					
HHS	NYISO	NYISO.AMERICAN_REF_FUEL_month on dac	AMERICAN_REF_FUEL	Generator	DA Cong. + Energy	On Peak	25	13	13	156					
AUF	MISO	MISO.AMIL.AEM.RPGI_month off dap	AMIL.AEM.RPGI	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				10
AUE	MISO	MISO.AMIL.AEM.RPGI_month on dap	AMIL.AEM.RPGI	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				9
GMB	MISO_RTO	MISO_RTO.AMIL.AMILSES_month off dac	AMIL.AMILSES	Subzone	DA Cong. + Energy	Off Peak	25	1,375	1,375	16,500	30				14
GMA	MISO_RTO	MISO_RTO.AMIL.AMILSES_month on dac	AMIL.AMILSES	Subzone	DA Cong. + Energy	On Peak	25	1,666	1,666	19,992	31				13
AUJ	MISO	MISO.AMIL.AMILSES_month off dap	AMIL.AMILSES	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				10
FXH	MISO_RTO	MISO_RTO.AMIL.AMILSES_month off dap	AMIL.AMILSES	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				12
AUI	MISO	MISO.AMIL.AMILSES_month on dap	AMIL.AMILSES	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				9
FXG	MISO_RTO	MISO_RTO.AMIL.AMILSES_month on dap	AMIL.AMILSES	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				11
FSR	MISO	MISO.AMIL.AMILSES_month off rtp	AMIL.AMILSES	Subzone	Real Time Power	Off Peak	25	1,375	1,375	16,500					
FSQ	MISO	MISO.AMIL.AMILSES_month on rtp	AMIL.AMILSES	Subzone	Real Time Power	On Peak	25	1,666	1,666	19,992					
GMT	MISO_RTO	MISO_RTO.AMIL.BALDWIS1_month off dac	AMIL.BALDWIS1	Generator	DA Cong. + Energy	Off Peak	25	440	440	5,280	32				8
GMS	MISO_RTO	MISO_RTO.AMIL.BALDWIS1_month on dac	AMIL.BALDWIS1	Generator	DA Cong. + Energy	On Peak	25	440	440	5,280	33				7
HRJ	MISO_RTO	MISO_RTO.AMIL.BALDWIS2_month off dac	AMIL.BALDWIS2	Generator	DA Cong. + Energy	Off Peak	25	440	440	5,280	32				8
HRI	MISO_RTO	MISO_RTO.AMIL.BALDWIS2_month on dac	AMIL.BALDWIS2	Generator	DA Cong. + Energy	On Peak	25	440	440	5,280	33				7
HRL	MISO_RTO	MISO_RTO.AMIL.BALDWIS3_month off dac	AMIL.BALDWIS3	Generator	DA Cong. + Energy	Off Peak	25	440	440	5,280	32				8
HRK	MISO_RTO	MISO_RTO.AMIL.BALDWIS3_month on dac	AMIL.BALDWIS3	Generator	DA Cong. + Energy	On Peak	25	440	440	5,280	33				7
GMD	MISO_RTO	MISO_RTO.AMIL.BGS6_month off dac	AMIL.BGS6	Subzone	DA Cong. + Energy	Off Peak	25	1,375	1,375	16,500	30				14
GMC	MISO_RTO	MISO_RTO.AMIL.BGS6_month on dac	AMIL.BGS6	Subzone	DA Cong. + Energy	On Peak	25	1,666	1,666	19,992	31				13
ATX	MISO	MISO.AMIL.BGS6_month off dap	AMIL.BGS6	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				10
FXJ	MISO_RTO	MISO_RTO.AMIL.BGS6_month off dap	AMIL.BGS6	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				12
ATW	MISO	MISO.AMIL.BGS6_month on dap	AMIL.BGS6	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				9
FXI	MISO_RTO	MISO_RTO.AMIL.BGS6_month on dap	AMIL.BGS6	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				11
GMF	MISO_RTO	MISO_RTO.AMIL.BGS9_month off dac	AMIL.BGS9	Subzone	DA Cong. + Energy	Off Peak	25	1,375	1,375	16,500	30				14
GME	MISO_RTO	MISO_RTO.AMIL.BGS9_month on dac	AMIL.BGS9	Subzone	DA Cong. + Energy	On Peak	25	1,666	1,666	19,992	31				13
AUH	MISO	MISO.AMIL.BGS9_month off dap	AMIL.BGS9	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				10
FXL	MISO_RTO	MISO_RTO.AMIL.BGS9_month off dap	AMIL.BGS9	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				12
AUG	MISO	MISO.AMIL.BGS9_month on dap	AMIL.BGS9	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				9
FXK	MISO_RTO	MISO_RTO.AMIL.BGS9_month on dap	AMIL.BGS9	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				11

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HJV	MISO_RTO	MISO_RTO.AMIL.BRICKYARD_month_off_dac	AMIL.BRICKYARD	Subzone	DA Cong. + Energy	Off Peak	25	1,375	1,375	16,500	30				14
HJU	MISO_RTO	MISO_RTO.AMIL.BRICKYARD_month_on_dac	AMIL.BRICKYARD	Subzone	DA Cong. + Energy	On Peak	25	1,666	1,666	19,992	31				13
GRX	MISO_RTO	MISO_RTO.AMIL.CC.GDTWR2_month_off_dac	AMIL.CC.GDTWR2	Generator	DA Cong. + Energy	Off Peak	25	69	69	828					
GRW	MISO_RTO	MISO_RTO.AMIL.CC.GDTWR2_month_on_dac	AMIL.CC.GDTWR2	Generator	DA Cong. + Energy	On Peak	25	69	69	828					
GNL	MISO_RTO	MISO_RTO.AMIL.CLINTO51_month_off_dac	AMIL.CLINTO51	Generator	DA Cong. + Energy	Off Peak	25	264	264	3,168					
GNK	MISO_RTO	MISO_RTO.AMIL.CLINTO51_month_on_dac	AMIL.CLINTO51	Generator	DA Cong. + Energy	On Peak	25	264	264	3,168					
GOF	MISO_RTO	MISO_RTO.AMIL.COFFEEEN1_month_off_dac	AMIL.COFFEEEN1	Generator	DA Cong. + Energy	Off Peak	25	238	238	2,856					
GOE	MISO_RTO	MISO_RTO.AMIL.COFFEEEN1_month_on_dac	AMIL.COFFEEEN1	Generator	DA Cong. + Energy	On Peak	25	238	238	2,856					
GPN	MISO_RTO	MISO_RTO.AMIL.DUCKCRK1_month_off_dac	AMIL.DUCKCRK1	Generator	DA Cong. + Energy	Off Peak	25	103	103	1,236					
GPM	MISO_RTO	MISO_RTO.AMIL.DUCKCRK1_month_on_dac	AMIL.DUCKCRK1	Generator	DA Cong. + Energy	On Peak	25	103	103	1,236					
GRZ	MISO_RTO	MISO_RTO.AMIL.EDWARDS3_month_off_dac	AMIL.EDWARDS3	Generator	DA Cong. + Energy	Off Peak	25	186	186	2,232					
GRY	MISO_RTO	MISO_RTO.AMIL.EDWARDS3_month_on_dac	AMIL.EDWARDS3	Generator	DA Cong. + Energy	On Peak	25	186	186	2,232					
GVJ	MISO_RTO	MISO_RTO.AMIL.HAVANA86_month_off_dac	AMIL.HAVANA86	Generator	DA Cong. + Energy	Off Peak	25	115	115	1,380					
GVI	MISO_RTO	MISO_RTO.AMIL.HAVANA86_month_on_dac	AMIL.HAVANA86	Generator	DA Cong. + Energy	On Peak	25	115	115	1,380					
GSH	MISO_RTO	MISO_RTO.AMIL.HENNEPN81_month_off_dac	AMIL.HENNEPN81	Generator	DA Cong. + Energy	Off Peak	25	73	73	876					
GSG	MISO_RTO	MISO_RTO.AMIL.HENNEPN81_month_on_dac	AMIL.HENNEPN81	Generator	DA Cong. + Energy	On Peak	25	73	73	876					
GNZ	MISO_RTO	MISO_RTO.AMIL.IP_month_off_dac	AMIL.IP	Subzone	DA Cong. + Energy	Off Peak	25	1,375	1,375	16,500	30				14
GNY	MISO_RTO	MISO_RTO.AMIL.IP_month_on_dac	AMIL.IP	Subzone	DA Cong. + Energy	On Peak	25	1,666	1,666	19,992	31				13
FXZ	MISO_RTO	MISO_RTO.AMIL.IP_month_off_dap	AMIL.IP	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				12
FXV	MISO_RTO	MISO_RTO.AMIL.IP_month_on_dap	AMIL.IP	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				11
HRV	MISO_RTO	MISO_RTO.AMIL.IP.AZ_month_off_dac	AMIL.IP.AZ	Subzone	DA Cong. + Energy	Off Peak	25	1,375	1,375	16,500	30				14
HRU	MISO_RTO	MISO_RTO.AMIL.IP.AZ_month_on_dac	AMIL.IP.AZ	Subzone	DA Cong. + Energy	On Peak	25	1,666	1,666	19,992	31				13
GNB	MISO_RTO	MISO_RTO.AMIL.NEWTON21_month_off_dac	AMIL.NEWTON21	Generator	DA Cong. + Energy	Off Peak	25	315	315	3,780					
GNA	MISO_RTO	MISO_RTO.AMIL.NEWTON21_month_on_dac	AMIL.NEWTON21	Generator	DA Cong. + Energy	On Peak	25	315	315	3,780					
GSN	MISO_RTO	MISO_RTO.AMIL.RSPWIND_month_off_dac	AMIL.RSPWIND	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
GSM	MISO_RTO	MISO_RTO.AMIL.RSPWIND_month_on_dac	AMIL.RSPWIND	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
HKD	MISO_RTO	MISO_RTO.AMIL.STWF_month_off_dac	AMIL.STWF	Generator	DA Cong. + Energy	Off Peak	25	38	38	456					
HKC	MISO_RTO	MISO_RTO.AMIL.STWF_month_on_dac	AMIL.STWF	Generator	DA Cong. + Energy	On Peak	25	38	38	456					
GSJ	MISO_RTO	MISO_RTO.AMIL.WOODRW85_month_off_dac	AMIL.WOODRW85	Generator	DA Cong. + Energy	Off Peak	25	89	89	1,068					
GSI	MISO_RTO	MISO_RTO.AMIL.WOODRW85_month_on_dac	AMIL.WOODRW85	Generator	DA Cong. + Energy	On Peak	25	89	89	1,068					
GPH	MISO_RTO	MISO_RTO.AMIL.WPSE_month_off_dac	AMIL.WPSE	Subzone	DA Cong. + Energy	Off Peak	25	1,375	1,375	16,500	30				14
GPG	MISO_RTO	MISO_RTO.AMIL.WPSE_month_on_dac	AMIL.WPSE	Subzone	DA Cong. + Energy	On Peak	25	1,666	1,666	19,992	31				13
GBR	MISO	MISO.AMIL.WPSE_month_off_dap	AMIL.WPSE	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				10
GBQ	MISO	MISO.AMIL.WPSE_month_on_dap	AMIL.WPSE	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				9
GMH	MISO_RTO	MISO_RTO.AMIL.WPSE.OLIN_month_off_dac	AMIL.WPSE.OLIN	Subzone	DA Cong. + Energy	Off Peak	25	1,375	1,375	16,500	30				14
GMG	MISO_RTO	MISO_RTO.AMIL.WPSE.OLIN_month_on_dac	AMIL.WPSE.OLIN	Subzone	DA Cong. + Energy	On Peak	25	1,666	1,666	19,992	31				13
BZZ	MISO	MISO.AMIL.WPSE.OLIN_month_off_dap	AMIL.WPSE.OLIN	Subzone	Day Ahead Power	Off Peak	25	1,375	1,375	16,500	30				10
BZY	MISO	MISO.AMIL.WPSE.OLIN_month_on_dap	AMIL.WPSE.OLIN	Subzone	Day Ahead Power	On Peak	25	1,666	1,666	19,992	31				9
GPT	MISO_RTO	MISO_RTO.AMMO.CALLAWAY1_month_off_dac	AMMO.CALLAWAY1	Generator	DA Cong. + Energy	Off Peak	25	298	298	3,576					
GPS	MISO_RTO	MISO_RTO.AMMO.CALLAWAY1_month_on_dac	AMMO.CALLAWAY1	Generator	DA Cong. + Energy	On Peak	25	298	298	3,576					
HJZ	MISO_RTO	MISO_RTO.AMMO.GOOSEGEN1_month_off_dac	AMMO.GOOSEGEN1	Generator	DA Cong. + Energy	Off Peak	25	113	113	1,356					
HJY	MISO_RTO	MISO_RTO.AMMO.GOOSEGEN1_month_on_dac	AMMO.GOOSEGEN1	Generator	DA Cong. + Energy	On Peak	25	113	113	1,356					
GMZ	MISO_RTO	MISO_RTO.AMMO.LABADIE1_month_off_dac	AMMO.LABADIE1	Generator	DA Cong. + Energy	Off Peak	25	632	632	7,584					
GMY	MISO_RTO	MISO_RTO.AMMO.LABADIE1_month_on_dac	AMMO.LABADIE1	Generator	DA Cong. + Energy	On Peak	25	632	632	7,584					
GJV	MISO_RTO	MISO_RTO.AMMO.MERAMECT1_month_off_dac	AMMO.MERAMECT1	Generator	DA Cong. + Energy	Off Peak	25	27	27	324					
GYU	MISO_RTO	MISO_RTO.AMMO.MERAMECT1_month_on_dac	AMMO.MERAMECT1	Generator	DA Cong. + Energy	On Peak	25	27	27	324					
GNF	MISO_RTO	MISO_RTO.AMMO.RUSHIS1_month_off_dac	AMMO.RUSHIS1	Generator	DA Cong. + Energy	Off Peak	25	318	318	3,816					
GNE	MISO_RTO	MISO_RTO.AMMO.RUSHIS1_month_on_dac	AMMO.RUSHIS1	Generator	DA Cong. + Energy	On Peak	25	318	318	3,816					
GYT	MISO_RTO	MISO_RTO.AMMO.SIOUX1_month_off_dac	AMMO.SIOUX1	Generator	DA Cong. + Energy	Off Peak	25	259	259	3,108					
GYS	MISO_RTO	MISO_RTO.AMMO.SIOUX1_month_on_dac	AMMO.SIOUX1	Generator	DA Cong. + Energy	On Peak	25	259	259	3,108					
GOB	MISO_RTO	MISO_RTO.AMMO.UE_month_off_dac	AMMO.UE	Zone	DA Cong. + Energy	Off Peak	25	1,191	1,191	14,292	34				
GOA	MISO_RTO	MISO_RTO.AMMO.UE_month_on_dac	AMMO.UE	Zone	DA Cong. + Energy	On Peak	25	1,443	1,443	17,316	35				
AYV	MISO_RTO	MISO_RTO.AMMO.UE_month_off_dap	AMMO.UE	Zone	Day Ahead Power	Off Peak	25	1,191	1,191	14,292	34				
AYU	MISO_RTO	MISO_RTO.AMMO.UE_month_on_dap	AMMO.UE	Zone	Day Ahead Power	On Peak	25	1,443	1,443	17,316	35				
GGX	PJM	PJM.AMOS26.KVAM2_month_off_dac	AMOS26.KVAM2	Generator	DA Cong. + Energy	Off Peak	25	733	733	8,796	36				16
GGW	PJM	PJM.AMOS26.KVAM2_month_on_dac	AMOS26.KVAM2	Generator	DA Cong. + Energy	On Peak	25	733	733	8,796	37				15
GDH	PJM	PJM.AMOS26.KVAM3_month_off_dac	AMOS26.KVAM3	Generator	DA Cong. + Energy	Off Peak	25	733	733	8,796	36				16
GDG	PJM	PJM.AMOS26.KVAM3_month_on_dac	AMOS26.KVAM3	Generator	DA Cong. + Energy	On Peak	25	733	733	8,796	37				15
GDJ	PJM	PJM.APS_month_off_dac	APS	Zone	DA Cong. + Energy	Off Peak	25	1,260	1,260	15,120	38				
GDI	PJM	PJM.APS_month_on_dac	APS	Zone	DA Cong. + Energy	On Peak	25	1,504	1,504	18,048	39				
DMZ	PJM	PJM.APS_month_off_dap	APS	Zone	Day Ahead Power	Off Peak	25	1,260	1,260	15,120	38				
DMY	PJM	PJM.APS_month_on_dap	APS	Zone	Day Ahead Power	On Peak	25	1,504	1,504	18,048	39				
HAJ	NYISO	NYISO.ARTHUR_KILL_2_month_off_dac	ARTHUR_KILL_2	Generator	DA Cong. + Energy	Off Peak	25	233	233	2,796	40				18
HAI	NYISO	NYISO.ARTHUR_KILL_2_month_on_dac	ARTHUR_KILL_2	Generator	DA Cong. + Energy	On Peak	25	233	233	2,796	41				17
HAL	NYISO	NYISO.ARTHUR_KILL_3_month_off_dac	ARTHUR_KILL_3	Generator	DA Cong. + Energy	Off Peak	25	233	233	2,796	40				18
HAK	NYISO	NYISO.ARTHUR_KILL_3_month_on_dac	ARTHUR_KILL_3	Generator	DA Cong. + Energy	On Peak	25	233	233	2,796	41				17
HAP	NYISO	NYISO.ASTORIA_EAST_ENERGY_CC1_month_off_dac	ASTORIA_EAST_ENERGY_CC1	Generator	DA Cong. + Energy	Off Peak	25	160	160	1,920					
HAO	NYISO	NYISO.ASTORIA_EAST_ENERGY_CC1_month_on_dac	ASTORIA_EAST_ENERGY_CC1	Generator	DA Cong. + Energy	On Peak	25	160	160	1,920					
HAN	NYISO	NYISO.AST_ENERGY_2_CC3_month_off_dac	AST_ENERGY_2_CC3	Generator	DA Cong. + Energy	Off Peak	25	154	154	1,848					
HAM	NYISO	NYISO.AST_ENERGY_2_CC3_month_on_dac	AST_ENERGY_2_CC3	Generator	DA Cong. + Energy	On Peak	25	154	154	1,848					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HAR	NYISO	NYISO.ATHENS_STG_1_month_off_dac	ATHENS_STG_1	Generator	DA Cong. + Energy	Off Peak	25	331	331	3,972					
HAQ	NYISO	NYISO.ATHENS_STG_1_month_on_dac	ATHENS_STG_1	Generator	DA Cong. + Energy	On Peak	25	331	331	3,972					
GDL	PJM	PJM.ATSI_month_off_dac	ATSI	Zone	DA Cong. + Energy	Off Peak	25	1,754	1,754	21,048	42				22
GDK	PJM	PJM.ATSI_month_on_dac	ATSI	Zone	DA Cong. + Energy	On Peak	25	2,180	2,180	26,160	43				21
FZB	PJM	PJM.ATSI_month_off_dap	ATSI	Zone	Day Ahead Power	Off Peak	25	1,754	1,754	21,048	42				20
FZA	PJM	PJM.ATSI_month_on_dap	ATSI	Zone	Day Ahead Power	On Peak	25	2,180	2,180	26,160	43				19
FZD	PJM	PJM.ATSI_month_off_rtp	ATSI	Zone	Real Time Power	Off Peak	25	1,754	1,754	21,048					
FZC	PJM	PJM.ATSI_month_on_rtp	ATSI	Zone	Real Time Power	On Peak	25	2,180	2,180	26,160					
GJZ	PJM	PJM.AVONLAK214_KVUN7_month_off_dac	AVONLAK214_KVUN7	Generator	DA Cong. + Energy	Off Peak	25	199	199	2,388	44				24
GJY	PJM	PJM.AVONLAK214_KVUN7_month_on_dac	AVONLAK214_KVUN7	Generator	DA Cong. + Energy	On Peak	25	199	199	2,388	45				23
HTL	PJM	PJM.AVONLAK220_KVUN9_month_off_dac	AVONLAK220_KVUN9	Generator	DA Cong. + Energy	Off Peak	25	199	199	2,388	44				24
HTK	PJM	PJM.AVONLAK220_KVUN9_month_on_dac	AVONLAK220_KVUN9	Generator	DA Cong. + Energy	On Peak	25	199	199	2,388	45				23
HAT	NYISO	NYISO.BARRETT_1_month_off_dac	BARRETT_1	Generator	DA Cong. + Energy	Off Peak	25	94	94	1,128					
HAS	NYISO	NYISO.BARRETT_1_month_on_dac	BARRETT_1	Generator	DA Cong. + Energy	On Peak	25	94	94	1,128					
GKB	PJM	PJM.BATHCO20_KVGM1_month_off_dac	BATHCO20_KVGM1	Generator	DA Cong. + Energy	Off Peak	25	716	716	8,592					
GKA	PJM	PJM.BATHCO20_KVGM1_month_on_dac	BATHCO20_KVGM1	Generator	DA Cong. + Energy	On Peak	25	716	716	8,592					
GDN	PJM	PJM.BEAV_DUQ22_KVUNIT1_month_off_dac	BEAV_DUQ22_KVUNIT1	Generator	DA Cong. + Energy	Off Peak	25	462	462	5,544					
GDM	PJM	PJM.BEAV_DUQ22_KVUNIT1_month_on_dac	BEAV_DUQ22_KVUNIT1	Generator	DA Cong. + Energy	On Peak	25	462	462	5,544					
GKD	PJM	PJM.BEAVER13.2_KVWL-A_month_off_dac	BEAVER13.2_KVWL-A	Generator	DA Cong. + Energy	Off Peak	25	37	37	444					
GKC	PJM	PJM.BEAVER13.2_KVWL-A_month_on_dac	BEAVER13.2_KVWL-A	Generator	DA Cong. + Energy	On Peak	25	37	37	444					
HHV	NYISO	NYISO.BETHLEHEM_GS3_month_off_dac	BETHLEHEM_GS3	Generator	DA Cong. + Energy	Off Peak	25	223	223	2,676					
HHU	NYISO	NYISO.BETHLEHEM_GS3_month_on_dac	BETHLEHEM_GS3	Generator	DA Cong. + Energy	On Peak	25	223	223	2,676					
GDP	PJM	PJM.BGE_month_off_dac	BGE	Zone	DA Cong. + Energy	Off Peak	25	883	883	10,596	46				
GDO	PJM	PJM.BGE_month_on_dac	BGE	Zone	DA Cong. + Energy	On Peak	25	1,061	1,061	12,732	47				
DPH	PJM	PJM.BGE_month_off_dap	BGE	Zone	Day Ahead Power	Off Peak	25	883	883	10,596	46				
DPQ	PJM	PJM.BGE_month_on_dap	BGE	Zone	Day Ahead Power	On Peak	25	1,061	1,061	12,732	47				
FRT	PJM	PJM.BGE_month_off_rtp	BGE	Zone	Real Time Power	Off Peak	25	883	883	10,596					
FRS	PJM	PJM.BGE_month_on_rtp	BGE	Zone	Real Time Power	On Peak	25	1,061	1,061	12,732					
HAV	NYISO	NYISO.BLISS_WT_PWR_month_off_dac	BLISS_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
HAU	NYISO	NYISO.BLISS_WT_PWR_month_on_dac	BLISS_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
HAX	NYISO	NYISO.BOWLINE_1_month_off_dac	BOWLINE_1	Generator	DA Cong. + Energy	Off Peak	25	311	311	3,732					
HAW	NYISO	NYISO.BOWLINE_1_month_on_dac	BOWLINE_1	Generator	DA Cong. + Energy	On Peak	25	311	311	3,732					
GGZ	PJM	PJM.BRANDONS24_KVGN01_month_off_dac	BRANDONS24_KVGN01	Generator	DA Cong. + Energy	Off Peak	25	343	343	4,116					
GGY	PJM	PJM.BRANDONS24_KVGN01_month_on_dac	BRANDONS24_KVGN01	Generator	DA Cong. + Energy	On Peak	25	343	343	4,116					
HAZ	NYISO	NYISO.BROOKLYN_NAVY_YARD_month_off_dac	BROOKLYN_NAVY_YARD	Generator	DA Cong. + Energy	Off Peak	25	81	81	972					
HAY	NYISO	NYISO.BROOKLYN_NAVY_YARD_month_on_dac	BROOKLYN_NAVY_YARD	Generator	DA Cong. + Energy	On Peak	25	81	81	972					
GDR	PJM	PJM.BRUNNERI24_KVUNIT03_month_off_dac	BRUNNERI24_KVUNIT03	Generator	DA Cong. + Energy	Off Peak	25	392	392	4,704					
GDU	PJM	PJM.BRUNNERI24_KVUNIT03_month_on_dac	BRUNNERI24_KVUNIT03	Generator	DA Cong. + Energy	On Peak	25	392	392	4,704					
GDT	PJM	PJM.BRUNSWICK_month_off_dac	BRUNSWICK	Subzone	DA Cong. + Energy	Off Peak	25	179	179	2,148					
GDS	PJM	PJM.BRUNSWICK_month_on_dac	BRUNSWICK	Subzone	DA Cong. + Energy	On Peak	25	179	179	2,148					
HBB	NYISO	NYISO.CAITHNESS_CC_1_month_off_dac	CAITHNESS_CC_1	Generator	DA Cong. + Energy	Off Peak	25	87	87	1,044					
HBA	NYISO	NYISO.CAITHNESS_CC_1_month_on_dac	CAITHNESS_CC_1	Generator	DA Cong. + Energy	On Peak	25	87	87	1,044					
GDV	PJM	PJM.CALVERTC22_KVGN02_month_off_dac	CALVERTC22_KVGN02	Generator	DA Cong. + Energy	Off Peak	25	457	457	5,484	48				26
GDU	PJM	PJM.CALVERTC22_KVGN02_month_on_dac	CALVERTC22_KVGN02	Generator	DA Cong. + Energy	On Peak	25	457	457	5,484	49				25
GDX	PJM	PJM.CALVERTC25_KVGN01_month_off_dac	CALVERTC25_KVGN01	Generator	DA Cong. + Energy	Off Peak	25	457	457	5,484	48				26
GDW	PJM	PJM.CALVERTC25_KVGN01_month_on_dac	CALVERTC25_KVGN01	Generator	DA Cong. + Energy	On Peak	25	457	457	5,484	49				25
HBD	NYISO	NYISO.CANDIGU_WT_PWR_month_off_dac	CANDIGU_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	31	31	372					
HBC	NYISO	NYISO.CANDIGU_WT_PWR_month_on_dac	CANDIGU_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	31	31	372					
HHP	NYISO	NYISO.CAPITL_month_off_dac	CAPITL	Zone	DA Cong. + Energy	Off Peak	25	513	513	6,156	50				
HHO	NYISO	NYISO.CAPITL_month_on_dac	CAPITL	Zone	DA Cong. + Energy	On Peak	25	516	516	6,192	51				
CTF	NYISO	NYISO.CAPITL_month_off_dap	CAPITL	Zone	Day Ahead Power	Off Peak	25	513	513	6,156	50				
CTE	NYISO	NYISO.CAPITL_month_on_dap	CAPITL	Zone	Day Ahead Power	On Peak	25	516	516	6,192	51				
HLH	CAISO	CAISO.CAPTJACK_5_N015_month_off_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	Off Peak	25	957	957	11,484					
HLG	CAISO	CAISO.CAPTJACK_5_N015_month_on_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	On Peak	25	957	957	11,484					
HOF	CAISO	CAISO.CAPTJACK_5_N512_month_off_dac	CAPTJACK_5_N512	Interface	DA Cong. + Energy	Off Peak	25	8	8	96	52				28
HOE	CAISO	CAISO.CAPTJACK_5_N512_month_on_dac	CAPTJACK_5_N512	Interface	DA Cong. + Energy	On Peak	25	8	8	96	53				27
HBF	NYISO	NYISO.CARR_STREET_E_SYR_month_off_dac	CARR_STREET_E_SYR	Generator	DA Cong. + Energy	Off Peak	25	31	31	372					
HBE	NYISO	NYISO.CARR_STREET_E_SYR_month_on_dac	CARR_STREET_E_SYR	Generator	DA Cong. + Energy	On Peak	25	31	31	372					
HBH	NYISO	NYISO.CENTRL_month_off_dac	CENTRL	Zone	DA Cong. + Energy	Off Peak	25	589	589	7,068	54				
HBG	NYISO	NYISO.CENTRL_month_on_dac	CENTRL	Zone	DA Cong. + Energy	On Peak	25	723	723	8,676	55				
CTR	NYISO	NYISO.CENTRL_month_off_dap	CENTRL	Zone	Day Ahead Power	Off Peak	25	589	589	7,068	54				
CTQ	NYISO	NYISO.CENTRL_month_on_dap	CENTRL	Zone	Day Ahead Power	On Peak	25	723	723	8,676	55				
HTN	PJM	PJM.CHALKPT20_KVCHLKG1_month_off_dac	CHALKPT20_KVCHLKG1	Generator	DA Cong. + Energy	Off Peak	25	662	662	7,944					
HTM	PJM	PJM.CHALKPT20_KVCHLKG1_month_on_dac	CHALKPT20_KVCHLKG1	Generator	DA Cong. + Energy	On Peak	25	662	662	7,944					
HBN	NYISO	NYISO.CHATEAUG_WT_PWR_month_off_dac	CHATEAUG_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	27	27	324					
HBM	NYISO	NYISO.CHATEAUG_WT_PWR_month_on_dac	CHATEAUG_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	27	27	324					
GHB	PJM	PJM.CHESWICK24_KVUNIT1_month_off_dac	CHESWICK24_KVUNIT1	Generator	DA Cong. + Energy	Off Peak	25	159	159	1,908					
GHA	PJM	PJM.CHESWICK24_KVUNIT1_month_on_dac	CHESWICK24_KVUNIT1	Generator	DA Cong. + Energy	On Peak	25	159	159	1,908					
HBJ	NYISO	NYISO.CH_RES_BVR_FALLS_month_off_dac	CH_RES_BVR_FALLS	Generator	DA Cong. + Energy	Off Peak	25	27	27	324					
HBI	NYISO	NYISO.CH_RES_BVR_FALLS_month_on_dac	CH_RES_BVR_FALLS	Generator	DA Cong. + Energy	On Peak	25	27	27	324					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HLB	NYISO	NYISO.CH.RES.SYRACUSE_month_off_dac	CH.RES.SYRACUSE	Generator	DA Cong. + Energy	Off Peak	25	26	26	312					
HLK	NYISO	NYISO.CH.RES.SYRACUSE_month_on_dac	CH.RES.SYRACUSE	Generator	DA Cong. + Energy	On Peak	25	26	26	312					
GPV	MISO_RTO	MISO_RTO.CIN.CAYUGA.1_month_off_dac	CIN.CAYUGA.1	Generator	DA Cong. + Energy	Off Peak	25	260	260	3,120					
GPU	MISO_RTO	MISO_RTO.CIN.CAYUGA.1_month_on_dac	CIN.CAYUGA.1	Generator	DA Cong. + Energy	On Peak	25	260	260	3,120					
GOJ	MISO_RTO	MISO_RTO.CIN.GIBSON.1_month_off_dac	CIN.GIBSON.1	Generator	DA Cong. + Energy	Off Peak	25	808	808	9,696					
GOI	MISO_RTO	MISO_RTO.CIN.GIBSON.1_month_on_dac	CIN.GIBSON.1	Generator	DA Cong. + Energy	On Peak	25	808	808	9,696					
GCL	MISO	MISO.CIN.HAG.AEPM_month_off_dap	CIN.HAG.AEPM	Subzone	Day Ahead Power	Off Peak	25	1,000	1,000	12,000	56				
GCK	MISO	MISO.CIN.HAG.AEPM_month_on_dap	CIN.HAG.AEPM	Subzone	Day Ahead Power	On Peak	25	1,211	1,211	14,532	57				
GOZ	MISO_RTO	MISO_RTO.CIN.PSI_month_off_dac	CIN.PSI	Zone	DA Cong. + Energy	Off Peak	25	1,000	1,000	12,000	56				
GOY	MISO_RTO	MISO_RTO.CIN.PSI_month_on_dac	CIN.PSI	Zone	DA Cong. + Energy	On Peak	25	1,211	1,211	14,532	57				
BDZ	MISO_RTO	MISO_RTO.CIN.PSI_month_off_dap	CIN.PSI	Zone	Day Ahead Power	Off Peak	25	1,000	1,000	12,000	56				
BDY	MISO_RTO	MISO_RTO.CIN.PSI_month_on_dap	CIN.PSI	Zone	Day Ahead Power	On Peak	25	1,211	1,211	14,532	57				
GDZ	PJM	PJM.CLOVER25_KVG2_month_off_dac	CLOVER25_KVG2	Generator	DA Cong. + Energy	Off Peak	25	212	212	2,544					
GDY	PJM	PJM.CLOVER25_KVG2_month_on_dac	CLOVER25_KVG2	Generator	DA Cong. + Energy	On Peak	25	212	212	2,544					
GEB	PJM	PJM.COMED_month_off_dac	COMED	Zone	DA Cong. + Energy	Off Peak	25	2,760	2,760	33,120	58				
GEA	PJM	PJM.COMED_month_on_dac	COMED	Zone	DA Cong. + Energy	On Peak	25	3,439	3,439	41,268	59				
DVP	PJM	PJM.COMED_month_off_dap	COMED	Zone	Day Ahead Power	Off Peak	25	2,760	2,760	33,120	58				
DVO	PJM	PJM.COMED_month_on_dap	COMED	Zone	Day Ahead Power	On Peak	25	3,439	3,439	41,268	59				
FUB	PJM	PJM.COMED_month_off_rtp	COMED	Zone	Real Time Power	Off Peak	25	2,760	2,760	33,120					
FUA	PJM	PJM.COMED_month_on_rtp	COMED	Zone	Real Time Power	On Peak	25	3,439	3,439	41,268					
GED	PJM	PJM.CONEMAUG22_KVUNIT.1_month_off_dac	CONEMAUG22_KVUNIT.1	Generator	DA Cong. + Energy	Off Peak	25	471	471	5,652					
GEC	PJM	PJM.CONEMAUG22_KVUNIT.1_month_on_dac	CONEMAUG22_KVUNIT.1	Generator	DA Cong. + Energy	On Peak	25	471	471	5,652					
GHD	PJM	PJM.CONOWING13_KVGEN1_month_off_dac	CONOWING13_KVGEN1	Generator	DA Cong. + Energy	Off Peak	25	127	127	1,524					
GHC	PJM	PJM.CONOWING13_KVGEN1_month_on_dac	CONOWING13_KVGEN1	Generator	DA Cong. + Energy	On Peak	25	127	127	1,524					
GPX	MISO_RTO	MISO_RTO.CONS.CAMPBELL2_month_off_dac	CONS.CAMPBELL2	Generator	DA Cong. + Energy	Off Peak	25	154	154	1,848					
GPW	MISO_RTO	MISO_RTO.CONS.CAMPBELL2_month_on_dac	CONS.CAMPBELL2	Generator	DA Cong. + Energy	On Peak	25	154	154	1,848					
FYX	MISO	MISO.CONS.LANS_month_off_dap	CONS.LANS	Subzone	Day Ahead Power	Off Peak	25	1,330	1,330	15,960	60				30
FYW	MISO	MISO.CONS.LANS_month_on_dap	CONS.LANS	Subzone	Day Ahead Power	On Peak	25	1,611	1,611	19,332	61				29
GOP	MISO_RTO	MISO_RTO.CONS.LIVINGEN1_month_off_dac	CONS.LIVINGEN1	Generator	DA Cong. + Energy	Off Peak	25	33	33	396					
GOO	MISO_RTO	MISO_RTO.CONS.LIVINGEN1_month_on_dac	CONS.LIVINGEN1	Generator	DA Cong. + Energy	On Peak	25	33	33	396					
GMV	MISO_RTO	MISO_RTO.CONS.PALISA2A1_month_off_dac	CONS.PALISA2A1	Generator	DA Cong. + Energy	Off Peak	25	205	205	2,460					
GMU	MISO_RTO	MISO_RTO.CONS.PALISA2A1_month_on_dac	CONS.PALISA2A1	Generator	DA Cong. + Energy	On Peak	25	205	205	2,460					
FZP	MISO	MISO.CONS.SESB_month_off_dap	CONS.SESB	Subzone	Day Ahead Power	Off Peak	25	1,330	1,330	15,960	60				30
FZO	MISO	MISO.CONS.SESB_month_on_dap	CONS.SESB	Subzone	Day Ahead Power	On Peak	25	1,611	1,611	19,332	61				29
GPP	MISO_RTO	MISO_RTO.CONS.WPSE_month_off_dac	CONS.WPSE	Subzone	DA Cong. + Energy	Off Peak	25	1,330	1,330	15,960	60				
GPO	MISO_RTO	MISO_RTO.CONS.WPSE_month_on_dac	CONS.WPSE	Subzone	DA Cong. + Energy	On Peak	25	1,611	1,611	19,332	61				
BST	MISO	MISO.CONS.WPSE_month_off_dap	CONS.WPSE	Subzone	Day Ahead Power	Off Peak	25	1,330	1,330	15,960	60				30
BSS	MISO	MISO.CONS.WPSE_month_on_dap	CONS.WPSE	Subzone	Day Ahead Power	On Peak	25	1,611	1,611	19,332	61				29
GHF	PJM	PJM.COOK26_KVCK1_month_off_dac	COOK26_KVCK1	Generator	DA Cong. + Energy	Off Peak	25	571	571	6,852	62				32
GHE	PJM	PJM.COOK26_KVCK1_month_on_dac	COOK26_KVCK1	Generator	DA Cong. + Energy	On Peak	25	571	571	6,852	63				31
GHH	PJM	PJM.COOK26_KVCK2_month_off_dac	COOK26_KVCK2	Generator	DA Cong. + Energy	Off Peak	25	571	571	6,852	62				32
GHG	PJM	PJM.COOK26_KVCK2_month_on_dac	COOK26_KVCK2	Generator	DA Cong. + Energy	On Peak	25	571	571	6,852	63				31
HHX	NYISO	NYISO.COXSACKIE_GT_month_off_dac	COXSACKIE_GT	Generator	DA Cong. + Energy	Off Peak	25	6	6	72					
HHW	NYISO	NYISO.COXSACKIE_GT_month_on_dac	COXSACKIE_GT	Generator	DA Cong. + Energy	On Peak	25	6	6	72					
GVZ	PJM	PJM.CPP_month_off_dac	CPP	Subzone	DA Cong. + Energy	Off Peak	25	31	31	372					
Gvy	PJM	PJM.CPP_month_on_dac	CPP	Subzone	DA Cong. + Energy	On Peak	25	38	38	456					
HOZ	CAISO	CAISO.CRAGVIEW.1_GN001_month_off_dac	CRAGVIEW.1_GN001	Interface	DA Cong. + Energy	Off Peak	25	14	14	168					
HOY	CAISO	CAISO.CRAGVIEW.1_GN001_month_on_dac	CRAGVIEW.1_GN001	Interface	DA Cong. + Energy	On Peak	25	14	14	168					
BJT	MISO	MISO.CWLD.CWLD_month_off_dap	CWLD.CWLD	Zone	Day Ahead Power	Off Peak	25	39	39	468					
BIS	MISO	MISO.CWLD.CWLD_month_on_dap	CWLD.CWLD	Zone	Day Ahead Power	On Peak	25	47	47	564					
HBP	NYISO	NYISO.DANSKAMMER.4_month_off_dac	DANSKAMMER.4	Generator	DA Cong. + Energy	Off Peak	25	134	134	1,608					
HBO	NYISO	NYISO.DANSKAMMER.4_month_on_dac	DANSKAMMER.4	Generator	DA Cong. + Energy	On Peak	25	134	134	1,608					
HJL	PJM	PJM.DAVISBES25_KVDB10_month_off_dac	DAVISBES25_KVDB10	Generator	DA Cong. + Energy	Off Peak	25	231	231	2,772					
HJK	PJM	PJM.DAVISBES25_KVDB10_month_on_dac	DAVISBES25_KVDB10	Generator	DA Cong. + Energy	On Peak	25	231	231	2,772					
GEF	PJM	PJM.DAY_month_off_dac	DAY	Zone	DA Cong. + Energy	Off Peak	25	584	584	7,008	64				
GEE	PJM	PJM.DAY_month_on_dac	DAY	Zone	DA Cong. + Energy	On Peak	25	733	733	8,796	65				
DJY	PJM	PJM.DAY_month_off_dap	DAY	Zone	Day Ahead Power	Off Peak	25	584	584	7,008	64				
DYI	PJM	PJM.DAY_month_on_dap	DAY	Zone	Day Ahead Power	On Peak	25	733	733	8,796	65				
GYN	ERCOT	ERCOT.DC.E.month.2x16_dap	DC.E	Interface	Day Ahead Power	2x16 PeakWE	25	150	150	1,800	66				33
GYM	ERCOT	ERCOT.DC.E.month.7x8_dap	DC.E	Interface	Day Ahead Power	7x8 Off Peak	25	150	150	1,800	66				33
GYL	ERCOT	ERCOT.DC.E.month.off_dap	DC.E	Interface	Day Ahead Power	Off Peak	25	150	150	1,800	66				33
GYK	ERCOT	ERCOT.DC.E.month.on_dap	DC.E	Interface	Day Ahead Power	On Peak	25	150	150	1,800					
GYJ	ERCOT	ERCOT.DC.N.month.2x16_dap	DC.N	Interface	Day Ahead Power	2x16 PeakWE	25	55	55	660	67				34
GYI	ERCOT	ERCOT.DC.N.month.7x8_dap	DC.N	Interface	Day Ahead Power	7x8 Off Peak	25	55	55	660	67				34
GYH	ERCOT	ERCOT.DC.N.month.off_dap	DC.N	Interface	Day Ahead Power	Off Peak	25	55	55	660	67				34
GYG	ERCOT	ERCOT.DC.N.month.on_dap	DC.N	Interface	Day Ahead Power	On Peak	25	55	55	660					
GYF	ERCOT	ERCOT.DC.R.month.2x16_dap	DC.R	Interface	Day Ahead Power	2x16 PeakWE	25	38	38	456	68				35
GYE	ERCOT	ERCOT.DC.R.month.7x8_dap	DC.R	Interface	Day Ahead Power	7x8 Off Peak	25	38	38	456	68				35
GYD	ERCOT	ERCOT.DC.R.month.off_dap	DC.R	Interface	Day Ahead Power	Off Peak	25	38	38	456	68				35
GYC	ERCOT	ERCOT.DC.R.month.on_dap	DC.R	Interface	Day Ahead Power	On Peak	25	38	38	456					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
GKV	PJM	PJM.DECAM COAL GEN_month off_dac	DECAM COAL GEN	Subzone	DA Cong. + Energy	Off Peak	25	2,308	2,308	27,696	69				124
GKU	PJM	PJM.DECAM COAL GEN_month on_dac	DECAM COAL GEN	Subzone	DA Cong. + Energy	On Peak	25	2,308	2,308	27,696	70				123
GKX	PJM	PJM.DECAM GAS GEN_month off_dac	DECAM GAS GEN	Subzone	DA Cong. + Energy	Off Peak	25	650	650	7,800					
GKW	PJM	PJM.DECAM GAS GEN_month on_dac	DECAM GAS GEN	Subzone	DA Cong. + Energy	On Peak	25	650	650	7,800					
GCR	MISO	MISO.DECO.CROS_month off_dap	DECO.CROS	Subzone	Day Ahead Power	Off Peak	25	1,587	1,587	19,050	71	1383	1383	16596	37
GCQ	MISO	MISO.DECO.CROS_month on_dap	DECO.CROS	Subzone	Day Ahead Power	On Peak	25	1,923	1,923	23,076	72				36
GOX	MISO_RTO	MISO_RTO.DECO.LUD1_month off_dac	DECO.LUD1	Generator	DA Cong. + Energy	Off Peak	25	78	78	936					
GOW	MISO_RTO	MISO_RTO.DECO.LUD1_month on_dac	DECO.LUD1	Generator	DA Cong. + Energy	On Peak	25	78	78	936					
GUZ	MISO_RTO	MISO_RTO.DECO.MONROE1_month off_dac	DECO.MONROE1	Generator	DA Cong. + Energy	Off Peak	25	780	780	9,360					
GUY	MISO_RTO	MISO_RTO.DECO.MONROE1_month on_dac	DECO.MONROE1	Generator	DA Cong. + Energy	On Peak	25	780	780	9,360					
GCT	MISO	MISO.DECO.SEBE_month off_dap	DECO.SEBE	Subzone	Day Ahead Power	Off Peak	25	1,587	1,587	19,050	71	1383	1383	16596	37
GCS	MISO	MISO.DECO.SEBE_month on_dap	DECO.SEBE	Subzone	Day Ahead Power	On Peak	25	1,923	1,923	23,076	72				36
GBV	MISO	MISO.DECO.SESA_month off_dap	DECO.SESA	Subzone	Day Ahead Power	Off Peak	25	1,587	1,587	19,050	71	1383	1383	16596	37
GBU	MISO	MISO.DECO.SESA_month on_dap	DECO.SESA	Subzone	Day Ahead Power	On Peak	25	1,923	1,923	23,076	72				36
GOD	MISO_RTO	MISO_RTO.DECO.STCLAIR4_month off_dac	DECO.STCLAIR4	Generator	DA Cong. + Energy	Off Peak	25	354	354	4,248					
GOC	MISO_RTO	MISO_RTO.DECO.STCLAIR4_month on_dac	DECO.STCLAIR4	Generator	DA Cong. + Energy	On Peak	25	354	354	4,248					
APV	MISO	MISO.DECO.WPSZ_month off_dap	DECO.WPSZ	Subzone	Day Ahead Power	Off Peak	25	1,587	1,587	19,050	71	1383	1383	16596	37
APU	MISO	MISO.DECO.WPSZ_month on_dap	DECO.WPSZ	Subzone	Day Ahead Power	On Peak	25	1,923	1,923	23,076	72				36
HQV	PJM	PJM.DEK_month off_dac	DEK	Subzone	DA Cong. + Energy	Off Peak	25	103	103	1,236	73				
HQU	PJM	PJM.DEK_month on_dac	DEK	Subzone	DA Cong. + Energy	On Peak	25	125	125	1,500	74				
HQT	PJM	PJM.DEK_month off_dap	DEK	Subzone	Day Ahead Power	Off Peak	25	103	103	1,236	73				
HQS	PJM	PJM.DEK_month on_dap	DEK	Subzone	Day Ahead Power	On Peak	25	125	125	1,500	74				
GEH	PJM	PJM.DEOK_month off_dac	DEOK	Zone	DA Cong. + Energy	Off Peak	25	697	697	8,364	75				
GEG	PJM	PJM.DEOK_month on_dac	DEOK	Zone	DA Cong. + Energy	On Peak	25	846	846	10,152	76				
GAB	PJM	PJM.DEOK_month off_dap	DEOK	Zone	Day Ahead Power	Off Peak	25	697	697	8,364	75				
GAA	PJM	PJM.DEOK_month on_dap	DEOK	Zone	Day Ahead Power	On Peak	25	846	846	10,152	76				
HUJ	CAISO	CAISO.DEVERS_2_B2_month off_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	Off Peak	25	742	742	8,904					
HU	CAISO	CAISO.DEVERS_2_B2_month on_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	On Peak	25	742	742	8,904					
HTP	PJM	PJM.DICKERSO13 KVSTADG1_month off_dac	DICKERSO13 KVSTADG1	Generator	DA Cong. + Energy	Off Peak	25	233	233	2,796					
HTO	PJM	PJM.DICKERSO13 KVSTADG1_month on_dac	DICKERSO13 KVSTADG1	Generator	DA Cong. + Energy	On Peak	25	233	233	2,796					
HLB	CAISO	CAISO.DLAP PGAE-APND_month off_dac	DLAP PGAE-APND	Zone	DA Cong. + Energy	Off Peak	25	2,705	2,705	32,460	77				39
HLA	CAISO	CAISO.DLAP PGAE-APND_month on_dac	DLAP PGAE-APND	Zone	DA Cong. + Energy	On Peak	25	3,261	3,261	39,132	78				38
FOX	CAISO	CAISO.DLAP PGAE-APND_month off_dap	DLAP PGAE-APND	Zone	Day Ahead Power	Off Peak	25	2,705	2,705	32,460	77				
FOX	CAISO	CAISO.DLAP PGAE-APND_month on_dap	DLAP PGAE-APND	Zone	Day Ahead Power	On Peak	25	3,261	3,261	39,132	78				
HLD	CAISO	CAISO.DLAP SCE-APND_month off_dac	DLAP SCE-APND	Zone	DA Cong. + Energy	Off Peak	25	2,629	2,629	31,548	79				
HLC	CAISO	CAISO.DLAP SCE-APND_month on_dac	DLAP SCE-APND	Zone	DA Cong. + Energy	On Peak	25	3,303	3,303	39,636	80				
FOZ	CAISO	CAISO.DLAP SCE-APND_month off_dap	DLAP SCE-APND	Zone	Day Ahead Power	Off Peak	25	2,629	2,629	31,548	79				
FOY	CAISO	CAISO.DLAP SCE-APND_month on_dap	DLAP SCE-APND	Zone	Day Ahead Power	On Peak	25	3,303	3,303	39,636	80				
HLF	CAISO	CAISO.DLAP SDGE-APND_month off_dac	DLAP SDGE-APND	Zone	DA Cong. + Energy	Off Peak	25	515	515	6,180	81				
HLE	CAISO	CAISO.DLAP SDGE-APND_month on_dac	DLAP SDGE-APND	Zone	DA Cong. + Energy	On Peak	25	669	669	8,028	82				
FPB	CAISO	CAISO.DLAP SDGE-APND_month off_dap	DLAP SDGE-APND	Zone	Day Ahead Power	Off Peak	25	515	515	6,180	81				
FPA	CAISO	CAISO.DLAP SDGE-APND_month on_dap	DLAP SDGE-APND	Zone	Day Ahead Power	On Peak	25	669	669	8,028	82				
GEJ	PJM	PJM.DOM_month off_dac	DOM	Zone	DA Cong. + Energy	Off Peak	25	2,498	2,498	29,976	83				
GEI	PJM	PJM.DOM_month on_dac	DOM	Zone	DA Cong. + Energy	On Peak	25	2,997	2,997	35,964	84				
DZT	PJM	PJM.DOM_month off_dap	DOM	Zone	Day Ahead Power	Off Peak	25	2,498	2,498	29,976	83				
DZS	PJM	PJM.DOM_month on_dap	DOM	Zone	Day Ahead Power	On Peak	25	2,997	2,997	35,964	84				
HSN	PJM	PJM.DOMINION HUB_month off_dac	DOMINION HUB	Hub	DA Cong. + Energy	Off Peak	25	12,400	12,400	148,800	85				
HSM	PJM	PJM.DOMINION HUB_month on_dac	DOMINION HUB	Hub	DA Cong. + Energy	On Peak	25	13,278	13,278	159,336	86				
DZV	PJM	PJM.DOMINION HUB_month off_dap	DOMINION HUB	Hub	Day Ahead Power	Off Peak	25	12,400	12,400	148,800	85				
DZU	PJM	PJM.DOMINION HUB_month on_dap	DOMINION HUB	Hub	Day Ahead Power	On Peak	25	13,278	13,278	159,336	86				
GPR	MISO_RTO	MISO_RTO.DPC.DPC_month off_dac	DPC.DPC	Zone	DA Cong. + Energy	Off Peak	25	144	144	1,728	242				
GPQ	MISO_RTO	MISO_RTO.DPC.DPC_month on_dac	DPC.DPC	Zone	DA Cong. + Energy	On Peak	25	175	175	2,100	241				
GBT	MISO	MISO.DPC.DPC_month off_dap	DPC.DPC	Zone	Day Ahead Power	Off Peak	25	144	144	1,728	242				
GBS	MISO	MISO.DPC.DPC_month on_dap	DPC.DPC	Zone	Day Ahead Power	On Peak	25	175	175	2,100	241				
GPZ	MISO_RTO	MISO_RTO.DPC.NSPLOAD_month off_dac	DPC.NSPLOAD	Subzone	DA Cong. + Energy	Off Peak	25	144	144	1,728	242	137	137	1644	
GPY	MISO_RTO	MISO_RTO.DPC.NSPLOAD_month on_dac	DPC.NSPLOAD	Subzone	DA Cong. + Energy	On Peak	25	175	175	2,100	241				
GEL	PJM	PJM.DPL_month off_dac	DPL	Zone	DA Cong. + Energy	Off Peak	25	501	501	6,012	87				43
G EK	PJM	PJM.DPL_month on_dac	DPL	Zone	DA Cong. + Energy	On Peak	25	601	601	7,212	88				42
EAD	PJM	PJM.DPL_month off_dap	DPL	Zone	Day Ahead Power	Off Peak	25	501	501	6,012	87				41
EAC	PJM	PJM.DPL_month on_dap	DPL	Zone	Day Ahead Power	On Peak	25	601	601	7,212	88				40
G HJ	PJM	PJM.DPL NORTH_month off_dac	DPL NORTH	Subzone	DA Cong. + Energy	Off Peak	25	216	216	2,592	87				43
GHI	PJM	PJM.DPL NORTH_month on_dac	DPL NORTH	Subzone	DA Cong. + Energy	On Peak	25	252	252	3,024	88				42
HTR	PJM	PJM.DPL SOUTH_month off_dac	DPL SOUTH	Subzone	DA Cong. + Energy	Off Peak	25	291	291	3,492	87				43
HTQ	PJM	PJM.DPL SOUTH_month on_dac	DPL SOUTH	Subzone	DA Cong. + Energy	On Peak	25	349	349	4,188	88				42
GHL	PJM	PJM.DRESDEN18 KVSTM1_month off_dac	DRESDEN18 KVSTM1	Generator	DA Cong. + Energy	Off Peak	25	145	145	1,740					
GHK	PJM	PJM.DRESDEN18 KVSTM1_month on_dac	DRESDEN18 KVSTM1	Generator	DA Cong. + Energy	On Peak	25	145	145	1,740					
HBR	NYISO	NYISO.DUNKIRK_1_month off_dac	DUNKIRK_1	Generator	DA Cong. + Energy	Off Peak	25	157	157	1,884					
HBQ	NYISO	NYISO.DUNKIRK_1_month on_dac	DUNKIRK_1	Generator	DA Cong. + Energy	On Peak	25	157	157	1,884					
HBT	NYISO	NYISO.DUNWOD_month off_dac	DUNWOD	Zone	DA Cong. + Energy	Off Peak	25	156	156	1,872	89				
HBS	NYISO	NYISO.DUNWOD_month on_dac	DUNWOD	Zone	DA Cong. + Energy	On Peak	25	200	200	2,400	90				

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
CUV	NYISO	NYISO.DUNWOD_month_off_dap	DUNWOD	Zone	Day Ahead Power	Off Peak	25	156	156	1,872	89				
CUU	NYISO	NYISO.DUNWOD_month_on_dap	DUNWOD	Zone	Day Ahead Power	On Peak	25	200	200	2,400	90				
GEN	PJM	PJM.DUQ_month_off_dac	DUQ	Zone	DA Cong. + Energy	Off Peak	25	388	388	4,656	91				
GEM	PJM	PJM.DUQ_month_on_dac	DUQ	Zone	DA Cong. + Energy	On Peak	25	473	473	5,676	92				
FJP	PJM	PJM.DUQ_month_off_dap	DUQ	Zone	Day Ahead Power	Off Peak	25	388	388	4,656	91				
FJO	PJM	PJM.DUQ_month_on_dap	DUQ	Zone	Day Ahead Power	On Peak	25	473	473	5,676	92				
HBX	NYISO	NYISO.EAST RIVER_7_month_off_dac	EAST RIVER_7	Generator	DA Cong. + Energy	Off Peak	25	179	179	2,148					
HBW	NYISO	NYISO.EAST RIVER_7_month_on_dac	EAST RIVER_7	Generator	DA Cong. + Energy	On Peak	25	179	179	2,148					
GEP	PJM	PJM.EASTERN HUB_month_off_dac	EASTERN HUB	Hub	DA Cong. + Energy	Off Peak	25	9,352	9,352	112,224	93				
GEO	PJM	PJM.EASTERN HUB_month_on_dac	EASTERN HUB	Hub	DA Cong. + Energy	On Peak	25	10,275	10,275	123,300	94				
EAT	PJM	PJM.EASTERN HUB_month_off_dap	EASTERN HUB	Hub	Day Ahead Power	Off Peak	25	9,352	9,352	112,224	93				
EAS	PJM	PJM.EASTERN HUB_month_on_dap	EASTERN HUB	Hub	Day Ahead Power	On Peak	25	10,275	10,275	123,300	94				
FRV	PJM	PJM.EASTERN HUB_month_off_rtp	EASTERN HUB	Hub	Real Time Power	Off Peak	25	9,352	9,352	112,224					
FRU	PJM	PJM.EASTERN HUB_month_on_rtp	EASTERN HUB	Hub	Real Time Power	On Peak	25	10,275	10,275	123,300					
GKF	PJM	PJM.EASTLAKE24 KVUN5_month_off_dac	EASTLAKE24 KVUN5	Generator	DA Cong. + Energy	Off Peak	25	322	322	3,864					
GKE	PJM	PJM.EASTLAKE24 KVUN5_month_on_dac	EASTLAKE24 KVUN5	Generator	DA Cong. + Energy	On Peak	25	322	322	3,864					
GER	PJM	PJM.EASTON_month_off_dac	EASTON	Subzone	DA Cong. + Energy	Off Peak	25	8	8	96	87				43
GEQ	PJM	PJM.EASTON_month_on_dac	EASTON	Subzone	DA Cong. + Energy	On Peak	25	9	9	108	88				42
EAV	PJM	PJM.EASTON_month_off_dap	EASTON	Subzone	Day Ahead Power	Off Peak	25	8	8	96	87				41
EAU	PJM	PJM.EASTON_month_on_dap	EASTON	Subzone	Day Ahead Power	On Peak	25	9	9	108	88				40
HQZ	PJM	PJM.EBEND20 KVEB2_month_off_dac	EBEND20 KVEB2	Generator	DA Cong. + Energy	Off Peak	25	167	167	2,004	95				
HQY	PJM	PJM.EBEND20 KVEB2_month_on_dac	EBEND20 KVEB2	Generator	DA Cong. + Energy	On Peak	25	167	167	2,004	96				
HQX	PJM	PJM.EBEND20 KVEB2_month_off_dap	EBEND20 KVEB2	Generator	Day Ahead Power	Off Peak	25	167	167	2,004	95				
HQW	PJM	PJM.EBEND20 KVEB2_month_on_dap	EBEND20 KVEB2	Generator	Day Ahead Power	On Peak	25	167	167	2,004	96				
EBP	PJM	PJM.EDGEMOOR13 KVHAYRD4_month_off_dap	EDGEMOOR13 KVHAYRD4	Generator	Day Ahead Power	Off Peak	25	178	178	2,136	97				45
EBO	PJM	PJM.EDGEMOOR13 KVHAYRD4_month_on_dap	EDGEMOOR13 KVHAYRD4	Generator	Day Ahead Power	On Peak	25	178	178	2,136	98				44
EBR	PJM	PJM.EDGEMOOR18 KVHAYRD8_month_off_dap	EDGEMOOR18 KVHAYRD8	Generator	Day Ahead Power	Off Peak	25	178	178	2,136	97				45
EBQ	PJM	PJM.EDGEMOOR18 KVHAYRD8_month_on_dap	EDGEMOOR18 KVHAYRD8	Generator	Day Ahead Power	On Peak	25	178	178	2,136	98				44
GSB	MISO_RTO	MISO_RTO.EEI_month_off_dac	EEI	Interface	DA Cong. + Energy	Off Peak	25	278	278	3,336					
GSA	MISO_RTO	MISO_RTO.EEI_month_on_dac	EEI	Interface	DA Cong. + Energy	On Peak	25	278	278	3,336					
GSD	MISO_RTO	MISO_RTO.EES_month_off_dac	EES	Interface	DA Cong. + Energy	Off Peak	25	247	247	2,964					
GSC	MISO_RTO	MISO_RTO.EES_month_on_dac	EES	Interface	DA Cong. + Energy	On Peak	25	247	247	2,964					
HUF	CAISO	CAISO.ELCENTRO_2_N001_month_off_dac	ELCENTRO_2_N001	Interface	DA Cong. + Energy	Off Peak	25	60	60	720					
HUE	CAISO	CAISO.ELCENTRO_2_N001_month_on_dac	ELCENTRO_2_N001	Interface	DA Cong. + Energy	On Peak	25	60	60	720					
DIP	PJM	PJM.ELGIN EC3_month_off_dap	ELGIN EC3	Subzone	Day Ahead Power	Off Peak	25	135	135	1,620					
DIO	PJM	PJM.ELGIN EC3_month_on_dap	ELGIN EC3	Subzone	Day Ahead Power	On Peak	25	135	135	1,620					
HBZ	NYISO	NYISO.EMPIRE_CC_1_month_off_dac	EMPIRE_CC_1	Generator	DA Cong. + Energy	Off Peak	25	168	168	2,016					
HBY	NYISO	NYISO.EMPIRE_CC_1_month_on_dac	EMPIRE_CC_1	Generator	DA Cong. + Energy	On Peak	25	168	168	2,016					
FWJ	ISONE	ISONE.ENERGY_month_off_dae	ENERGY	Hub	Day Ahead Energy	Off Peak	25	5,695	5,695	68,340					
FVX	MISO	MISO.ENERGY_month_off_dae	ENERGY	Hub	Day Ahead Energy	Off Peak	25	22,205	22,205	266,460					
FWF	NYISO	NYISO.ENERGY_month_off_dae	ENERGY	Hub	Day Ahead Energy	Off Peak	25	7,605	7,605	91,260					
FWB	PJM	PJM.ENERGY_month_off_dae	ENERGY	Hub	Day Ahead Energy	Off Peak	25	36,908	36,908	442,896					
FWI	ISONE	ISONE.ENERGY_month_on_dae	ENERGY	Hub	Day Ahead Energy	On Peak	25	6,834	6,834	82,008					
FVW	MISO	MISO.ENERGY_month_on_dae	ENERGY	Hub	Day Ahead Energy	On Peak	25	24,507	24,507	294,084					
FWE	NYISO	NYISO.ENERGY_month_on_dae	ENERGY	Hub	Day Ahead Energy	On Peak	25	8,466	8,466	101,592					
FWA	PJM	PJM.ENERGY_month_on_dae	ENERGY	Hub	Day Ahead Energy	On Peak	25	39,511	39,511	474,132					
FVZ	MISO	MISO.ENERGY_month_off_rte	ENERGY	Hub	Real Time Energy	Off Peak	25	22,205	22,205	266,460					
FWD	PJM	PJM.ENERGY_month_off_rte	ENERGY	Hub	Real Time Energy	Off Peak	25	36,908	36,908	442,896					
FVY	MISO	MISO.ENERGY_month_on_rte	ENERGY	Hub	Real Time Energy	On Peak	25	24,507	24,507	294,084					
FWC	PJM	PJM.ENERGY_month_on_rte	ENERGY	Hub	Real Time Energy	On Peak	25	39,511	39,511	474,132					
HHZ	NYISO	NYISO.E_CANADA_CAP_HY_month_off_dac	E_CANADA_CAP_HY	Generator	DA Cong. + Energy	Off Peak	25	6	6	72					
HHY	NYISO	NYISO.E_CANADA_CAP_HY_month_on_dac	E_CANADA_CAP_HY	Generator	DA Cong. + Energy	On Peak	25	6	6	72					
HBV	NYISO	NYISO.E_FISHKILL_LBMP_month_off_dac	E_FISHKILL_LBMP	Interface	DA Cong. + Energy	Off Peak	25	341	341	4,092					
HBU	NYISO	NYISO.E_FISHKILL_LBMP_month_on_dac	E_FISHKILL_LBMP	Interface	DA Cong. + Energy	On Peak	25	341	341	4,092					
HCB	NYISO	NYISO.FAR ROCKAWAY_4_month_off_dac	FAR ROCKAWAY_4	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
HCA	NYISO	NYISO.FAR ROCKAWAY_4_month_on_dac	FAR ROCKAWAY_4	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
GHP	PJM	PJM.FE OHIO_month_off_dac	FE OHIO	Subzone	DA Cong. + Energy	Off Peak	25	1,614	1,614	19,368	42				22
GHO	PJM	PJM.FE OHIO_month_on_dac	FE OHIO	Subzone	DA Cong. + Energy	On Peak	25	2,005	2,005	24,060	43				21
FWX	PJM	PJM.FE OHIO_month_off_dap	FE OHIO	Subzone	Day Ahead Power	Off Peak	25	1,614	1,614	19,368	42				20
FWW	PJM	PJM.FE OHIO_month_on_dap	FE OHIO	Subzone	Day Ahead Power	On Peak	25	2,005	2,005	24,060	43				19
HCD	NYISO	NYISO.FITZPATRICK_month_off_dac	FITZPATRICK	Generator	DA Cong. + Energy	Off Peak	25	221	221	2,652					
HCC	NYISO	NYISO.FITZPATRICK_month_on_dac	FITZPATRICK	Generator	DA Cong. + Energy	On Peak	25	221	221	2,652					
HIB	NYISO	NYISO.FORT ORANGE_month_off_dac	FORT ORANGE	Generator	DA Cong. + Energy	Off Peak	25	18	18	216					
HIA	NYISO	NYISO.FORT ORANGE_month_on_dac	FORT ORANGE	Generator	DA Cong. + Energy	On Peak	25	18	18	216					
HID	NYISO	NYISO.FORT DRUM COGEN_month_off_dac	FORT DRUM COGEN	Generator	DA Cong. + Energy	Off Peak	25	15	15	180					
HIC	NYISO	NYISO.FORT DRUM COGEN_month_on_dac	FORT DRUM COGEN	Generator	DA Cong. + Energy	On Peak	25	15	15	180					
HLL	CAISO	CAISO.FOURCORN_5_N501_month_off_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	Off Peak	25	411	411	4,932					
HLK	CAISO	CAISO.FOURCORN_5_N501_month_on_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	On Peak	25	411	411	4,932					
GHR	PJM	PJM.FOWLER34.5 KVFWLR1AWF_month_off_dac	FOWLER34.5 KVFWLR1AWF	Generator	DA Cong. + Energy	Off Peak	25	150	150	1,800					
GHQ	PJM	PJM.FOWLER34.5 KVFWLR1AWF_month_on_dac	FOWLER34.5 KVFWLR1AWF	Generator	DA Cong. + Energy	On Peak	25	150	150	1,800					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HIT	PJM	PJM.FRACKVIL69 KVGLBNUG_month_off_dac	FRACKVIL69 KVGLBNUG	Generator	DA Cong. + Energy	Off Peak	25	22	22	264					
HIS	PJM	PJM.FRACKVIL69 KVGLBNUG_month_on_dac	FRACKVIL69 KVGLBNUG	Generator	DA Cong. + Energy	On Peak	25	22	22	264					
GTJ	PJM	PJM.FREMONTE18 KVFT1_month_off_dac	FREMONTE18 KVFT1	Generator	DA Cong. + Energy	Off Peak	25	171	171	2,052					
GTI	PJM	PJM.FREMONTE18 KVFT1_month_on_dac	FREMONTE18 KVFT1	Generator	DA Cong. + Energy	On Peak	25	171	171	2,052					
GXJ	PJM	PJM.FTMARTIN22 KVGEN1_month_off_dac	FTMARTIN22 KVGEN1	Generator	DA Cong. + Energy	Off Peak	25	288	288	3,456					
GXI	PJM	PJM.FTMARTIN22 KVGEN1_month_on_dac	FTMARTIN22 KVGEN1	Generator	DA Cong. + Energy	On Peak	25	288	288	3,456					
HCF	NYISO	NYISO.GENESE_month_off_dac	GENESE	Zone	DA Cong. + Energy	Off Peak	25	255	255	3,060	99				
HCE	NYISO	NYISO.GENESE_month_on_dac	GENESE	Zone	DA Cong. + Energy	On Peak	25	324	324	3,888	100				
CWF	NYISO	NYISO.GENESE_month_off_dap	GENESE	Zone	Day Ahead Power	Off Peak	25	255	255	3,060	99				
CWE	NYISO	NYISO.GENESE_month_on_dap	GENESE	Zone	Day Ahead Power	On Peak	25	324	324	3,888	100				
HCH	NYISO	NYISO.GILBOA_1_month_off_dac	GILBOA_1	Generator	DA Cong. + Energy	Off Peak	25	250	250	3,000					
HCG	NYISO	NYISO.GILBOA_1_month_on_dac	GILBOA_1	Generator	DA Cong. + Energy	On Peak	25	250	250	3,000					
HCI	NYISO	NYISO.GINNA_month_off_dac	GINNA	Generator	DA Cong. + Energy	Off Peak	25	154	154	1,848					
HCI	NYISO	NYISO.GINNA_month_on_dac	GINNA	Generator	DA Cong. + Energy	On Peak	25	154	154	1,848					
HCL	NYISO	NYISO.GLENWOOD_4_month_off_dac	GLENWOOD_4	Generator	DA Cong. + Energy	Off Peak	25	85	85	1,020					
HCK	NYISO	NYISO.GLENWOOD_4_month_on_dac	GLENWOOD_4	Generator	DA Cong. + Energy	On Peak	25	85	85	1,020					
HCN	NYISO	NYISO.GLOBAL GREEN PORT GT1_month_off_dac	GLOBAL GREEN PORT GT1	Generator	DA Cong. + Energy	Off Peak	25	14	14	168					
HCM	NYISO	NYISO.GLOBAL GREEN PORT GT1_month_on_dac	GLOBAL GREEN PORT GT1	Generator	DA Cong. + Energy	On Peak	25	14	14	168					
GQB	MISO_RTO	MISO_RTO.GRE.GRE_month_off_dac	GRE.GRE	Zone	DA Cong. + Energy	Off Peak	25	399	399	4,788	239				
GQA	MISO_RTO	MISO_RTO.GRE.GRE_month_on_dac	GRE.GRE	Zone	DA Cong. + Energy	On Peak	25	484	484	5,808	240				
BSX	MISO	MISO.GRE.HUC_month_off_dap	GRE.HUC	Subzone	Day Ahead Power	Off Peak	25	399	399	4,788	239				
BSW	MISO	MISO.GRE.HUC_month_on_dap	GRE.HUC	Subzone	Day Ahead Power	On Peak	25	484	484	5,808	240				
GOR	MISO_RTO	MISO_RTO.GRE.LKFLGR1_month_off_dac	GRE.LKFLGR1	Generator	DA Cong. + Energy	Off Peak	25	137	137	1,644					
GOQ	MISO_RTO	MISO_RTO.GRE.LKFLGR1_month_on_dac	GRE.LKFLGR1	Generator	DA Cong. + Energy	On Peak	25	137	137	1,644					
GXL	PJM	PJM.GUILFORD138 KVGEN12_month_off_dac	GUILFORD138 KVGEN12	Generator	DA Cong. + Energy	Off Peak	25	22	22	264					
GXK	PJM	PJM.GUILFORD138 KVGEN12_month_on_dac	GUILFORD138 KVGEN12	Generator	DA Cong. + Energy	On Peak	25	22	22	264					
GXD	PJM	PJM.HARR APS20 KVGEN1_month_off_dac	HARR APS20 KVGEN1	Generator	DA Cong. + Energy	Off Peak	25	513	513	6,156	101				47
GXC	PJM	PJM.HARR APS20 KVGEN1_month_on_dac	HARR APS20 KVGEN1	Generator	DA Cong. + Energy	On Peak	25	513	513	6,156	102				46
GVV	PJM	PJM.HARR APS20 KVGEN1_month_off_dap	HARR APS20 KVGEN1	Generator	Day Ahead Power	Off Peak	25	513	513	6,156	101				
GVU	PJM	PJM.HARR APS20 KVGEN1_month_on_dap	HARR APS20 KVGEN1	Generator	Day Ahead Power	On Peak	25	513	513	6,156	102				
GXF	PJM	PJM.HARR APS20 KVGEN2_month_off_dac	HARR APS20 KVGEN2	Generator	DA Cong. + Energy	Off Peak	25	513	513	6,156	101				47
GXE	PJM	PJM.HARR APS20 KVGEN2_month_on_dac	HARR APS20 KVGEN2	Generator	DA Cong. + Energy	On Peak	25	513	513	6,156	102				46
GXB	PJM	PJM.HATFIELD18 KVGEN1_month_off_dac	HATFIELD18 KVGEN1	Generator	DA Cong. + Energy	Off Peak	25	432	432	5,184	103				
GXA	PJM	PJM.HATFIELD18 KVGEN1_month_on_dac	HATFIELD18 KVGEN1	Generator	DA Cong. + Energy	On Peak	25	432	432	5,184	104				
EHL	PJM	PJM.HATFIELD18 KVGEN1_month_off_dap	HATFIELD18 KVGEN1	Generator	Day Ahead Power	Off Peak	25	432	432	5,184	103				
EHK	PJM	PJM.HATFIELD18 KVGEN1_month_on_dap	HATFIELD18 KVGEN1	Generator	Day Ahead Power	On Peak	25	432	432	5,184	104				
GAK	ERCOT	ERCOT.HB HOUSTON_month_2x16_dap	HB HOUSTON	Hub	Day Ahead Power	2x16 PeakWVE	25	4,370	4,370	52,440	105				49
GAL	ERCOT	ERCOT.HB HOUSTON_month_7x8_dap	HB HOUSTON	Hub	Day Ahead Power	7x8 Off Peak	25	3,739	3,739	44,868	105				49
FVD	ERCOT	ERCOT.HB HOUSTON_month_off_dap	HB HOUSTON	Hub	Day Ahead Power	Off Peak	25	4,370	4,370	52,440	105				49
FVC	ERCOT	ERCOT.HB HOUSTON_month_on_dap	HB HOUSTON	Hub	Day Ahead Power	On Peak	25	4,587	4,587	55,044					
GBA	ERCOT	ERCOT.HB HOUSTON_month_2x16_rtp	HB HOUSTON	Hub	Real Time Power	2x16 PeakWVE	25	4,370	4,370	52,440	106				48
GBB	ERCOT	ERCOT.HB HOUSTON_month_7x8_rtp	HB HOUSTON	Hub	Real Time Power	7x8 Off Peak	25	3,739	3,739	44,868	106				48
FOJ	ERCOT	ERCOT.HB HOUSTON_month_off_rtp	HB HOUSTON	Hub	Real Time Power	Off Peak	25	4,370	4,370	52,440	106				48
FOI	ERCOT	ERCOT.HB HOUSTON_month_on_rtp	HB HOUSTON	Hub	Real Time Power	On Peak	25	4,587	4,587	55,044					
GAM	ERCOT	ERCOT.HB NORTH_month_2x16_dap	HB NORTH	Main Hub	Day Ahead Power	2x16 PeakWVE	25	6,651	6,651	79,812	107				51
GAN	ERCOT	ERCOT.HB NORTH_month_7x8_dap	HB NORTH	Main Hub	Day Ahead Power	7x8 Off Peak	25	5,691	5,691	68,292	107				51
FVF	ERCOT	ERCOT.HB NORTH_month_off_dap	HB NORTH	Main Hub	Day Ahead Power	Off Peak	25	6,651	6,651	79,812	107				51
FVE	ERCOT	ERCOT.HB NORTH_month_on_dap	HB NORTH	Main Hub	Day Ahead Power	On Peak	25	6,982	6,982	83,784					
GBC	ERCOT	ERCOT.HB NORTH_month_2x16_rtp	HB NORTH	Main Hub	Real Time Power	2x16 PeakWVE	25	6,651	6,651	79,812	108				50
GBD	ERCOT	ERCOT.HB NORTH_month_7x8_rtp	HB NORTH	Main Hub	Real Time Power	7x8 Off Peak	25	5,691	5,691	68,292	108				50
FOL	ERCOT	ERCOT.HB NORTH_month_off_rtp	HB NORTH	Main Hub	Real Time Power	Off Peak	25	6,651	6,651	79,812	108				50
FOK	ERCOT	ERCOT.HB NORTH_month_on_rtp	HB NORTH	Main Hub	Real Time Power	On Peak	25	6,982	6,982	83,784					
GAO	ERCOT	ERCOT.HB SOUTH_month_2x16_dap	HB SOUTH	Hub	Day Ahead Power	2x16 PeakWVE	25	1,727	1,727	20,724	109				53
GAP	ERCOT	ERCOT.HB SOUTH_month_7x8_dap	HB SOUTH	Hub	Day Ahead Power	7x8 Off Peak	25	1,478	1,478	17,736	109				53
FVH	ERCOT	ERCOT.HB SOUTH_month_off_dap	HB SOUTH	Hub	Day Ahead Power	Off Peak	25	1,727	1,727	20,724	109				53
FVG	ERCOT	ERCOT.HB SOUTH_month_on_dap	HB SOUTH	Hub	Day Ahead Power	On Peak	25	1,813	1,813	21,756					
GBE	ERCOT	ERCOT.HB SOUTH_month_2x16_rtp	HB SOUTH	Hub	Real Time Power	2x16 PeakWVE	25	1,727	1,727	20,724	110				52
GBF	ERCOT	ERCOT.HB SOUTH_month_7x8_rtp	HB SOUTH	Hub	Real Time Power	7x8 Off Peak	25	1,478	1,478	17,736	110				52
FON	ERCOT	ERCOT.HB SOUTH_month_off_rtp	HB SOUTH	Hub	Real Time Power	Off Peak	25	1,727	1,727	20,724	110				52
FOM	ERCOT	ERCOT.HB SOUTH_month_on_rtp	HB SOUTH	Hub	Real Time Power	On Peak	25	1,813	1,813	21,756					
GAQ	ERCOT	ERCOT.HB WEST_month_2x16_dap	HB WEST	Hub	Day Ahead Power	2x16 PeakWVE	25	1,052	1,052	12,624	111				55
GAR	ERCOT	ERCOT.HB WEST_month_7x8_dap	HB WEST	Hub	Day Ahead Power	7x8 Off Peak	25	900	900	10,800	111				55
FVJ	ERCOT	ERCOT.HB WEST_month_off_dap	HB WEST	Hub	Day Ahead Power	Off Peak	25	1,052	1,052	12,624	111				55
FVI	ERCOT	ERCOT.HB WEST_month_on_dap	HB WEST	Hub	Day Ahead Power	On Peak	25	1,105	1,105	13,260					
GBG	ERCOT	ERCOT.HB WEST_month_2x16_rtp	HB WEST	Hub	Real Time Power	2x16 PeakWVE	25	1,052	1,052	12,624	112				54
GBH	ERCOT	ERCOT.HB WEST_month_7x8_rtp	HB WEST	Hub	Real Time Power	7x8 Off Peak	25	900	900	10,800	112				54
FOP	ERCOT	ERCOT.HB WEST_month_off_rtp	HB WEST	Hub	Real Time Power	Off Peak	25	1,052	1,052	12,624	112				54
FOO	ERCOT	ERCOT.HB WEST_month_on_rtp	HB WEST	Hub	Real Time Power	On Peak	25	1,105	1,105	13,260					
HCP	NYISO	NYISO.HISHELDN_WT_PWR_month_off_dac	HISHELDN_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	28	28	336					
HCO	NYISO	NYISO.HISHELDN_WT_PWR_month_on_dac	HISHELDN_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	28	28	336					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group	
GTL	PJM	PJM.HOMERCIT24 KVUNIT 3 month off dac	HOMERCIT24 KVUNIT 3	Generator	DA Cong. + Energy	Off Peak	25	503	503	6,036						
GTK	PJM	PJM.HOMERCIT24 KVUNIT 3 month on dac	HOMERCIT24 KVUNIT 3	Generator	DA Cong. + Energy	On Peak	25	503	503	6,036						
HCR	NYISO	NYISO.HQ_GEN CEDARS PROXY month off dac	HQ_GEN CEDARS PROXY	Interface	DA Cong. + Energy	Off Peak	25	81	81	972						
HCO	NYISO	NYISO.HQ_GEN CEDARS PROXY month on dac	HQ_GEN CEDARS PROXY	Interface	DA Cong. + Energy	On Peak	25	81	81	972						
HCT	NYISO	NYISO.HQ_GEN IMPORT month off dac	HQ_GEN IMPORT	Interface	DA Cong. + Energy	Off Peak	25	225	225	2,700						
HCS	NYISO	NYISO.HQ_GEN IMPORT month on dac	HQ_GEN IMPORT	Interface	DA Cong. + Energy	On Peak	25	225	225	2,700						
HCV	NYISO	NYISO.HUD VL month off dac	HUD VL	Zone	DA Cong. + Energy	Off Peak	25	513	513	6,154	113					
HCU	NYISO	NYISO.HUD VL month on dac	HUD VL	Zone	DA Cong. + Energy	On Peak	25	471	471	5,647	114					
CXP	NYISO	NYISO.HUD VL month off dap	HUD VL	Zone	Day Ahead Power	Off Peak	25	513	513	6,154	113					
CXO	NYISO	NYISO.HUD VL month on dap	HUD VL	Zone	Day Ahead Power	On Peak	25	471	471	5,647	114					
FTH	NYISO	NYISO.HUD VL month off rtp	HUD VL	Zone	Real Time Power	Off Peak	25	513	513	6,154						
FTG	NYISO	NYISO.HUD VL month on rtp	HUD VL	Zone	Real Time Power	On Peak	25	471	471	5,647						
HIF	NYISO	NYISO.HUDSON AVE GT 4 month off dac	HUDSON AVE GT 4	Generator	DA Cong. + Energy	Off Peak	25	12	12	144						
HIE	NYISO	NYISO.HUDSON AVE GT 4 month on dac	HUDSON AVE GT 4	Generator	DA Cong. + Energy	On Peak	25	12	12	144						
HTT	PJM	PJM.HUNTERST22 KVST401 month off dac	HUNTERST22 KVST401	Generator	DA Cong. + Energy	Off Peak	25	240	240	2,880						
HTS	PJM	PJM.HUNTERST22 KVST401 month on dac	HUNTERST22 KVST401	Generator	DA Cong. + Energy	On Peak	25	240	240	2,880						
HXC	NYISO	NYISO.HUNTLEY 67 month off dac	HUNTLEY 67	Generator	DA Cong. + Energy	Off Peak	25	109	109	1,308						
HCW	NYISO	NYISO.HUNTLEY 67 month on dac	HUNTLEY 67	Generator	DA Cong. + Energy	On Peak	25	109	109	1,308						
GMJ	MISO_RTO	MISO_RTO.ILLINOIS.HUB month off dac	ILLINOIS.HUB	Hub	DA Cong. + Energy	Off Peak	25	1,142	1,142	13,704	115					
GMI	MISO_RTO	MISO_RTO.ILLINOIS.HUB month on dac	ILLINOIS.HUB	Hub	DA Cong. + Energy	On Peak	25	1,308	1,308	15,696	116					
BVD	MISO	MISO.ILLINOIS.HUB month off dap	ILLINOIS.HUB	Hub	Day Ahead Power	Off Peak	25	1,142	1,142	13,704	115					
FXR	MISO_RTO	MISO_RTO.ILLINOIS.HUB month off dap	ILLINOIS.HUB	Hub	Day Ahead Power	Off Peak	25	1,142	1,142	13,704	115					
BVC	MISO	MISO.ILLINOIS.HUB month on dap	ILLINOIS.HUB	Hub	Day Ahead Power	On Peak	25	1,308	1,308	15,696	116					
FXQ	MISO_RTO	MISO_RTO.ILLINOIS.HUB month on dap	ILLINOIS.HUB	Hub	Day Ahead Power	On Peak	25	1,308	1,308	15,696	116					
FSV	MISO	MISO.ILLINOIS.HUB month off rtp	ILLINOIS.HUB	Hub	Real Time Power	Off Peak	25	1,142	1,142	13,704						
FSU	MISO	MISO.ILLINOIS.HUB month on rtp	ILLINOIS.HUB	Hub	Real Time Power	On Peak	25	1,308	1,308	15,696						
GHT	PJM	PJM.IMO month off dac	IMO	Interface	DA Cong. + Energy	Off Peak	25	438	438	5,256	117					
GHS	PJM	PJM.IMO month on dac	IMO	Interface	DA Cong. + Energy	On Peak	25	438	438	5,256	118					
EIT	PJM	PJM.IMO month off dap	IMO	Interface	Day Ahead Power	Off Peak	25	438	438	5,256	117					
EIS	PJM	PJM.IMO month on dap	IMO	Interface	Day Ahead Power	On Peak	25	438	438	5,256	118					
HLN	CAISO	CAISO.IMPRVLY 2_B2 month off dac	IMPRVLY 2_B2	Interface	DA Cong. + Energy	Off Peak	25	907	907	10,884						
HLM	CAISO	CAISO.IMPRVLY 2_B2 month on dac	IMPRVLY 2_B2	Interface	DA Cong. + Energy	On Peak	25	907	907	10,884						
HCZ	NYISO	NYISO.INDECK CORINTH month off dac	INDECK CORINTH	Generator	DA Cong. + Energy	Off Peak	25	37	37	444						
HCY	NYISO	NYISO.INDECK CORINTH month on dac	INDECK CORINTH	Generator	DA Cong. + Energy	On Peak	25	37	37	444						
HIH	NYISO	NYISO.INDECK OLEAN month off dac	INDECK OLEAN	Generator	DA Cong. + Energy	Off Peak	25	23	23	276						
HIG	NYISO	NYISO.INDECK OLEAN month on dac	INDECK OLEAN	Generator	DA Cong. + Energy	On Peak	25	23	23	276						
HU	NYISO	NYISO.INDIAN POINT GT 2 month off dac	INDIAN POINT GT 2	Generator	DA Cong. + Energy	Off Peak	25	325	325	3,900	119				57	
HII	NYISO	NYISO.INDIAN POINT GT 2 month on dac	INDIAN POINT GT 2	Generator	DA Cong. + Energy	On Peak	25	325	325	3,900	120				56	
HDB	NYISO	NYISO.INDIAN POINT 2 month off dac	INDIAN POINT 2	Generator	DA Cong. + Energy	Off Peak	25	325	325	3,900	119				57	
HDA	NYISO	NYISO.INDIAN POINT 2 month on dac	INDIAN POINT 2	Generator	DA Cong. + Energy	On Peak	25	325	325	3,900	120				56	
GML	MISO_RTO	MISO_RTO.INDIANA.HUB month off dac	INDIANA.HUB	Main Hub	DA Cong. + Energy	Off Peak	25	1,680	1,680	20,160	121					
GMK	MISO_RTO	MISO_RTO.INDIANA.HUB month on dac	INDIANA.HUB	Main Hub	DA Cong. + Energy	On Peak	25	1,924	1,924	23,088	122					
BFJ	MISO	MISO.INDIANA.HUB month off dap	INDIANA.HUB	Main Hub	Day Ahead Power	Off Peak	25	1,680	1,680	20,160	121					
FXN	MISO_RTO	MISO_RTO.INDIANA.HUB month off dap	INDIANA.HUB	Main Hub	Day Ahead Power	Off Peak	25	1,680	1,680	20,160	121					
BFI	MISO	MISO.INDIANA.HUB month on dap	INDIANA.HUB	Main Hub	Day Ahead Power	On Peak	25	1,924	1,924	23,088	122					
FXM	MISO_RTO	MISO_RTO.INDIANA.HUB month on dap	INDIANA.HUB	Main Hub	Day Ahead Power	On Peak	25	1,924	1,924	23,088	122					
FJZ	MISO	MISO.INDIANA.HUB month off rtp	INDIANA.HUB	Main Hub	Real Time Power	Off Peak	25	1,680	1,680	20,160	123					
FXP	MISO_RTO	MISO_RTO.INDIANA.HUB month off rtp	INDIANA.HUB	Main Hub	Real Time Power	Off Peak	25	1,680	1,680	20,160	123					
FJY	MISO	MISO.INDIANA.HUB month on rtp	INDIANA.HUB	Main Hub	Real Time Power	On Peak	25	1,924	1,924	23,088	124					
FXO	MISO_RTO	MISO_RTO.INDIANA.HUB month on rtp	INDIANA.HUB	Main Hub	Real Time Power	On Peak	25	1,924	1,924	23,088	124					
GET	PJM	PJM.INDIANR126 KVUNIT04 month off dac	INDIANR126 KVUNIT04	Generator	DA Cong. + Energy	Off Peak	25	200	200	2,400						
GES	PJM	PJM.INDIANR126 KVUNIT04 month on dac	INDIANR126 KVUNIT04	Generator	DA Cong. + Energy	On Peak	25	200	200	2,400						
HLP	CAISO	CAISO.INTERM1G_7_N501 month off dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	Off Peak	25	182	182	2,184						
HLO	CAISO	CAISO.INTERM1G_7_N501 month on dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	On Peak	25	182	182	2,184						
GNT	MISO_RTO	MISO_RTO.IPL16PETEE3 month off dac	IPL16PETEE3	Generator	DA Cong. + Energy	Off Peak	25	131	131	1,572						
GNS	MISO_RTO	MISO_RTO.IPL16PETEE3 month on dac	IPL16PETEE3	Generator	DA Cong. + Energy	On Peak	25	131	131	1,572						
GNV	MISO_RTO	MISO_RTO.IPL16STOU707 month off dac	IPL16STOU707	Generator	DA Cong. + Energy	Off Peak	25	131	131	1,572						
GNU	MISO_RTO	MISO_RTO.IPL16STOU707 month on dac	IPL16STOU707	Generator	DA Cong. + Energy	On Peak	25	131	131	1,572						
GOL	MISO_RTO	MISO_RTO.IPLIPL month off dac	IPLIPL	Zone	DA Cong. + Energy	Off Peak	25	433	433	5,196						
GOK	MISO_RTO	MISO_RTO.IPLIPL month on dac	IPLIPL	Zone	DA Cong. + Energy	On Peak	25	525	525	6,300						
GJN	PJM	PJM.IRONWOOD16 KVCT-1 month off dac	IRONWOOD16 KVCT-1	Generator	DA Cong. + Energy	Off Peak	25	194	194	2,328						
GJM	PJM	PJM.IRONWOOD16 KVCT-1 month on dac	IRONWOOD16 KVCT-1	Generator	DA Cong. + Energy	On Peak	25	194	194	2,328						
GEV	PJM	PJM.JCPL month off dac	JCPL	Zone	DA Cong. + Energy	Off Peak	25	596	596	7,152	125					
GEU	PJM	PJM.JCPL month on dac	JCPL	Zone	DA Cong. + Energy	On Peak	25	763	763	9,156	126					
EJ	PJM	PJM.JCPL month off dap	JCPL	Zone	Day Ahead Power	Off Peak	25	596	596	7,152	125					
EJ	PJM	PJM.JCPL month on dap	JCPL	Zone	Day Ahead Power	On Peak	25	763	763	9,156	126					
FRX	PJM	PJM.JCPL month off rtp	JCPL	Zone	Real Time Power	Off Peak	25	596	596	7,152						
FRW	PJM	PJM.JCPL month on rtp	JCPL	Zone	Real Time Power	On Peak	25	763	763	9,156						
GHV	PJM	PJM.KAMMER215.5 KVKM1 month off dac	KAMMER215.5 KVKM1	Generator	DA Cong. + Energy	Off Peak	25	178	178	2,136						
GHU	PJM	PJM.KAMMER215.5 KVKM1 month on dac	KAMMER215.5 KVKM1	Generator	DA Cong. + Energy	On Peak	25	178	178	2,136						

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
GHX	PJM	PJM.KAMMER226 KVML1_month off dac	KAMMER226 KVML1	Generator	DA Cong. + Energy	Off Peak	25	178	178	2,136	127				59
GHW	PJM	PJM.KAMMER226 KVML1_month on dac	KAMMER226 KVML1	Generator	DA Cong. + Energy	On Peak	25	178	178	2,136	128				58
GHZ	PJM	PJM.KAMMER226 KVML2_month off dac	KAMMER226 KVML2	Generator	DA Cong. + Energy	Off Peak	25	178	178	2,136	127				59
GHY	PJM	PJM.KAMMER226 KVML2_month on dac	KAMMER226 KVML2	Generator	DA Cong. + Energy	On Peak	25	178	178	2,136	128				58
BWB	MISO	MISO.KCPL_month off dap	KCPL	Interface	Day Ahead Power	Off Peak	25	41	41	492					
BWA	MISO	MISO.KCPL_month on dap	KCPL	Interface	Day Ahead Power	On Peak	25	41	41	492					
GEX	PJM	PJM.KEYSTONE20 KVUNIT 1_month off dac	KEYSTONE20 KVUNIT 1	Generator	DA Cong. + Energy	Off Peak	25	471	471	5,652					
GEW	PJM	PJM.KEYSTONE20 KVUNIT 1_month on dac	KEYSTONE20 KVUNIT 1	Generator	DA Cong. + Energy	On Peak	25	471	471	5,652					
HDD	NYISO	NYISO.KIAC JFK_GT2_month off dac	KIAC JFK_GT2	Generator	DA Cong. + Energy	Off Peak	25	30	30	360					
HDC	NYISO	NYISO.KIAC JFK_GT2_month on dac	KIAC JFK_GT2	Generator	DA Cong. + Energy	On Peak	25	30	30	360					
HDF	NYISO	NYISO.KINTIGH_month off dac	KINTIGH	Generator	DA Cong. + Energy	Off Peak	25	164	164	1,968					
HDE	NYISO	NYISO.KINTIGH_month on dac	KINTIGH	Generator	DA Cong. + Energy	On Peak	25	164	164	1,968					
HPZ	ISONE	ISONE.LD.SANDY PD345 SMDINTLD_month off dac	LD.SANDY PD345 SMDINTLD	Interface	DA Cong. + Energy	Off Peak	25	500	500	6,000					
HPY	ISONE	ISONE.LD.SANDY PD345 SMDINTLD_month on dac	LD.SANDY PD345 SMDINTLD	Interface	DA Cong. + Energy	On Peak	25	500	500	6,000					
GJ	ERCOT	ERCOT.LEG LEG G1_month off dap	LEG LEG G1	Generator	Day Ahead Power	Off Peak	25	422	422	5,064	129				61
GCI	ERCOT	ERCOT.LEG LEG G1_month on dap	LEG LEG G1	Generator	Day Ahead Power	On Peak	25	422	422	5,064	130				60
HUL	ERCOT	ERCOT.LEG LEG G2_month off dap	LEG LEG G2	Generator	Day Ahead Power	Off Peak	25	422	422	5,064	129				61
HUK	ERCOT	ERCOT.LEG LEG G2_month on dap	LEG LEG G2	Generator	Day Ahead Power	On Peak	25	422	422	5,064	130				60
HUJ	ERCOT	ERCOT.LEG_LEG G2_month off_rtp	LEG_LEG G2	Generator	Real Time Power	Off Peak	25	422	422	5,064					
HUI	ERCOT	ERCOT.LEG_LEG G2_month on_rtp	LEG_LEG G2	Generator	Real Time Power	On Peak	25	422	422	5,064					
EMB	PJM	PJM.LIDA - AP_month off dap	LIDA - AP	Subzone	Day Ahead Power	Off Peak	25	35	35	420					
EMA	PJM	PJM.LIDA - AP_month on dap	LIDA - AP	Subzone	Day Ahead Power	On Peak	25	35	35	420					
GEZ	PJM	PJM.LIMERICK20 KVUNIT01_month off dac	LIMERICK20 KVUNIT01	Generator	DA Cong. + Energy	Off Peak	25	569	569	6,828	131				63
GEY	PJM	PJM.LIMERICK20 KVUNIT01_month on dac	LIMERICK20 KVUNIT01	Generator	DA Cong. + Energy	On Peak	25	569	569	6,828	132				62
GIP	PJM	PJM.LIMERICK20 KVUNIT02_month off dac	LIMERICK20 KVUNIT02	Generator	DA Cong. + Energy	Off Peak	25	569	569	6,828	131				63
GJO	PJM	PJM.LIMERICK20 KVUNIT02_month on dac	LIMERICK20 KVUNIT02	Generator	DA Cong. + Energy	On Peak	25	569	569	6,828	132				62
HDH	NYISO	NYISO.LINDEN COGEN_month off dac	LINDEN COGEN	Generator	DA Cong. + Energy	Off Peak	25	259	259	3,108					
HDX	NYISO	NYISO.LINDEN COGEN_month on dac	LINDEN COGEN	Generator	DA Cong. + Energy	On Peak	25	259	259	3,108					
GFH	PJM	PJM.LINDEN18 KV1101 CT_month off dac	LINDEN18 KV1101 CT	Generator	DA Cong. + Energy	Off Peak	25	397	397	4,764					
GFA	PJM	PJM.LINDEN18 KV1101 CT_month on dac	LINDEN18 KV1101 CT	Generator	DA Cong. + Energy	On Peak	25	397	397	4,764					
GFD	PJM	PJM.LINWDPE18 KVCT1_month off dac	LINWDPE18 KVCT1	Generator	DA Cong. + Energy	Off Peak	25	210	210	2,520					
GFC	PJM	PJM.LINWDPE18 KVCT1_month on dac	LINWDPE18 KVCT1	Generator	DA Cong. + Energy	On Peak	25	210	210	2,520					
HDI	NYISO	NYISO.LONGIL_month off dac	LONGIL	Zone	DA Cong. + Energy	Off Peak	25	574	574	6,888	133				
HDI	NYISO	NYISO.LONGIL_month on dac	LONGIL	Zone	DA Cong. + Energy	On Peak	25	574	574	6,888	134				
CVY	NYISO	NYISO.LONGIL_month off dap	LONGIL	Zone	Day Ahead Power	Off Peak	25	574	574	6,888	133				
CYU	NYISO	NYISO.LONGIL_month on dap	LONGIL	Zone	Day Ahead Power	On Peak	25	574	574	6,888	134				
GYB	ERCOT	ERCOT.LZ_AEN_month 2x16 dap	LZ_AEN	Subzone	Day Ahead Power	2x16 PeakWE	25	384	384	4,608	135				64
GYA	ERCOT	ERCOT.LZ_AEN_month 7x8 dap	LZ_AEN	Subzone	Day Ahead Power	7x8 Off Peak	25	319	319	3,828	135				64
GXZ	ERCOT	ERCOT.LZ_AEN_month off dap	LZ_AEN	Subzone	Day Ahead Power	Off Peak	25	345	345	4,140	135				64
GXY	ERCOT	ERCOT.LZ_AEN_month on dap	LZ_AEN	Subzone	Day Ahead Power	On Peak	25	416	416	4,992					
GXX	ERCOT	ERCOT.LZ_CPS_month 2x16 dap	LZ_CPS	Subzone	Day Ahead Power	2x16 PeakWE	25	906	906	10,872	136				65
GXW	ERCOT	ERCOT.LZ_CPS_month 7x8 dap	LZ_CPS	Subzone	Day Ahead Power	7x8 Off Peak	25	751	751	9,012	136				65
GXV	ERCOT	ERCOT.LZ_CPS_month off dap	LZ_CPS	Subzone	Day Ahead Power	Off Peak	25	814	814	9,768	136				65
GXU	ERCOT	ERCOT.LZ_CPS_month on dap	LZ_CPS	Subzone	Day Ahead Power	On Peak	25	980	980	11,760					
HVT	ERCOT	ERCOT.LZ_CPS_month off_rtp	LZ_CPS	Subzone	Real Time Power	Off Peak	25	814	814	9,768					
HVS	ERCOT	ERCOT.LZ_CPS_month on_rtp	LZ_CPS	Subzone	Real Time Power	On Peak	25	980	980	11,760					
GAS	ERCOT	ERCOT.LZ HOUSTON_month 2x16 dap	LZ HOUSTON	Zone	Day Ahead Power	2x16 PeakWE	25	2,551	2,551	30,612	137				67
GAT	ERCOT	ERCOT.LZ HOUSTON_month 7x8 dap	LZ HOUSTON	Zone	Day Ahead Power	7x8 Off Peak	25	2,114	2,114	25,368	137				67
FVL	ERCOT	ERCOT.LZ HOUSTON_month off dap	LZ HOUSTON	Zone	Day Ahead Power	Off Peak	25	2,293	2,293	27,516	137				67
FVK	ERCOT	ERCOT.LZ HOUSTON_month on dap	LZ HOUSTON	Zone	Day Ahead Power	On Peak	25	2,759	2,759	33,108					
GBI	ERCOT	ERCOT.LZ HOUSTON_month 2x16_rtp	LZ HOUSTON	Zone	Real Time Power	2x16 PeakWE	25	2,551	2,551	30,612	138				66
GBJ	ERCOT	ERCOT.LZ HOUSTON_month 7x8_rtp	LZ HOUSTON	Zone	Real Time Power	7x8 Off Peak	25	2,114	2,114	25,368	138				66
FUV	ERCOT	ERCOT.LZ HOUSTON_month off_rtp	LZ HOUSTON	Zone	Real Time Power	Off Peak	25	2,293	2,293	27,516	138				66
FUU	ERCOT	ERCOT.LZ HOUSTON_month on_rtp	LZ HOUSTON	Zone	Real Time Power	On Peak	25	2,759	2,759	33,108					
GXT	ERCOT	ERCOT.LZ LCRA_month 2x16 dap	LZ LCRA	Subzone	Day Ahead Power	2x16 PeakWE	25	484	484	5,808	139				68
GXS	ERCOT	ERCOT.LZ LCRA_month 7x8 dap	LZ LCRA	Subzone	Day Ahead Power	7x8 Off Peak	25	401	401	4,812	139				68
GXR	ERCOT	ERCOT.LZ LCRA_month off dap	LZ LCRA	Subzone	Day Ahead Power	Off Peak	25	435	435	5,220	139				68
GXQ	ERCOT	ERCOT.LZ LCRA_month on dap	LZ LCRA	Subzone	Day Ahead Power	On Peak	25	524	524	6,288					
HRT	ERCOT	ERCOT.LZ LCRA_month off_rtp	LZ LCRA	Subzone	Real Time Power	Off Peak	25	435	435	5,220					
HRS	ERCOT	ERCOT.LZ LCRA_month on_rtp	LZ LCRA	Subzone	Real Time Power	On Peak	25	524	524	6,288					
GAU	ERCOT	ERCOT.LZ NORTH_month 2x16 dap	LZ NORTH	Zone	Day Ahead Power	2x16 PeakWE	25	3,880	3,880	46,560	140				70
GAV	ERCOT	ERCOT.LZ NORTH_month 7x8 dap	LZ NORTH	Zone	Day Ahead Power	7x8 Off Peak	25	3,216	3,216	38,592	140				70
FVN	ERCOT	ERCOT.LZ NORTH_month off dap	LZ NORTH	Zone	Day Ahead Power	Off Peak	25	3,488	3,488	41,856	140				70
FVM	ERCOT	ERCOT.LZ NORTH_month on dap	LZ NORTH	Zone	Day Ahead Power	On Peak	25	4,197	4,197	50,364					
GBK	ERCOT	ERCOT.LZ NORTH_month 2x16_rtp	LZ NORTH	Zone	Real Time Power	2x16 PeakWE	25	3,880	3,880	46,560	141				69
GBL	ERCOT	ERCOT.LZ NORTH_month 7x8_rtp	LZ NORTH	Zone	Real Time Power	7x8 Off Peak	25	3,216	3,216	38,592	141				69
FUX	ERCOT	ERCOT.LZ NORTH_month off_rtp	LZ NORTH	Zone	Real Time Power	Off Peak	25	3,488	3,488	41,856	141				69
FUV	ERCOT	ERCOT.LZ NORTH_month on_rtp	LZ NORTH	Zone	Real Time Power	On Peak	25	4,197	4,197	50,364					
GAW	ERCOT	ERCOT.LZ SOUTH_month 2x16 dap	LZ SOUTH	Zone	Day Ahead Power	2x16 PeakWE	25	1,331	1,331	15,972	142				72
GAX	ERCOT	ERCOT.LZ SOUTH_month 7x8 dap	LZ SOUTH	Zone	Day Ahead Power	7x8 Off Peak	25	1,103	1,103	13,236	142				72

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
FVP	ERCOT	ERCOT.LZ_SOUTH_month_off_dap	LZ_SOUTH	Zone	Day Ahead Power	Off Peak	25	1,196	1,196	14,352	142				72
FVO	ERCOT	ERCOT.LZ_SOUTH_month_on_dap	LZ_SOUTH	Zone	Day Ahead Power	On Peak	25	1,439	1,439	17,268					
GBM	ERCOT	ERCOT.LZ_SOUTH_month_2x16_rtp	LZ_SOUTH	Zone	Real Time Power	2x16 PeakWE	25	1,331	1,331	15,972	143				71
GBN	ERCOT	ERCOT.LZ_SOUTH_month_7x8_rtp	LZ_SOUTH	Zone	Real Time Power	7x8 Off Peak	25	1,103	1,103	13,236	143				71
FUZ	ERCOT	ERCOT.LZ_SOUTH_month_off_rtp	LZ_SOUTH	Zone	Real Time Power	Off Peak	25	1,196	1,196	14,352	143				71
FUY	ERCOT	ERCOT.LZ_SOUTH_month_on_rtp	LZ_SOUTH	Zone	Real Time Power	On Peak	25	1,439	1,439	17,268					
GAY	ERCOT	ERCOT.LZ_WEST_month_2x16_dap	LZ_WEST	Zone	Day Ahead Power	2x16 PeakWE	25	711	711	8,532	144				74
GAZ	ERCOT	ERCOT.LZ_WEST_month_7x8_dap	LZ_WEST	Zone	Day Ahead Power	7x8 Off Peak	25	589	589	7,068	144				74
FVR	ERCOT	ERCOT.LZ_WEST_month_off_dap	LZ_WEST	Zone	Day Ahead Power	Off Peak	25	639	639	7,668	144				74
FVQ	ERCOT	ERCOT.LZ_WEST_month_on_dap	LZ_WEST	Zone	Day Ahead Power	On Peak	25	769	769	9,228					
GBO	ERCOT	ERCOT.LZ_WEST_month_2x16_rtp	LZ_WEST	Zone	Real Time Power	2x16 PeakWE	25	711	711	8,532	145				73
GBP	ERCOT	ERCOT.LZ_WEST_month_7x8_rtp	LZ_WEST	Zone	Real Time Power	7x8 Off Peak	25	589	589	7,068	145				73
FVB	ERCOT	ERCOT.LZ_WEST_month_off_rtp	LZ_WEST	Zone	Real Time Power	Off Peak	25	639	639	7,668	145				73
FVA	ERCOT	ERCOT.LZ_WEST_month_on_rtp	LZ_WEST	Zone	Real Time Power	On Peak	25	769	769	9,228					
HLR	CAISO	CAISO.MALIN_5_N101_month_off_dac	MALIN_5_N101	Interface	DA Cong. + Energy	Off Peak	25	767	767	9,204					
HLQ	CAISO	CAISO.MALIN_5_N101_month_on_dac	MALIN_5_N101	Interface	DA Cong. + Energy	On Peak	25	767	767	9,204					
HJN	PJM	PJM.MANSFIEL17 KVUN1_month_off_dac	MANSFIEL17 KVUN1	Generator	DA Cong. + Energy	Off Peak	25	685	685	8,220					
HJM	PJM	PJM.MANSFIEL17 KVUN1_month_on_dac	MANSFIEL17 KVUN1	Generator	DA Cong. + Energy	On Peak	25	685	685	8,220					
HDL	NYISO	NYISO.MAPLE_RIDGE_WT_1_month_off_dac	MAPLE_RIDGE_WT_1	Generator	DA Cong. + Energy	Off Peak	25	81	81	972					
HDK	NYISO	NYISO.MAPLE_RIDGE_WT_1_month_on_dac	MAPLE_RIDGE_WT_1	Generator	DA Cong. + Energy	On Peak	25	81	81	972					
HGV	NYISO	NYISO.MARBLE_RIVER_WT_PWR_month_off_dac	MARBLE_RIVER_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	54	54	648					
HGU	NYISO	NYISO.MARBLE_RIVER_WT_PWR_month_on_dac	MARBLE_RIVER_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	54	54	648					
HLT	CAISO	CAISO.MARKETPL_5_N501_month_off_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	Off Peak	25	151	151	1,812					
HLS	CAISO	CAISO.MARKETPL_5_N501_month_on_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	On Peak	25	151	151	1,812					
GXH	PJM	PJM.MARLOWE11 KVRPSMITH3_month_off_dac	MARLOWE11 KVRPSMITH3	Generator	DA Cong. + Energy	Off Peak	25	28	28	336					
GXG	PJM	PJM.MARLOWE11 KVRPSMITH3_month_on_dac	MARLOWE11 KVRPSMITH3	Generator	DA Cong. + Energy	On Peak	25	28	28	336					
GIB	PJM	PJM.MARTINSC24 KVUNIT03_month_off_dac	MARTINSC24 KVUNIT03	Generator	DA Cong. + Energy	Off Peak	25	449	449	5,388					
GIA	PJM	PJM.MARTINSC24 KVUNIT03_month_on_dac	MARTINSC24 KVUNIT03	Generator	DA Cong. + Energy	On Peak	25	449	449	5,388					
HNP	CAISO	CAISO.MCCULLGH_5_N101_month_off_dac	MCCULLGH_5_N101	Interface	DA Cong. + Energy	Off Peak	25	650	650	7,800					
HNO	CAISO	CAISO.MCCULLGH_5_N101_month_on_dac	MCCULLGH_5_N101	Interface	DA Cong. + Energy	On Peak	25	650	650	7,800					
HNX	CAISO	CAISO.MCSWAIN_6_N001_month_off_dac	MCSWAIN_6_N001	Generator	DA Cong. + Energy	Off Peak	25	2	2	24					
HNW	CAISO	CAISO.MCSWAIN_6_N001_month_on_dac	MCSWAIN_6_N001	Generator	DA Cong. + Energy	On Peak	25	2	2	24					
GQF	MISO_RTO	MISO_RTO.MDU.MDU_month_off_dac	MDU.MDU	Zone	DA Cong. + Energy	Off Peak	25	83	83	996	146				
GQE	MISO_RTO	MISO_RTO.MDU.MDU_month_on_dac	MDU.MDU	Zone	DA Cong. + Energy	On Peak	25	100	100	1,200	147				
BXD	MISO_RTO	MISO_RTO.MDU.MDU_month_off_dap	MDU.MDU	Zone	Day Ahead Power	Off Peak	25	83	83	996	146				
BXC	MISO_RTO	MISO_RTO.MDU.MDU_month_on_dap	MDU.MDU	Zone	Day Ahead Power	On Peak	25	100	100	1,200	147				
HJB	PJM	PJM.MEADOWLK34.5 KVMEADWLFKWF_month_off_dac	MEADOWLK34.5 KVMEADWLFKWF	Generator	DA Cong. + Energy	Off Peak	25	50	50	600					
HJA	PJM	PJM.MEADOWLK34.5 KVMEADWLFKWF_month_on_dac	MEADOWLK34.5 KVMEADWLFKWF	Generator	DA Cong. + Energy	On Peak	25	50	50	600					
HLV	CAISO	CAISO.MEADS_2_N101_month_off_dac	MEADS_2_N101	Interface	DA Cong. + Energy	Off Peak	25	465	465	5,580					
HLU	CAISO	CAISO.MEADS_2_N101_month_on_dac	MEADS_2_N101	Interface	DA Cong. + Energy	On Peak	25	465	465	5,580					
HOR	CAISO	CAISO.MEAD_5_N501_month_off_dac	MEAD_5_N501	Interface	DA Cong. + Energy	Off Peak	25	311	311	3,732					
HOQ	CAISO	CAISO.MEAD_5_N501_month_on_dac	MEAD_5_N501	Interface	DA Cong. + Energy	On Peak	25	311	311	3,732					
GQH	MISO_RTO	MISO_RTO.MEC.MECB_month_off_dac	MEC.MECB	Zone	DA Cong. + Energy	Off Peak	25	820	820	9,840	148				
GQG	MISO_RTO	MISO_RTO.MEC.MECB_month_on_dac	MEC.MECB	Zone	DA Cong. + Energy	On Peak	25	993	993	11,916	149				
FLV	MISO_RTO	MISO_RTO.MEC.MECB_month_off_dap	MEC.MECB	Zone	Day Ahead Power	Off Peak	25	820	820	9,840	148				
FLU	MISO_RTO	MISO_RTO.MEC.MECB_month_on_dap	MEC.MECB	Zone	Day Ahead Power	On Peak	25	993	993	11,916	149				
HLX	CAISO	CAISO.MERCHANT_2_N101_month_off_dac	MERCHANT_2_N101	Interface	DA Cong. + Energy	Off Peak	25	199	199	2,388					
HLW	CAISO	CAISO.MERCHANT_2_N101_month_on_dac	MERCHANT_2_N101	Interface	DA Cong. + Energy	On Peak	25	199	199	2,388					
GFF	PJM	PJM.METED_month_off_dac	METED	Zone	DA Cong. + Energy	Off Peak	25	423	423	5,076	150				
GFE	PJM	PJM.METED_month_on_dac	METED	Zone	DA Cong. + Energy	On Peak	25	527	527	6,324	151				
EOX	PJM	PJM.METED_month_off_dap	METED	Zone	Day Ahead Power	Off Peak	25	423	423	5,076	150				
EOW	PJM	PJM.METED_month_on_dap	METED	Zone	Day Ahead Power	On Peak	25	527	527	6,324	151				
FUJ	PJM	PJM.METED_month_off_rtp	METED	Zone	Real Time Power	Off Peak	25	423	423	5,076					
FUI	PJM	PJM.METED_month_on_rtp	METED	Zone	Real Time Power	On Peak	25	527	527	6,324					
HDN	NYISO	NYISO.MHK_VL_month_off_dac	MHK_VL	Zone	DA Cong. + Energy	Off Peak	25	200	200	2,400	152				
HDM	NYISO	NYISO.MHK_VL_month_on_dac	MHK_VL	Zone	DA Cong. + Energy	On Peak	25	252	252	3,024	153				
CZB	NYISO	NYISO.MHK_VL_month_off_dap	MHK_VL	Zone	Day Ahead Power	Off Peak	25	200	200	2,400	152				
CZA	NYISO	NYISO.MHK_VL_month_on_dap	MHK_VL	Zone	Day Ahead Power	On Peak	25	252	252	3,024	153				
HRD	PJM	PJM.MIAMIFOR18 KVG6_month_off_dac	MIAMIFOR18 KVG6	Generator	DA Cong. + Energy	Off Peak	25	336	336	4,032	154				
HRC	PJM	PJM.MIAMIFOR18 KVG6_month_on_dac	MIAMIFOR18 KVG6	Generator	DA Cong. + Energy	On Peak	25	336	336	4,032	155				
HRB	PJM	PJM.MIAMIFOR18 KVG6_month_off_dap	MIAMIFOR18 KVG6	Generator	Day Ahead Power	Off Peak	25	336	336	4,032	154				
HRA	PJM	PJM.MIAMIFOR18 KVG6_month_on_dap	MIAMIFOR18 KVG6	Generator	Day Ahead Power	On Peak	25	336	336	4,032	155				
GMM	MISO_RTO	MISO_RTO.MICHIGAN.HUB_month_off_dac	MICHIGAN.HUB	Hub	DA Cong. + Energy	Off Peak	25	4,284	4,284	51,408	156				
GMM	MISO_RTO	MISO_RTO.MICHIGAN.HUB_month_on_dac	MICHIGAN.HUB	Hub	DA Cong. + Energy	On Peak	25	4,905	4,905	58,860	157				
BXX	MISO	MISO.MICHIGAN.HUB_month_off_dap	MICHIGAN.HUB	Hub	Day Ahead Power	Off Peak	25	4,284	4,284	51,408	156				
FXT	MISO_RTO	MISO_RTO.MICHIGAN.HUB_month_off_dap	MICHIGAN.HUB	Hub	Day Ahead Power	Off Peak	25	4,284	4,284	51,408	156				
BXW	MISO	MISO.MICHIGAN.HUB_month_on_dap	MICHIGAN.HUB	Hub	Day Ahead Power	On Peak	25	4,905	4,905	58,860	157				
FXS	MISO_RTO	MISO_RTO.MICHIGAN.HUB_month_on_dap	MICHIGAN.HUB	Hub	Day Ahead Power	On Peak	25	4,905	4,905	58,860	157				
FRL	MISO	MISO.MICHIGAN.HUB_month_off_rtp	MICHIGAN.HUB	Hub	Real Time Power	Off Peak	25	4,284	4,284	51,408					
FRK	MISO	MISO.MICHIGAN.HUB_month_on_rtp	MICHIGAN.HUB	Hub	Real Time Power	On Peak	25	4,905	4,905	58,860					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HLZ	CAISO	CAISO.MIDWAY 5 B1 month off dac	MIDWAY 5 B1	Interface	DA Cong. + Energy	Off Peak	25	2,268	2,268	27,216					
HLY	CAISO	CAISO.MIDWAY 5 B1 month on dac	MIDWAY 5 B1	Interface	DA Cong. + Energy	On Peak	25	2,268	2,268	27,216					
HDP	NYISO	NYISO.MILLIKEN 2 month off dac	MILLIKEN 2	Generator	DA Cong. + Energy	Off Peak	25	82	82	984					
HDO	NYISO	NYISO.MILLIKEN 2 month on dac	MILLIKEN 2	Generator	DA Cong. + Energy	On Peak	25	82	82	984					
HIL	NYISO	NYISO.MILLSEAT LFGE month off dac	MILLSEAT LFGE	Generator	DA Cong. + Energy	Off Peak	25	2	2	24					
HIK	NYISO	NYISO.MILLSEAT LFGE month on dac	MILLSEAT LFGE	Generator	DA Cong. + Energy	On Peak	25	2	2	24					
HDR	NYISO	NYISO.MILLWD month off dac	MILLWD	Zone	DA Cong. + Energy	Off Peak	25	188	188	2,256	158				
HDQ	NYISO	NYISO.MILLWD month on dac	MILLWD	Zone	DA Cong. + Energy	On Peak	25	234	234	2,808	159				
CZH	NYISO	NYISO.MILLWD month off dap	MILLWD	Zone	Day Ahead Power	Off Peak	25	188	188	2,256	158				
CZG	NYISO	NYISO.MILLWD month on dap	MILLWD	Zone	Day Ahead Power	On Peak	25	234	234	2,808	159				
GMP	MISO_RTO	MISO_RTO.MINN.HUB month off dac	MINN.HUB	Hub	DA Cong. + Energy	Off Peak	25	2,542	2,542	30,504	160				
GMO	MISO_RTO	MISO_RTO.MINN.HUB month on dac	MINN.HUB	Hub	DA Cong. + Energy	On Peak	25	2,910	2,910	34,920	161				
BYB	MISO	MISO.MINN.HUB month off dap	MINN.HUB	Hub	Day Ahead Power	Off Peak	25	2,542	2,542	30,504	160				
FXV	MISO_RTO	MISO_RTO.MINN.HUB month off dap	MINN.HUB	Hub	Day Ahead Power	Off Peak	25	2,542	2,542	30,504	160				
BYA	MISO	MISO.MINN.HUB month on dap	MINN.HUB	Hub	Day Ahead Power	On Peak	25	2,910	2,910	34,920	161				
FXU	MISO_RTO	MISO_RTO.MINN.HUB month on dap	MINN.HUB	Hub	Day Ahead Power	On Peak	25	2,910	2,910	34,920	161				
FSX	MISO	MISO.MINN.HUB month off rtp	MINN.HUB	Hub	Real Time Power	Off Peak	25	2,542	2,542	30,504					
FSW	MISO	MISO.MINN.HUB month on rtp	MINN.HUB	Hub	Real Time Power	On Peak	25	2,910	2,910	34,920					
GID	PJM	PJM.MISO month off dac	MISO	Interface	DA Cong. + Energy	Off Peak	25	1,708	1,708	20,496					
GIC	PJM	PJM.MISO month on dac	MISO	Interface	DA Cong. + Energy	On Peak	25	1,708	1,708	20,496					
HMB	CAISO	CAISO.MISSION 2_N035 month off dac	MISSION 2_N035	Generator	DA Cong. + Energy	Off Peak	25	2	2	24					
HMA	CAISO	CAISO.MISSION 2_N035 month on dac	MISSION 2_N035	Generator	DA Cong. + Energy	On Peak	25	2	2	24					
HMD	CAISO	CAISO.MISSON 1_N015 month off dac	MISSON 1_N015	Generator	DA Cong. + Energy	Off Peak	25	1	1	12					
HMC	CAISO	CAISO.MISSON 1_N015 month on dac	MISSON 1_N015	Generator	DA Cong. + Energy	On Peak	25	1	1	12					
HIP	PJM	PJM.MITCHELL24 KVGEN 3 month off dac	MITCHELL24 KVGEN 3	Generator	DA Cong. + Energy	Off Peak	25	93	93	1,116					
HJO	PJM	PJM.MITCHELL24 KVGEN 3 month on dac	MITCHELL24 KVGEN 3	Generator	DA Cong. + Energy	On Peak	25	93	93	1,116					
HMF	CAISO	CAISO.MOENKOPI 5_N101 month off dac	MOENKOPI 5_N101	Interface	DA Cong. + Energy	Off Peak	25	353	353	4,236					
HME	CAISO	CAISO.MOENKOPI 5_N101 month on dac	MOENKOPI 5_N101	Interface	DA Cong. + Energy	On Peak	25	353	353	4,236					
HUH	MISO_RTO	MISO_RTO.MOGEN1.AGG month off dac	MOGEN1.AGG	Subzone	DA Cong. + Energy	Off Peak	25	1,191	1,191	14,292	34	1158	1158	13896	
HUG	MISO_RTO	MISO_RTO.MOGEN1.AGG month on dac	MOGEN1.AGG	Subzone	DA Cong. + Energy	On Peak	25	1,443	1,443	17,316	35				
GIF	PJM	PJM.MON POWER month off dac	MON POWER	Subzone	DA Cong. + Energy	Off Peak	25	282	282	3,384					
GIE	PJM	PJM.MON POWER month on dac	MON POWER	Subzone	DA Cong. + Energy	On Peak	25	343	343	4,116					
HMH	CAISO	CAISO.MONA 3_N501 month off dac	MONA 3_N501	Interface	DA Cong. + Energy	Off Peak	25	76	76	912					
HMG	CAISO	CAISO.MONA 3_N501 month on dac	MONA 3_N501	Interface	DA Cong. + Energy	On Peak	25	76	76	912					
GFJ	PJM	PJM.MONTOUR24 KVUNIT01 month off dac	MONTOUR24 KVUNIT01	Generator	DA Cong. + Energy	Off Peak	25	410	410	4,920	162				
GFJ	PJM	PJM.MONTOUR24 KVUNIT01 month on dac	MONTOUR24 KVUNIT01	Generator	DA Cong. + Energy	On Peak	25	410	410	4,920	163				76
GIH	PJM	PJM.MONTOUR24 KVUNIT02 month off dac	MONTOUR24 KVUNIT02	Generator	DA Cong. + Energy	Off Peak	25	410	410	4,920	162				76
GIG	PJM	PJM.MONTOUR24 KVUNIT02 month on dac	MONTOUR24 KVUNIT02	Generator	DA Cong. + Energy	On Peak	25	410	410	4,920	163				75
HTV	PJM	PJM.MORGANTO23 KVUNIT02 month off dac	MORGANTO23 KVUNIT02	Generator	DA Cong. + Energy	Off Peak	25	387	387	4,644					
HTU	PJM	PJM.MORGANTO23 KVUNIT02 month on dac	MORGANTO23 KVUNIT02	Generator	DA Cong. + Energy	On Peak	25	387	387	4,644					
HIV	PJM	PJM.MOUN ME13 KVGEN #1 month off dac	MOUN ME13 KVGEN #1	Generator	DA Cong. + Energy	Off Peak	25	13	13	156					
HIU	PJM	PJM.MOUN ME13 KVGEN #1 month on dac	MOUN ME13 KVGEN #1	Generator	DA Cong. + Energy	On Peak	25	13	13	156					
GIJ	PJM	PJM.MTSTORM422 KVG3 month off dac	MTSTORM422 KVG3	Generator	DA Cong. + Energy	Off Peak	25	420	420	5,040	164				
GII	PJM	PJM.MTSTORM422 KVG3 month on dac	MTSTORM422 KVG3	Generator	DA Cong. + Energy	On Peak	25	420	420	5,040	165				
ERB	PJM	PJM.MTSTORM422 KVG3 month off dap	MTSTORM422 KVG3	Generator	Day Ahead Power	Off Peak	25	420	420	5,040	164				
ERA	PJM	PJM.MTSTORM422 KVG3 month on dap	MTSTORM422 KVG3	Generator	Day Ahead Power	On Peak	25	420	420	5,040	165				
HRN	PJM	PJM.MUDDYRN13 KVUNIT1 month off dac	MUDDYRN13 KVUNIT1	Generator	DA Cong. + Energy	Off Peak	25	200	200	2,400					
HRM	PJM	PJM.MUDDYRN13 KVUNIT1 month on dac	MUDDYRN13 KVUNIT1	Generator	DA Cong. + Energy	On Peak	25	200	200	2,400					
GFL	PJM	PJM.N ILLINOIS HUB month off dac	N ILLINOIS HUB	Hub	DA Cong. + Energy	Off Peak	25	5,196	5,196	62,352	166				
GFK	PJM	PJM.N ILLINOIS HUB month on dac	N ILLINOIS HUB	Hub	DA Cong. + Energy	On Peak	25	5,938	5,938	71,256	167				
ERN	PJM	PJM.N ILLINOIS HUB month off dap	N ILLINOIS HUB	Hub	Day Ahead Power	Off Peak	25	5,196	5,196	62,352	166				
ERM	PJM	PJM.N ILLINOIS HUB month on dap	N ILLINOIS HUB	Hub	Day Ahead Power	On Peak	25	5,938	5,938	71,256	167				
FKD	PJM	PJM.N ILLINOIS HUB month off rtp	N ILLINOIS HUB	Hub	Real Time Power	Off Peak	25	5,196	5,196	62,352					
FKC	PJM	PJM.N ILLINOIS HUB month on rtp	N ILLINOIS HUB	Hub	Real Time Power	On Peak	25	5,938	5,938	71,256					
HDT	NYISO	NYISO.N.E. GEN SANDY PD month off dac	N.E. GEN SANDY PD	Interface	DA Cong. + Energy	Off Peak	25	500	500	6,000					
HDS	NYISO	NYISO.N.E. GEN SANDY PD month on dac	N.E. GEN SANDY PD	Interface	DA Cong. + Energy	On Peak	25	500	500	6,000					
HDV	NYISO	NYISO.N.Y.C. month off dac	N.Y.C.	Zone	DA Cong. + Energy	Off Peak	25	1,366	1,366	16,392	168				
HDU	NYISO	NYISO.N.Y.C. month on dac	N.Y.C.	Zone	DA Cong. + Energy	On Peak	25	1,765	1,765	21,180	169				
CZT	NYISO	NYISO.N.Y.C. month off dap	N.Y.C.	Zone	Day Ahead Power	Off Peak	25	1,366	1,366	16,392	168				
CZS	NYISO	NYISO.N.Y.C. month on dap	N.Y.C.	Zone	Day Ahead Power	On Peak	25	1,765	1,765	21,180	169				
FTP	NYISO	NYISO.N.Y.C. month off rtp	N.Y.C.	Zone	Real Time Power	Off Peak	25	1,366	1,366	16,392					
FTO	NYISO	NYISO.N.Y.C. month on rtp	N.Y.C.	Zone	Real Time Power	On Peak	25	1,765	1,765	21,180					
HDX	NYISO	NYISO.NARROWS GT1 6 month off dac	NARROWS GT1 6	Generator	DA Cong. + Energy	Off Peak	25	88	88	1,056					
HDW	NYISO	NYISO.NARROWS GT1 6 month on dac	NARROWS GT1 6	Generator	DA Cong. + Energy	On Peak	25	88	88	1,056					
HDZ	NYISO	NYISO.NEG NORTH FLCN SEA month off dac	NEG NORTH FLCN SEA	Generator	DA Cong. + Energy	Off Peak	25	72	72	864					
HDY	NYISO	NYISO.NEG NORTH FLCN SEA month on dac	NEG NORTH FLCN SEA	Generator	DA Cong. + Energy	On Peak	25	72	72	864					
HEB	NYISO	NYISO.NEG WEST LEA LOCKPORT month off dac	NEG WEST LEA LOCKPORT	Generator	DA Cong. + Energy	Off Peak	25	55	55	660					
HEA	NYISO	NYISO.NEG WEST LEA LOCKPORT month on dac	NEG WEST LEA LOCKPORT	Generator	DA Cong. + Energy	On Peak	25	55	55	660					
HED	NYISO	NYISO.NEVERSINK_HVD month off dac	NEVERSINK_HVD	Generator	DA Cong. + Energy	Off Peak	25	6	6	72					
HEC	NYISO	NYISO.NEVERSINK_HVD month on dac	NEVERSINK_HVD	Generator	DA Cong. + Energy	On Peak	25	6	6	72					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
GFN	PJM	PJM.NEW JERSEY HUB month off dac	NEW JERSEY HUB	Hub	DA Cong. + Energy	Off Peak	25	5,567	5,567	66,804					
GFM	PJM	PJM.NEW JERSEY HUB month on dac	NEW JERSEY HUB	Hub	DA Cong. + Energy	On Peak	25	6,174	6,174	74,088					
HOB	CAISO	CAISO.NGILA1_5_N001_month off dac	NGILA1_5_N001	Interface	DA Cong. + Energy	Off Peak	25	92	92	1,104					
HOA	CAISO	CAISO.NGILA1_5_N001_month on dac	NGILA1_5_N001	Interface	DA Cong. + Energy	On Peak	25	92	92	1,104					
HEF	NYISO	NYISO.NIAGARA month off dac	NIAGARA	Generator	DA Cong. + Energy	Off Peak	25	607	607	7,284					
HEE	NYISO	NYISO.NIAGARA month on dac	NIAGARA	Generator	DA Cong. + Energy	On Peak	25	607	607	7,284					
HEH	NYISO	NYISO.NINE_MILE_1 month off dac	NINE_MILE_1	Generator	DA Cong. + Energy	Off Peak	25	475	475	5,700					
HEG	NYISO	NYISO.NINE_MILE_1 month on dac	NINE_MILE_1	Generator	DA Cong. + Energy	On Peak	25	475	475	5,700					
GVB	MISO_RTO	MISO_RTO.NIPS.BAILLP7 month off dac	NIPS.BAILLP7	Generator	DA Cong. + Energy	Off Peak	25	128	128	1,536					
GVA	MISO_RTO	MISO_RTO.NIPS.BAILLP7 month on dac	NIPS.BAILLP7	Generator	DA Cong. + Energy	On Peak	25	128	128	1,536					
GVD	MISO_RTO	MISO_RTO.NIPS.BENTONCO month off dac	NIPS.BENTONCO	Subzone	DA Cong. + Energy	Off Peak	25	426	426	5,112	170	384	384	4608	78
GVC	MISO_RTO	MISO_RTO.NIPS.BENTONCO month on dac	NIPS.BENTONCO	Subzone	DA Cong. + Energy	On Peak	25	516	516	6,192	171				77
HKH	MISO_RTO	MISO_RTO.NIPS.IMP1_1.AZ month off dac	NIPS.IMP1_1.AZ	Subzone	DA Cong. + Energy	Off Peak	25	426	426	5,112	170	384	384	4608	78
HKG	MISO_RTO	MISO_RTO.NIPS.IMP1_1.AZ month on dac	NIPS.IMP1_1.AZ	Subzone	DA Cong. + Energy	On Peak	25	516	516	6,192	171				77
GQN	MISO_RTO	MISO_RTO.NIPS.NIPS month off dac	NIPS.NIPS	Zone	DA Cong. + Energy	Off Peak	25	426	426	5,112	170	384	384	4608	78
GQM	MISO_RTO	MISO_RTO.NIPS.NIPS month on dac	NIPS.NIPS	Zone	DA Cong. + Energy	On Peak	25	516	516	6,192	171				77
HKL	MISO_RTO	MISO_RTO.NIPS.NORWAPNOR month off dac	NIPS.NORWAPNOR	Generator	DA Cong. + Energy	Off Peak	25	1	1	12					
HKK	MISO_RTO	MISO_RTO.NIPS.NORWAPNOR month on dac	NIPS.NORWAPNOR	Generator	DA Cong. + Energy	On Peak	25	1	1	12					
HKP	MISO_RTO	MISO_RTO.NIPS.OAKDAPPOAK month off dac	NIPS.OAKDAPPOAK	Generator	DA Cong. + Energy	Off Peak	25	2	2	24					
HKO	MISO_RTO	MISO_RTO.NIPS.OAKDAPPOAK month on dac	NIPS.OAKDAPPOAK	Generator	DA Cong. + Energy	On Peak	25	2	2	24					
GNH	MISO_RTO	MISO_RTO.NIPS.SCHAH18 month off dac	NIPS.SCHAH18	Generator	DA Cong. + Energy	Off Peak	25	406	406	4,872					
GNG	MISO_RTO	MISO_RTO.NIPS.SCHAH18 month on dac	NIPS.SCHAH18	Generator	DA Cong. + Energy	On Peak	25	406	406	4,872					
GIL	PJM	PJM.NIPSCO month off dac	NIPSCO	Interface	DA Cong. + Energy	Off Peak	25	432	432	5,184					
GIK	PJM	PJM.NIPSCO month on dac	NIPSCO	Interface	DA Cong. + Energy	On Peak	25	432	432	5,184					
HEJ	NYISO	NYISO.NORTH month off dac	NORTH	Zone	DA Cong. + Energy	Off Peak	25	164	164	1,968	172				
HEI	NYISO	NYISO.NORTH month on dac	NORTH	Zone	DA Cong. + Energy	On Peak	25	174	174	2,088	173				
DBB	NYISO	NYISO.NORTH month off dap	NORTH	Zone	Day Ahead Power	Off Peak	25	164	164	1,968	172				
DBA	NYISO	NYISO.NORTH month on dap	NORTH	Zone	Day Ahead Power	On Peak	25	174	174	2,088	173				
HEL	NYISO	NYISO.NORTHPORT_1 month off dac	NORTHPORT_1	Generator	DA Cong. + Energy	Off Peak	25	391	391	4,692	174				80
HEK	NYISO	NYISO.NORTHPORT_1 month on dac	NORTHPORT_1	Generator	DA Cong. + Energy	On Peak	25	391	391	4,692	175				79
HEN	NYISO	NYISO.NORTHPORT_3 month off dac	NORTHPORT_3	Generator	DA Cong. + Energy	Off Peak	25	391	391	4,692	174				80
HEM	NYISO	NYISO.NORTHPORT_3 month on dac	NORTHPORT_3	Generator	DA Cong. + Energy	On Peak	25	391	391	4,692	175				79
GIN	PJM	PJM.NORTHWEST month off dac	NORTHWEST	Interface	DA Cong. + Energy	Off Peak	25	31	31	372					
GIM	PJM	PJM.NORTHWEST month on dac	NORTHWEST	Interface	DA Cong. + Energy	On Peak	25	31	31	372					
GMR	MISO_RTO	MISO_RTO.NSP.AEPM4 month off dac	NSP.AEPM4	Subzone	DA Cong. + Energy	Off Peak	25	1,316	1,316	15,792	176				84
GMQ	MISO_RTO	MISO_RTO.NSP.AEPM4 month on dac	NSP.AEPM4	Subzone	DA Cong. + Energy	On Peak	25	1,594	1,594	19,128	177				83
GCF	MISO	MISO.NSP.AEPM4 month off dap	NSP.AEPM4	Subzone	Day Ahead Power	Off Peak	25	1,316	1,316	15,792	176				82
GBX	MISO_RTO	MISO_RTO.NSP.AEPM4 month off dap	NSP.AEPM4	Subzone	Day Ahead Power	Off Peak	25	1,316	1,316	15,792	176				
GCE	MISO	MISO.NSP.AEPM4 month on dap	NSP.AEPM4	Subzone	Day Ahead Power	On Peak	25	1,594	1,594	19,128	177				81
GBW	MISO_RTO	MISO_RTO.NSP.AEPM4 month on dap	NSP.AEPM4	Subzone	Day Ahead Power	On Peak	25	1,594	1,594	19,128	177				
CEX	MISO	MISO.NSP.NCPLOAD month off dap	NSP.NCPLOAD	Subzone	Day Ahead Power	Off Peak	25	1,316	1,316	15,792	176				82
CEV	MISO	MISO.NSP.NCPLOAD month on dap	NSP.NCPLOAD	Subzone	Day Ahead Power	On Peak	25	1,594	1,594	19,128	177				81
CFB	MISO	MISO.NSP.NSP month off dap	NSP.NSP	Zone	Day Ahead Power	Off Peak	25	1,316	1,316	15,792	176				82
CFA	MISO	MISO.NSP.NSP month on dap	NSP.NSP	Zone	Day Ahead Power	On Peak	25	1,594	1,594	19,128	177				81
GOD	MISO_RTO	MISO_RTO.NSP.NU month off dac	NSP.NU	Subzone	DA Cong. + Energy	Off Peak	25	1,316	1,316	15,792	176				84
GQC	MISO_RTO	MISO_RTO.NSP.NU month on dac	NSP.NU	Subzone	DA Cong. + Energy	On Peak	25	1,594	1,594	19,128	177				83
FYV	MISO	MISO.NSP.NU month off dap	NSP.NU	Subzone	Day Ahead Power	Off Peak	25	1,316	1,316	15,792	176				82
FYU	MISO	MISO.NSP.NU month on dap	NSP.NU	Subzone	Day Ahead Power	On Peak	25	1,594	1,594	19,128	177				81
GNN	MISO_RTO	MISO_RTO.NSP.OTP month off dac	NSP.OTP	Subzone	DA Cong. + Energy	Off Peak	25	1,316	1,316	15,792	176				84
GNM	MISO_RTO	MISO_RTO.NSP.OTP month on dac	NSP.OTP	Subzone	DA Cong. + Energy	On Peak	25	1,594	1,594	19,128	177				83
GPB	MISO_RTO	MISO_RTO.NSP.SHERCO1 month off dac	NSP.SHERCO1	Generator	DA Cong. + Energy	Off Peak	25	360	360	4,320					
GPA	MISO_RTO	MISO_RTO.NSP.SHERCO1 month on dac	NSP.SHERCO1	Generator	DA Cong. + Energy	On Peak	25	360	360	4,320					
CFZ	MISO	MISO.NSP.SMP_S3 month off dap	NSP.SMP_S3	Generator	Day Ahead Power	Off Peak	25	225	225	2,700					
CFY	MISO	MISO.NSP.SMP_S3 month on dap	NSP.SMP_S3	Generator	Day Ahead Power	On Peak	25	225	225	2,700					
GIP	PJM	PJM.NVIS month off dac	NVIS	Interface	DA Cong. + Energy	Off Peak	25	1,539	1,539	18,468					
GIO	PJM	PJM.NVIS month on dac	NVIS	Interface	DA Cong. + Energy	On Peak	25	1,539	1,539	18,468					
HEP	NYISO	NYISO.LBMP_REFERENCE month off dac	NYISO_LBMP_REFERENCE	Hub	DA Cong. + Energy	Off Peak	25	7,605	7,605	91,260					
HEO	NYISO	NYISO.LBMP_REFERENCE month on dac	NYISO_LBMP_REFERENCE	Hub	DA Cong. + Energy	On Peak	25	8,466	8,466	101,592					
HEV	NYISO	NYISO.NYPA_BRENTWD GT month off dac	NYPA_BRENTWD GT	Generator	DA Cong. + Energy	Off Peak	25	13	13	156					
HEU	NYISO	NYISO.NYPA_BRENTWD GT month on dac	NYPA_BRENTWD GT	Generator	DA Cong. + Energy	On Peak	25	13	13	156					
HEX	NYISO	NYISO.NYPA_GOWANUS GT5 month off dac	NYPA_GOWANUS GT5	Generator	DA Cong. + Energy	Off Peak	25	160	160	1,920					
HEW	NYISO	NYISO.NYPA_GOWANUS GT5 month on dac	NYPA_GOWANUS GT5	Generator	DA Cong. + Energy	On Peak	25	160	160	1,920					
HIP	NYISO	NYISO.NYPA_HARLEM_RVR GT2 month off dac	NYPA_HARLEM_RVR GT2	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
HIO	NYISO	NYISO.NYPA_HARLEM_RVR GT2 month on dac	NYPA_HARLEM_RVR GT2	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
HEZ	NYISO	NYISO.NYPA_POUCH1 GT month off dac	NYPA_POUCH1 GT	Generator	DA Cong. + Energy	Off Peak	25	13	13	156					
HEY	NYISO	NYISO.NYPA_POUCH1 GT month on dac	NYPA_POUCH1 GT	Generator	DA Cong. + Energy	On Peak	25	13	13	156					
HFB	NYISO	NYISO.NYPA_VERNON GT2 month off dac	NYPA_VERNON GT2	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
HFA	NYISO	NYISO.NYPA_VERNON GT2 month on dac	NYPA_VERNON GT2	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
HER	NYISO	NYISO.NYPA_ASTORIA_CC1 month off dac	NYPA_ASTORIA_CC1	Generator	DA Cong. + Energy	Off Peak	25	130	130	1,560					
HEQ	NYISO	NYISO.NYPA_ASTORIA_CC1 month on dac	NYPA_ASTORIA_CC1	Generator	DA Cong. + Energy	On Peak	25	130	130	1,560					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HET	NYISO	NYISO.NYPA_HOLTSVILL_month_off_dac	NYPA_HOLTSVILL	Generator	DA Cong. + Energy	Off Peak	25	142	142	1,704					
HES	NYISO	NYISO.NYPA_HOLTSVILL_month_on_dac	NYPA_HOLTSVILL	Generator	DA Cong. + Energy	On Peak	25	142	142	1,704					
HIN	NYISO	NYISO.NYPA_HELLEGATE_GT2_month_off_dac	NYPA_HELLEGATE_GT2	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
HIM	NYISO	NYISO.NYPA_HELLEGATE_GT2_month_on_dac	NYPA_HELLEGATE_GT2	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
HFD	NYISO	NYISO.O.H_GEN_BRUCE_month_off_dac	O.H_GEN BRUCE	Interface	DA Cong. + Energy	Off Peak	25	1,575	1,575	18,900					
HFC	NYISO	NYISO.O.H_GEN_BRUCE_month_on_dac	O.H_GEN BRUCE	Interface	DA Cong. + Energy	On Peak	25	1,575	1,575	18,900					
GYP	ERCOT	ERCOT.OECCS_1_month_off_dap	OECCS_1	Generator	Day Ahead Power	Off Peak	25	248	248	2,976					
GYO	ERCOT	ERCOT.OECCS_1_month_on_dap	OECCS_1	Generator	Day Ahead Power	On Peak	25	248	248	2,976					
GYS	ERCOT	ERCOT.OECCS_1_month_off_rtp	OECCS_1	Generator	Real Time Power	Off Peak	25	248	248	2,976					
GYT	ERCOT	ERCOT.OECCS_1_month_on_rtp	OECCS_1	Generator	Real Time Power	On Peak	25	248	248	2,976					
GVR	ERCOT	ERCOT.OKLA_OKLA_G1_month_off_dap	OKLA_OKLA_G1	Generator	Day Ahead Power	Off Peak	25	163	163	1,956					
GVQ	ERCOT	ERCOT.OKLA_OKLA_G1_month_on_dap	OKLA_OKLA_G1	Generator	Day Ahead Power	On Peak	25	163	163	1,956					
GVP	ERCOT	ERCOT.OKLA_OKLA_G1_month_off_rtp	OKLA_OKLA_G1	Generator	Real Time Power	Off Peak	25	163	163	1,956					
GVO	ERCOT	ERCOT.OKLA_OKLA_G1_month_on_rtp	OKLA_OKLA_G1	Generator	Real Time Power	On Peak	25	163	163	1,956					
GQJ	MISO_RTO	MISO_RTO.ONT_month_off_dac	ONT	Interface	DA Cong. + Energy	Off Peak	25	470	470	5,640					
GQI	MISO_RTO	MISO_RTO.ONT_month_on_dac	ONT	Interface	DA Cong. + Energy	On Peak	25	470	470	5,640					
CHP	MISO	MISO.ONT_month_off_dap	ONT	Interface	Day Ahead Power	Off Peak	25	470	470	5,640					
CHO	MISO	MISO.ONT_month_on_dap	ONT	Interface	Day Ahead Power	On Peak	25	470	470	5,640					
HFF	NYISO	NYISO.OSWEGO_5_month_off_dac	OSWEGO_5	Generator	DA Cong. + Energy	Off Peak	25	451	451	5,412					
HFE	NYISO	NYISO.OSWEGO_5_month_on_dac	OSWEGO_5	Generator	DA Cong. + Energy	On Peak	25	451	451	5,412					
CJH	MISO	MISO.OTP.NSP_month_off_dap	OTP.NSP	Subzone	Day Ahead Power	Off Peak	25	184	184	2,208	178				86
CJG	MISO	MISO.OTP.NSP_month_on_dap	OTP.NSP	Subzone	Day Ahead Power	On Peak	25	223	223	2,676	179				85
CIL	MISO	MISO.OTP.OTP_month_off_dap	OTP.OTP	Zone	Day Ahead Power	Off Peak	25	184	184	2,208	178				86
CIK	MISO	MISO.OTP.OTP_month_on_dap	OTP.OTP	Zone	Day Ahead Power	On Peak	25	223	223	2,676	179				85
GIR	PJM	PJM.OVEC_month_off_dac	OVEC	Interface	DA Cong. + Energy	Off Peak	25	664	664	7,968					
GIQ	PJM	PJM.OVEC_month_on_dac	OVEC	Interface	DA Cong. + Energy	On Peak	25	664	664	7,968					
GJR	PJM	PJM.OYSTERCR24_KVUNIT01_month_off_dac	OYSTERCR24_KVUNIT01	Generator	DA Cong. + Energy	Off Peak	25	138	138	1,656					
GIQ	PJM	PJM.OYSTERCR24_KVUNIT01_month_on_dac	OYSTERCR24_KVUNIT01	Generator	DA Cong. + Energy	On Peak	25	138	138	1,656					
HML	CAISO	CAISO.PALOVORDE_ASR-APND_month_off_dac	PALOVORDE_ASR-APND	Interface	DA Cong. + Energy	Off Peak	25	832	832	9,984	180				
HMK	CAISO	CAISO.PALOVORDE_ASR-APND_month_on_dac	PALOVORDE_ASR-APND	Interface	DA Cong. + Energy	On Peak	25	832	832	9,984	181				
FQB	CAISO	CAISO.PALOVORDE_ASR-APND_month_off_dap	PALOVORDE_ASR-APND	Interface	Day Ahead Power	Off Peak	25	832	832	9,984	180				
FQA	CAISO	CAISO.PALOVORDE_ASR-APND_month_on_dap	PALOVORDE_ASR-APND	Interface	Day Ahead Power	On Peak	25	832	832	9,984	181				
GFP	PJM	PJM.PEACHBOT22_KVUNIT02_month_off_dac	PEACHBOT22_KVUNIT02	Generator	DA Cong. + Energy	Off Peak	25	576	576	6,912	182				
GFO	PJM	PJM.PEACHBOT22_KVUNIT02_month_on_dac	PEACHBOT22_KVUNIT02	Generator	DA Cong. + Energy	On Peak	25	576	576	6,912	183				87
HSP	PJM	PJM.PEACHBOT22_KVUNIT03_month_off_dac	PEACHBOT22_KVUNIT03	Generator	DA Cong. + Energy	Off Peak	25	576	576	6,912	182				88
HSO	PJM	PJM.PEACHBOT22_KVUNIT03_month_on_dac	PEACHBOT22_KVUNIT03	Generator	DA Cong. + Energy	On Peak	25	576	576	6,912	183				87
GFR	PJM	PJM.PECO_month_off_dac	PECO	Zone	DA Cong. + Energy	Off Peak	25	1,165	1,165	13,980	184				
GFQ	PJM	PJM.PECO_month_on_dac	PECO	Zone	DA Cong. + Energy	On Peak	25	1,425	1,425	17,100	185				
EUZ	PJM	PJM.PECO_month_off_dap	PECO	Zone	Day Ahead Power	Off Peak	25	1,165	1,165	13,980	184				
EUY	PJM	PJM.PECO_month_on_dap	PECO	Zone	Day Ahead Power	On Peak	25	1,425	1,425	17,100	185				
FUL	PJM	PJM.PECO_month_off_rtp	PECO	Zone	Real Time Power	Off Peak	25	1,165	1,165	13,980					
FUK	PJM	PJM.PECO_month_on_rtp	PECO	Zone	Real Time Power	On Peak	25	1,425	1,425	17,100					
GFT	PJM	PJM.PENELEC_month_off_dac	PENELEC	Zone	DA Cong. + Energy	Off Peak	25	867	867	10,404	186				
GFS	PJM	PJM.PENELEC_month_on_dac	PENELEC	Zone	DA Cong. + Energy	On Peak	25	1,063	1,063	12,756	187				
EVB	PJM	PJM.PENELEC_month_off_dap	PENELEC	Zone	Day Ahead Power	Off Peak	25	867	867	10,404	186				
EVA	PJM	PJM.PENELEC_month_on_dap	PENELEC	Zone	Day Ahead Power	On Peak	25	1,063	1,063	12,756	187				
GFV	PJM	PJM.PENN POWER_month_off_dac	PENN POWER	Subzone	DA Cong. + Energy	Off Peak	25	140	140	1,680	42				22
GFU	PJM	PJM.PENN POWER_month_on_dac	PENN POWER	Subzone	DA Cong. + Energy	On Peak	25	174	174	2,088	43				21
FWN	PJM	PJM.PENN POWER_month_off_dap	PENN POWER	Subzone	Day Ahead Power	Off Peak	25	140	140	1,680	42				20
FWM	PJM	PJM.PENN POWER_month_on_dap	PENN POWER	Subzone	Day Ahead Power	On Peak	25	174	174	2,088	43				19
GFX	PJM	PJM.PEPCO_month_off_dac	PEPCO	Zone	DA Cong. + Energy	Off Peak	25	821	821	9,852	188				92
GFW	PJM	PJM.PEPCO_month_on_dac	PEPCO	Zone	DA Cong. + Energy	On Peak	25	1,019	1,019	12,228	189				91
EVH	PJM	PJM.PEPCO_month_off_dap	PEPCO	Zone	Day Ahead Power	Off Peak	25	821	821	9,852	188				90
EVG	PJM	PJM.PEPCO_month_on_dap	PEPCO	Zone	Day Ahead Power	On Peak	25	1,019	1,019	12,228	189				89
FRN	PJM	PJM.PEPCO_month_off_rtp	PEPCO	Zone	Real Time Power	Off Peak	25	821	821	9,852					
FRM	PJM	PJM.PEPCO_month_on_rtp	PEPCO	Zone	Real Time Power	On Peak	25	1,019	1,019	12,228					
GFZ	PJM	PJM.PEPCO_DC_month_off_dac	PEPCO DC	Subzone	DA Cong. + Energy	Off Peak	25	230	230	2,760	188				92
GFY	PJM	PJM.PEPCO_DC_month_on_dac	PEPCO DC	Subzone	DA Cong. + Energy	On Peak	25	285	285	3,420	189				91
EVJ	PJM	PJM.PEPCO_DC_month_off_dap	PEPCO DC	Subzone	Day Ahead Power	Off Peak	25	230	230	2,760	188				90
EVI	PJM	PJM.PEPCO_DC_month_on_dap	PEPCO DC	Subzone	Day Ahead Power	On Peak	25	285	285	3,420	189				89
GGB	PJM	PJM.PEPCO_MD_month_off_dac	PEPCO MD	Subzone	DA Cong. + Energy	Off Peak	25	460	460	5,520	188				92
GGA	PJM	PJM.PEPCO_MD_month_on_dac	PEPCO MD	Subzone	DA Cong. + Energy	On Peak	25	570	570	6,840	189				91
EVL	PJM	PJM.PEPCO_MD_month_off_dap	PEPCO MD	Subzone	Day Ahead Power	Off Peak	25	460	460	5,520	188				90
EVK	PJM	PJM.PEPCO_MD_month_on_dap	PEPCO MD	Subzone	Day Ahead Power	On Peak	25	570	570	6,840	189				89
GGD	PJM	PJM.PEPCO_SMECO_month_off_dac	PEPCO SMECO	Subzone	DA Cong. + Energy	Off Peak	25	131	131	1,572	188				92
GGC	PJM	PJM.PEPCO_SMECO_month_on_dac	PEPCO SMECO	Subzone	DA Cong. + Energy	On Peak	25	163	163	1,956	189				91
GIT	PJM	PJM.PERRYMAN13_KVCT_1_month_off_dac	PERRYMAN13_KVCT_1	Generator	DA Cong. + Energy	Off Peak	25	101	101	1,212					
GIS	PJM	PJM.PERRYMAN13_KVCT_1_month_on_dac	PERRYMAN13_KVCT_1	Generator	DA Cong. + Energy	On Peak	25	101	101	1,212					
GTN	PJM	PJM.PERRY_FE22_KVPR10_month_off_dac	PERRY_FE22_KVPR10	Generator	DA Cong. + Energy	Off Peak	25	328	328	3,936					
GTM	PJM	PJM.PERRY_FE22_KVPR10_month_on_dac	PERRY_FE22_KVPR10	Generator	DA Cong. + Energy	On Peak	25	328	328	3,936					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HFH	NYISO	NYISO.PINELAWN CC 1 month off dac	PINELAWN_CC 1	Generator	DA Cong. + Energy	Off Peak	25	21	21	252					
HFG	NYISO	NYISO.PINELAWN CC 1 month on dac	PINELAWN_CC 1	Generator	DA Cong. + Energy	On Peak	25	21	21	252					
GOL	MISO_RTO	MISO_RTO.PJM month off dac	PJM	Interface	DA Cong. + Energy	Off Peak	25	1,554	1,554	18,648					
GOK	MISO_RTO	MISO_RTO.PJM month on dac	PJM	Interface	DA Cong. + Energy	On Peak	25	1,554	1,554	18,648					
ANZ	MISO	MISO.PJM month off dap	PJM	Interface	Day Ahead Power	Off Peak	25	1,554	1,554	18,648					
ANY	MISO	MISO.PJM month on dap	PJM	Interface	Day Ahead Power	On Peak	25	1,554	1,554	18,648					
HJF	NYISO	NYISO.PJM_GEN_KEYSTONE month off dac	PJM_GEN_KEYSTONE	Interface	DA Cong. + Energy	Off Peak	25	471	471	5,652					
HFI	NYISO	NYISO.PJM_GEN_KEYSTONE month on dac	PJM_GEN_KEYSTONE	Interface	DA Cong. + Energy	On Peak	25	471	471	5,652					
GIV	PJM	PJM.PLEA_APS26_KVGEN 1 month off dac	PLEA_APS26_KVGEN 1	Generator	DA Cong. + Energy	Off Peak	25	342	342	4,104	190				94
GIU	PJM	PJM.PLEA_APS26_KVGEN 1 month on dac	PLEA_APS26_KVGEN 1	Generator	DA Cong. + Energy	On Peak	25	342	342	4,104	191				93
GXN	PJM	PJM.PLEA_APS26_KVGEN 2 month off dac	PLEA_APS26_KVGEN 2	Generator	DA Cong. + Energy	Off Peak	25	342	342	4,104	190				94
GXM	PJM	PJM.PLEA_APS26_KVGEN 2 month on dac	PLEA_APS26_KVGEN 2	Generator	DA Cong. + Energy	On Peak	25	342	342	4,104	191				93
HFL	NYISO	NYISO.PLEASANTVLY_LBMP month off dac	PLEASANTVLY_LBMP	Interface	DA Cong. + Energy	Off Peak	25	410	410	4,920					
HFK	NYISO	NYISO.PLEASANTVLY_LBMP month on dac	PLEASANTVLY_LBMP	Interface	DA Cong. + Energy	On Peak	25	410	410	4,920					
HMN	CAISO	CAISO.POD_DIABLO 7 UNIT 2-APND month off dac	POD_DIABLO 7 UNIT 2-APND	Generator	DA Cong. + Energy	Off Peak	25	560	560	6,720					
HMM	CAISO	CAISO.POD_DIABLO 7 UNIT 2-APND month on dac	POD_DIABLO 7 UNIT 2-APND	Generator	DA Cong. + Energy	On Peak	25	560	560	6,720					
HOJ	CAISO	CAISO.POD_EXCHEC 7 UNIT 1-APND month off dac	POD_EXCHEC 7 UNIT 1-APND	Generator	DA Cong. + Energy	Off Peak	25	18	18	216					
HOI	CAISO	CAISO.POD_EXCHEC 7 UNIT 1-APND month on dac	POD_EXCHEC 7 UNIT 1-APND	Generator	DA Cong. + Energy	On Peak	25	18	18	216					
HMJ	CAISO	CAISO.POD_MOSSLD 2_PSP2-APND month off dac	POD_MOSSLD 2_PSP2-APND	Generator	DA Cong. + Energy	Off Peak	25	633	633	7,596					
HMI	CAISO	CAISO.POD_MOSSLD 2_PSP2-APND month on dac	POD_MOSSLD 2_PSP2-APND	Generator	DA Cong. + Energy	On Peak	25	633	633	7,596					
HMP	CAISO	CAISO.POD_PITTSF 7 UNIT 7-APND month off dac	POD_PITTSF 7 UNIT 7-APND	Generator	DA Cong. + Energy	Off Peak	25	328	328	3,936					
HMO	CAISO	CAISO.POD_PITTSF 7 UNIT 7-APND month on dac	POD_PITTSF 7 UNIT 7-APND	Generator	DA Cong. + Energy	On Peak	25	328	328	3,936					
HFN	NYISO	NYISO.PORT_JEFF 3 month off dac	PORT_JEFF 3	Generator	DA Cong. + Energy	Off Peak	25	125	125	1,500					
HFM	NYISO	NYISO.PORT_JEFF 3 month on dac	PORT_JEFF 3	Generator	DA Cong. + Energy	On Peak	25	125	125	1,500					
GGF	PJM	PJM.PPL month off dac	PPL	Zone	DA Cong. + Energy	Off Peak	25	1,153	1,153	13,836	192				96
GGE	PJM	PJM.PPL month on dac	PPL	Zone	DA Cong. + Energy	On Peak	25	1,424	1,424	17,088	193				95
EWV	PJM	PJM.PPL month off dap	PPL	Zone	Day Ahead Power	Off Peak	25	1,153	1,153	13,836	192				
EWU	PJM	PJM.PPL month on dap	PPL	Zone	Day Ahead Power	On Peak	25	1,424	1,424	17,088	193				
FUP	PJM	PJM.PPL month off rtp	PPL	Zone	Real Time Power	Off Peak	25	1,153	1,153	13,836					
FUO	PJM	PJM.PPL month on rtp	PPL	Zone	Real Time Power	On Peak	25	1,424	1,424	17,088					
GGH	PJM	PJM.PSEG month off dac	PSEG	Zone	DA Cong. + Energy	Off Peak	25	1,168	1,168	14,016	194				
GGG	PJM	PJM.PSEG month on dac	PSEG	Zone	DA Cong. + Energy	On Peak	25	1,470	1,470	17,640	195				
EXF	PJM	PJM.PSEG month off dap	PSEG	Zone	Day Ahead Power	Off Peak	25	1,168	1,168	14,016	194				
EXE	PJM	PJM.PSEG month on dap	PSEG	Zone	Day Ahead Power	On Peak	25	1,470	1,470	17,640	195				
FRP	PJM	PJM.PSEG month off rtp	PSEG	Zone	Real Time Power	Off Peak	25	1,168	1,168	14,016					
FRO	PJM	PJM.PSEG month on rtp	PSEG	Zone	Real Time Power	On Peak	25	1,470	1,470	17,640					
GIX	PJM	PJM.PSEGLOB18 KV6 month off dac	PSEGLOB18 KV6	Generator	DA Cong. + Energy	Off Peak	25	231	231	2,772					
GIW	PJM	PJM.PSEGLOB18 KV6 month on dac	PSEGLOB18 KV6	Generator	DA Cong. + Energy	On Peak	25	231	231	2,772					
HFP	NYISO	NYISO.RAVENSWOOD 1 month off dac	RAVENSWOOD 1	Generator	DA Cong. + Energy	Off Peak	25	656	656	7,872	196				98
HFO	NYISO	NYISO.RAVENSWOOD 1 month on dac	RAVENSWOOD 1	Generator	DA Cong. + Energy	On Peak	25	656	656	7,872	197				97
HFR	NYISO	NYISO.RAVENSWOOD 2 month off dac	RAVENSWOOD 2	Generator	DA Cong. + Energy	Off Peak	25	656	656	7,872	196				98
HFQ	NYISO	NYISO.RAVENSWOOD 2 month on dac	RAVENSWOOD 2	Generator	DA Cong. + Energy	On Peak	25	656	656	7,872	197				97
HFT	NYISO	NYISO.RAVENSWOOD 3 month off dac	RAVENSWOOD 3	Generator	DA Cong. + Energy	Off Peak	25	656	656	7,872	196				98
HFS	NYISO	NYISO.RAVENSWOOD 3 month on dac	RAVENSWOOD 3	Generator	DA Cong. + Energy	On Peak	25	656	656	7,872	197				97
HFV	NYISO	NYISO.RAVENSWOOD 4 month off dac	RAVENSWOOD 4	Generator	DA Cong. + Energy	Off Peak	25	656	656	7,872	196				98
HFU	NYISO	NYISO.RAVENSWOOD 4 month on dac	RAVENSWOOD 4	Generator	DA Cong. + Energy	On Peak	25	656	656	7,872	197				97
GGJ	PJM	PJM.RECO month off dac	RECO	Zone	DA Cong. + Energy	Off Peak	25	47	47	564	198				
GGI	PJM	PJM.RECO month on dac	RECO	Zone	DA Cong. + Energy	On Peak	25	64	64	768	199				
EXR	PJM	PJM.RECO month off dap	RECO	Zone	Day Ahead Power	Off Peak	25	47	47	564	198				
EXQ	PJM	PJM.RECO month on dap	RECO	Zone	Day Ahead Power	On Peak	25	64	64	768	199				
HFX	NYISO	NYISO.RENSSELAER_COGEN month off dac	RENSSELAER_COGEN	Generator	DA Cong. + Energy	Off Peak	25	26	26	312					
HFW	NYISO	NYISO.RENSSELAER_COGEN month on dac	RENSSELAER_COGEN	Generator	DA Cong. + Energy	On Peak	25	26	26	312					
GTP	PJM	PJM.RICHLND138 KVRP81 month off dac	RICHLND138 KVRP81	Generator	DA Cong. + Energy	Off Peak	25	113	113	1,356					
GTO	PJM	PJM.RICHLND138 KVRP81 month on dac	RICHLND138 KVRP81	Generator	DA Cong. + Energy	On Peak	25	113	113	1,356					
HMR	CAISO	CAISO.ROA-230 2 N101 month off dac	ROA-230 2 N101	Interface	DA Cong. + Energy	Off Peak	25	200	200	2,400	200				100
HMQ	CAISO	CAISO.ROA-230 2 N101 month on dac	ROA-230 2 N101	Interface	DA Cong. + Energy	On Peak	25	200	200	2,400	201				99
GIZ	PJM	PJM.ROCKPOR226 KVRP1 month off dac	ROCKPOR226 KVRP1	Generator	DA Cong. + Energy	Off Peak	25	650	650	7,800					
GIF	PJM	PJM.ROCKPOR226 KVRP1 month on dac	ROCKPOR226 KVRP1	Generator	DA Cong. + Energy	On Peak	25	650	650	7,800					
HFZ	NYISO	NYISO.ROSETON 1 month off dac	ROSETON 1	Generator	DA Cong. + Energy	Off Peak	25	311	311	3,732					
HFY	NYISO	NYISO.ROSETON 1 month on dac	ROSETON 1	Generator	DA Cong. + Energy	On Peak	25	311	311	3,732					
HRP	PJM	PJM.SAFEHARB13 KVUNIT1 month off dac	SAFEHARB13 KVUNIT1	Generator	DA Cong. + Energy	Off Peak	25	104	104	1,248	202				102
HRO	PJM	PJM.SAFEHARB13 KVUNIT1 month on dac	SAFEHARB13 KVUNIT1	Generator	DA Cong. + Energy	On Peak	25	104	104	1,248	203				101
HRR	PJM	PJM.SAFEHARB13 KVUNIT8 month off dac	SAFEHARB13 KVUNIT8	Generator	DA Cong. + Energy	Off Peak	25	104	104	1,248	202				102
HRQ	PJM	PJM.SAFEHARB13 KVUNIT8 month on dac	SAFEHARB13 KVUNIT8	Generator	DA Cong. + Energy	On Peak	25	104	104	1,248	203				101
GJB	PJM	PJM.SALEM25 KVALEM1 month off dac	SALEM25 KVALEM1	Generator	DA Cong. + Energy	Off Peak	25	595	595	7,140					
GJA	PJM	PJM.SALEM25 KVALEM1 month on dac	SALEM25 KVALEM1	Generator	DA Cong. + Energy	On Peak	25	595	595	7,140					
GTR	PJM	PJM.SAMMISFE19 KVSH70 month off dac	SAMMISFE19 KVSH70	Generator	DA Cong. + Energy	Off Peak	25	617	617	7,404					
GTQ	PJM	PJM.SAMMISFE19 KVSH70 month on dac	SAMMISFE19 KVSH70	Generator	DA Cong. + Energy	On Peak	25	617	617	7,404					
HGB	NYISO	NYISO.SELKIRK_I month off dac	SELKIRK_I	Generator	DA Cong. + Energy	Off Peak	25	112	112	1,344					
HGA	NYISO	NYISO.SELKIRK_I month on dac	SELKIRK_I	Generator	DA Cong. + Energy	On Peak	25	112	112	1,344					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HTX	PJM	PJM.SEWARD22 KVUNIT1 month off dac	SEWARD22 KVUNIT1	Generator	DA Cong. + Energy	Off Peak	25	146	146	1,752					
HTW	PJM	PJM.SEWARD22 KVUNIT1 month on dac	SEWARD22 KVUNIT1	Generator	DA Cong. + Energy	On Peak	25	146	146	1,752					
HTZ	PJM	PJM.SHAWVILL18 KVUNIT1 month off dac	SHAWVILL18 KVUNIT1	Generator	DA Cong. + Energy	Off Peak	25	158	158	1,896	204				104
HTY	PJM	PJM.SHAWVILL18 KVUNIT1 month on dac	SHAWVILL18 KVUNIT1	Generator	DA Cong. + Energy	On Peak	25	158	158	1,896	205				103
HUB	PJM	PJM.SHAWVILL22 KVUNIT3 month off dac	SHAWVILL22 KVUNIT3	Generator	DA Cong. + Energy	Off Peak	25	158	158	1,896	204				104
HUA	PJM	PJM.SHAWVILL22 KVUNIT3 month on dac	SHAWVILL22 KVUNIT3	Generator	DA Cong. + Energy	On Peak	25	158	158	1,896	205				103
GNX	MISO_RTO	MISO_RTO.SIGE.10ABBG1 month off dac	SIGE.10ABBG1	Generator	DA Cong. + Energy	Off Peak	25	125	125	1,500					
GNW	MISO_RTO	MISO_RTO.SIGE.10ABBG1 month on dac	SIGE.10ABBG1	Generator	DA Cong. + Energy	On Peak	25	125	125	1,500					
GVF	MISO_RTO	MISO_RTO.SIGE.FOWLR month off dac	SIGE.FOWLR	Generator	DA Cong. + Energy	Off Peak	25	150	150	1,800					
GVE	MISO_RTO	MISO_RTO.SIGE.FOWLR month on dac	SIGE.FOWLR	Generator	DA Cong. + Energy	On Peak	25	150	150	1,800					
GQR	MISO_RTO	MISO_RTO.SIGE.SIGW month off dac	SIGE.SIGW	Zone	DA Cong. + Energy	Off Peak	25	180	180	2,160					
GQQ	MISO_RTO	MISO_RTO.SIGE.SIGW month on dac	SIGE.SIGW	Zone	DA Cong. + Energy	On Peak	25	218	218	2,616					
GQT	MISO_RTO	MISO_RTO.SIPC.MARI69 month off dac	SIPC.MARI69	Generator	DA Cong. + Energy	Off Peak	25	28	28	336					
GQS	MISO_RTO	MISO_RTO.SIPC.MARI69 month on dac	SIPC.MARI69	Generator	DA Cong. + Energy	On Peak	25	28	28	336					
GPD	MISO_RTO	MISO_RTO.SIPC.SIPC month off dac	SIPC.SIPC	Zone	DA Cong. + Energy	Off Peak	25	50	50	600					
GPC	MISO_RTO	MISO_RTO.SIPC.SIPC month on dac	SIPC.SIPC	Zone	DA Cong. + Energy	On Peak	25	60	60	720					
HGD	NYISO	NYISO.SITHE INDEPEND month off dac	SITHE INDEPEND	Generator	DA Cong. + Energy	Off Peak	25	272	272	3,264					
HGC	NYISO	NYISO.SITHE INDEPEND month on dac	SITHE INDEPEND	Generator	DA Cong. + Energy	On Peak	25	272	272	3,264					
HGF	NYISO	NYISO.SITHE MASSENA month off dac	SITHE MASSENA	Generator	DA Cong. + Energy	Off Peak	25	26	26	312					
HGE	NYISO	NYISO.SITHE MASSENA month on dac	SITHE MASSENA	Generator	DA Cong. + Energy	On Peak	25	26	26	312					
HMT	CAISO	CAISO.SLAP_PGHB-APND month off dac	SLAP_PGHB-APND	Subzone	DA Cong. + Energy	Off Peak	25	27	27	324	77				39
HMS	CAISO	CAISO.SLAP_PGHB-APND month on dac	SLAP_PGHB-APND	Subzone	DA Cong. + Energy	On Peak	25	32	32	384	78				38
HMV	CAISO	CAISO.SLVRPS2_7_N001 month off dac	SLVRPS2_7_N001	Interface	DA Cong. + Energy	Off Peak	25	4	4	48					
HMU	CAISO	CAISO.SLVRPS2_7_N001 month on dac	SLVRPS2_7_N001	Interface	DA Cong. + Energy	On Peak	25	4	4	48					
HMX	CAISO	CAISO.SMDA ASR-APND month off dac	SMDA ASR-APND	Interface	DA Cong. + Energy	Off Peak	25	957	957	11,484					
HMW	CAISO	CAISO.SMDA ASR-APND month on dac	SMDA ASR-APND	Interface	DA Cong. + Energy	On Peak	25	957	957	11,484					
HOV	CAISO	CAISO.SMDH ASR-APND month off dac	SMDH ASR-APND	Interface	DA Cong. + Energy	Off Peak	25	8	8	96	52				28
HOU	CAISO	CAISO.SMDH ASR-APND month on dac	SMDH ASR-APND	Interface	DA Cong. + Energy	On Peak	25	8	8	96	53				27
GOV	MISO_RTO	MISO_RTO.SMP_SMP month off dac	SMP_SMP	Zone	DA Cong. + Energy	Off Peak	25	87	87	1,044					
GOU	MISO_RTO	MISO_RTO.SMP_SMP month on dac	SMP_SMP	Zone	DA Cong. + Energy	On Peak	25	106	106	1,272					
GSF	MISO_RTO	MISO_RTO.SOCO month off dac	SOCO	Interface	DA Cong. + Energy	Off Peak	25	66	66	792					
GSE	MISO_RTO	MISO_RTO.SOCO month on dac	SOCO	Interface	DA Cong. + Energy	On Peak	25	66	66	792					
HMZ	CAISO	CAISO.SONOFR2_7_B1 month off dac	SONOFR2_7_B1	Generator	DA Cong. + Energy	Off Peak	25	562	562	6,744					
HMY	CAISO	CAISO.SONOFR2_7_B1 month on dac	SONOFR2_7_B1	Generator	DA Cong. + Energy	On Peak	25	562	562	6,744					
GJD	PJM	PJM.SOUTHIMP month off dac	SOUTHIMP	Interface	DA Cong. + Energy	Off Peak	25	1,377	1,377	16,524	206				
GJC	PJM	PJM.SOUTHIMP month on dac	SOUTHIMP	Interface	DA Cong. + Energy	On Peak	25	1,377	1,377	16,524	207				
GVY	PJM	PJM.SOUTHIMP month off dap	SOUTHIMP	Interface	Day Ahead Power	Off Peak	25	1,377	1,377	16,524	206				
GVS	PJM	PJM.SOUTHIMP month on dap	SOUTHIMP	Interface	Day Ahead Power	On Peak	25	1,377	1,377	16,524	207				
HJR	PJM	PJM.SPRINGDA18 KVCT3 month off dac	SPRINGDA18 KVCT3	Generator	DA Cong. + Energy	Off Peak	25	139	139	1,668					
HJQ	PJM	PJM.SPRINGDA18 KVCT3 month on dac	SPRINGDA18 KVCT3	Generator	DA Cong. + Energy	On Peak	25	139	139	1,668					
HJF	PJM	PJM.SRIVER230 KVNUG GE month off dac	SRIVER230 KVNUG GE	Generator	DA Cong. + Energy	Off Peak	25	65	65	780	208				
HJE	PJM	PJM.SRIVER230 KVNUG GE month on dac	SRIVER230 KVNUG GE	Generator	DA Cong. + Energy	On Peak	25	65	65	780	209				
FCJ	PJM	PJM.SRIVER230 KVNUG GE month off dap	SRIVER230 KVNUG GE	Generator	Day Ahead Power	Off Peak	25	65	65	780	208				
FCI	PJM	PJM.SRIVER230 KVNUG GE month on dap	SRIVER230 KVNUG GE	Generator	Day Ahead Power	On Peak	25	65	65	780	209				
HGH	NYISO	NYISO.ST LAWRENCE month off dac	ST LAWRENCE	Generator	DA Cong. + Energy	Off Peak	25	272	272	3,264					
HGG	NYISO	NYISO.ST LAWRENCE month on dac	ST LAWRENCE	Generator	DA Cong. + Energy	On Peak	25	272	272	3,264					
HIR	NYISO	NYISO.STATION 5 MISC HYD month off dac	STATION 5 MISC HYD	Generator	DA Cong. + Energy	Off Peak	25	18	18	216					
HIQ	NYISO	NYISO.STATION 5 MISC HYD month on dac	STATION 5 MISC HYD	Generator	DA Cong. + Energy	On Peak	25	18	18	216					
FDD	PJM	PJM.STEELCTY18 KVBETH 4CC month off dap	STEELCTY18 KVBETH 4CC	Generator	Day Ahead Power	Off Peak	25	325	325	3,900	210				106
FDC	PJM	PJM.STEELCTY18 KVBETH 4CC month on dap	STEELCTY18 KVBETH 4CC	Generator	Day Ahead Power	On Peak	25	325	325	3,900	211				105
FDF	PJM	PJM.STEELCTY18 KVBETH 8CC month off dap	STEELCTY18 KVBETH 8CC	Generator	Day Ahead Power	Off Peak	25	325	325	3,900	210				106
FDE	PJM	PJM.STEELCTY18 KVBETH 8CC month on dap	STEELCTY18 KVBETH 8CC	Generator	Day Ahead Power	On Peak	25	325	325	3,900	211				105
HGJ	NYISO	NYISO.STEEL WIND month off dac	STEEL WIND	Generator	DA Cong. + Energy	Off Peak	25	5	5	60					
HGI	NYISO	NYISO.STEEL WIND month on dac	STEEL WIND	Generator	DA Cong. + Energy	On Peak	25	5	5	60					
HUP	ERCOT	ERCOT.STP_STP_G1 month off dap	STP_STP_G1	Generator	Day Ahead Power	Off Peak	25	688	688	8,256					
HUO	ERCOT	ERCOT.STP_STP_G1 month on dap	STP_STP_G1	Generator	Day Ahead Power	On Peak	25	688	688	8,256					
HUN	ERCOT	ERCOT.STP_STP_G1 month off rtp	STP_STP_G1	Generator	Real Time Power	Off Peak	25	688	688	8,256					
HUM	ERCOT	ERCOT.STP_STP_G1 month on rtp	STP_STP_G1	Generator	Real Time Power	On Peak	25	688	688	8,256					
GVX	PJM	PJM.STRYKER138 KVSP81 month off dac	STRYKER138 KVSP81	Generator	DA Cong. + Energy	Off Peak	25	5	5	60					
GVW	PJM	PJM.STRYKER138 KVSP81 month on dac	STRYKER138 KVSP81	Generator	DA Cong. + Energy	On Peak	25	5	5	60					
HON	CAISO	CAISO.SUMMIT ASR-APND month off dac	SUMMIT ASR-APND	Interface	DA Cong. + Energy	Off Peak	25	15	15	180					
HOM	CAISO	CAISO.SUMMIT ASR-APND month on dac	SUMMIT ASR-APND	Interface	DA Cong. + Energy	On Peak	25	15	15	180					
GGJ	PJM	PJM.SUSQUEHA24 KVUNIT01 month off dac	SUSQUEHA24 KVUNIT01	Generator	DA Cong. + Energy	Off Peak	25	649	649	7,788	212				108
GGK	PJM	PJM.SUSQUEHA24 KVUNIT01 month on dac	SUSQUEHA24 KVUNIT01	Generator	DA Cong. + Energy	On Peak	25	649	649	7,788	213				107
GGN	PJM	PJM.SUSQUEHA24 KVUNIT02 month off dac	SUSQUEHA24 KVUNIT02	Generator	DA Cong. + Energy	Off Peak	25	649	649	7,788	212				108
GGM	PJM	PJM.SUSQUEHA24 KVUNIT02 month on dac	SUSQUEHA24 KVUNIT02	Generator	DA Cong. + Energy	On Peak	25	649	649	7,788	213				107
HNB	CAISO	CAISO.SYLMARDC_2_N501 month off dac	SYLMARDC_2_N501	Interface	DA Cong. + Energy	Off Peak	25	305	305	3,660					
HNA	CAISO	CAISO.SYLMARDC_2_N501 month on dac	SYLMARDC_2_N501	Interface	DA Cong. + Energy	On Peak	25	305	305	3,660					
HND	CAISO	CAISO.SYLMARS_2_B1 month off dac	SYLMARS_2_B1	Interface	DA Cong. + Energy	Off Peak	25	775	775	9,300					
HNC	CAISO	CAISO.SYLMARS_2_B1 month on dac	SYLMARS_2_B1	Interface	DA Cong. + Energy	On Peak	25	775	775	9,300					

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
GJF	PJM	PJM.TANNERSC20 KVTC4 month off dac	TANNERSC20 KVTC4	Generator	DA Cong. + Energy	Off Peak	25	275	275	3,300					
GJE	PJM	PJM.TANNERSC20 KVTC4 month on dac	TANNERSC20 KVTC4	Generator	DA Cong. + Energy	On Peak	25	275	275	3,300					
HKV	CAISO	CAISO.TH NP15 GEN-APND month off dac	TH NP15 GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	3,961	3,961	47,532	214				
HKU	CAISO	CAISO.TH NP15 GEN-APND month on dac	TH NP15 GEN-APND	Hub	DA Cong. + Energy	On Peak	25	4,707	4,707	56,484	215				
FQV	CAISO	CAISO.TH NP15 GEN-APND month off dap	TH NP15 GEN-APND	Hub	Day Ahead Power	Off Peak	25	3,961	3,961	47,532	214				
FQU	CAISO	CAISO.TH NP15 GEN-APND month on dap	TH NP15 GEN-APND	Hub	Day Ahead Power	On Peak	25	4,707	4,707	56,484	215				
HKX	CAISO	CAISO.TH SP15 GEN-APND month off dac	TH SP15 GEN-APND	Main Hub	DA Cong. + Energy	Off Peak	25	6,070	6,070	72,840	216				
HKW	CAISO	CAISO.TH SP15 GEN-APND month on dac	TH SP15 GEN-APND	Main Hub	DA Cong. + Energy	On Peak	25	6,934	6,934	83,208	217				
FQX	CAISO	CAISO.TH SP15 GEN-APND month off dap	TH SP15 GEN-APND	Main Hub	Day Ahead Power	Off Peak	25	6,070	6,070	72,840	216				
FQW	CAISO	CAISO.TH SP15 GEN-APND month on dap	TH SP15 GEN-APND	Main Hub	Day Ahead Power	On Peak	25	6,934	6,934	83,208	217				
HKZ	CAISO	CAISO.TH ZP26 GEN-APND month off dac	TH ZP26 GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	495	495	5,940	218				
HKY	CAISO	CAISO.TH ZP26 GEN-APND month on dac	TH ZP26 GEN-APND	Hub	DA Cong. + Energy	On Peak	25	588	588	7,056	219				
FQZ	CAISO	CAISO.TH ZP26 GEN-APND month off dap	TH ZP26 GEN-APND	Hub	Day Ahead Power	Off Peak	25	495	495	5,940	218				
FQY	CAISO	CAISO.TH ZP26 GEN-APND month on dap	TH ZP26 GEN-APND	Hub	Day Ahead Power	On Peak	25	588	588	7,056	219				
GJH	PJM	PJM.TIDD AEP24 KVCD1 month off dac	TIDD AEP24 KVCD1	Generator	DA Cong. + Energy	Off Peak	25	470	470	5,640	220				110
GJG	PJM	PJM.TIDD AEP24 KVCD1 month on dac	TIDD AEP24 KVCD1	Generator	DA Cong. + Energy	On Peak	25	470	470	5,640	221				109
GJJ	PJM	PJM.TIDD AEP24 KVCD2 month off dac	TIDD AEP24 KVCD2	Generator	DA Cong. + Energy	Off Peak	25	470	470	5,640	220				110
GJI	PJM	PJM.TIDD AEP24 KVCD2 month on dac	TIDD AEP24 KVCD2	Generator	DA Cong. + Energy	On Peak	25	470	470	5,640	221				109
GJF	CAISO	CAISO.TJI-230_2_N101 month off dac	TJI-230_2_N101	Interface	DA Cong. + Energy	Off Peak	25	200	200	2,400	200				100
HNE	CAISO	CAISO.TJI-230_2_N101 month on dac	TJI-230_2_N101	Interface	DA Cong. + Energy	On Peak	25	200	200	2,400	201				99
GJT	PJM	PJM.TMI20 KVUNIT01 month off dac	TMI20 KVUNIT01	Generator	DA Cong. + Energy	Off Peak	25	244	244	2,928					
GJS	PJM	PJM.TMI20 KVUNIT01 month on dac	TMI20 KVUNIT01	Generator	DA Cong. + Energy	On Peak	25	244	244	2,928					
GVH	MISO_RTO	MISO_RTO.TVA.WHITEOAK month off dac	TVA.WHITEOAK	Generator	DA Cong. + Energy	Off Peak	25	38	38	456					
GVG	MISO_RTO	MISO_RTO.TVA.WHITEOAK month on dac	TVA.WHITEOAK	Generator	DA Cong. + Energy	On Peak	25	38	38	456					
GGP	PJM	PJM.UGI month off dac	UGI	Subzone	DA Cong. + Energy	Off Peak	25	35	35	420	192				96
GGO	PJM	PJM.UGI month on dac	UGI	Subzone	DA Cong. + Energy	On Peak	25	43	43	516	193				95
HQB	ISONE	ISONE.UN.MYSTIC 18.1MYS8 month off dac	UN.MYSTIC 18.1MYS8	Generator	DA Cong. + Energy	Off Peak	25	594	594	7,128					
HOA	ISONE	ISONE.UN.MYSTIC 18.1MYS8 month on dac	UN.MYSTIC 18.1MYS8	Generator	DA Cong. + Energy	On Peak	25	594	594	7,128					
HOD	ISONE	ISONE.UN.PILGRIM 22.8PILG month off dac	UN.PILGRIM 22.8PILG	Generator	DA Cong. + Energy	Off Peak	25	168	168	2,016					
HOC	ISONE	ISONE.UN.PILGRIM 22.8PILG month on dac	UN.PILGRIM 22.8PILG	Generator	DA Cong. + Energy	On Peak	25	168	168	2,016					
HPX	ISONE	ISONE.UN.SEABROOK24.5SBRK month off dac	UN.SEABROOK24.5SBRK	Generator	DA Cong. + Energy	Off Peak	25	311	311	3,732					
HPW	ISONE	ISONE.UN.SEABROOK24.5SBRK month on dac	UN.SEABROOK24.5SBRK	Generator	DA Cong. + Energy	On Peak	25	311	311	3,732					
GAF	MISO	MISO.UPPC.ESC month off dap	UPPC.ESC	Subzone	Day Ahead Power	Off Peak	25	17	17	204	222	14		14	168
GAE	MISO	MISO.UPPC.ESC month on dap	UPPC.ESC	Subzone	Day Ahead Power	On Peak	25	21	21	252	223				111
GLP	MISO	MISO.UPPC.INTEGRATD month off dap	UPPC.INTEGRATD	Subzone	Day Ahead Power	Off Peak	25	17	17	204	222				112
GLO	MISO	MISO.UPPC.INTEGRATD month on dap	UPPC.INTEGRATD	Subzone	Day Ahead Power	On Peak	25	21	21	252	223	14		14	168
HGL	NYISO	NYISO.UPPER RAQUET HYD month off dac	UPPER RAQUET HYD	Generator	DA Cong. + Energy	Off Peak	25	25	25	300					
HGK	NYISO	NYISO.UPPER RAQUET HYD month on dac	UPPER RAQUET HYD	Generator	DA Cong. + Energy	On Peak	25	25	25	300					
HNT	CAISO	CAISO.VALLEYS 1_N013 month off dac	VALLEYS 1_N013	Generator	DA Cong. + Energy	Off Peak	25	1	1	12					
HNS	CAISO	CAISO.VALLEYS 1_N013 month on dac	VALLEYS 1_N013	Generator	DA Cong. + Energy	On Peak	25	1	1	12					
HNH	CAISO	CAISO.VICTORVL 5_N101 month off dac	VICTORVL 5_N101	Interface	DA Cong. + Energy	Off Peak	25	600	600	7,200					
HNG	CAISO	CAISO.VICTORVL 5_N101 month on dac	VICTORVL 5_N101	Interface	DA Cong. + Energy	On Peak	25	600	600	7,200					
HNJ	CAISO	CAISO.VINCENT 5_B2 month off dac	VINCENT 5_B2	Interface	DA Cong. + Energy	Off Peak	25	1,649	1,649	19,788					
HNI	CAISO	CAISO.VINCENT 5_B2 month on dac	VINCENT 5_B2	Interface	DA Cong. + Energy	On Peak	25	1,649	1,649	19,788					
HGN	NYISO	NYISO.WADING RIVER_IC 1 month off dac	WADING RIVER_IC 1	Generator	DA Cong. + Energy	Off Peak	25	60	60	720					
HGM	NYISO	NYISO.WADING RIVER_IC 1 month on dac	WADING RIVER_IC 1	Generator	DA Cong. + Energy	On Peak	25	60	60	720					
GJL	PJM	PJM.WAGNER13 KVGEN01 month off dac	WAGNER13 KVGEN01	Generator	DA Cong. + Energy	Off Peak	25	265	265	3,180					
GJK	PJM	PJM.WAGNER13 KVGEN01 month on dac	WAGNER13 KVGEN01	Generator	DA Cong. + Energy	On Peak	25	265	265	3,180					
HUT	ERCOT	ERCOT.WAP WAP G5 month off dap	WAP WAP G5	Generator	Day Ahead Power	Off Peak	25	913	913	10,956	224				116
HUS	ERCOT	ERCOT.WAP WAP G5 month on dap	WAP WAP G5	Generator	Day Ahead Power	On Peak	25	913	913	10,956	225				115
HUR	ERCOT	ERCOT.WAP WAP G5 month off rtp	WAP WAP G5	Generator	Real Time Power	Off Peak	25	913	913	10,956	226				114
HUQ	ERCOT	ERCOT.WAP WAP G5 month on rtp	WAP WAP G5	Generator	Real Time Power	On Peak	25	913	913	10,956	227				113
HUX	ERCOT	ERCOT.WAP WAP G8 month off dap	WAP WAP G8	Generator	Day Ahead Power	Off Peak	25	913	913	10,956	224				116
HUW	ERCOT	ERCOT.WAP WAP G8 month on dap	WAP WAP G8	Generator	Day Ahead Power	On Peak	25	913	913	10,956	225				115
HUV	ERCOT	ERCOT.WAP WAP G8 month off rtp	WAP WAP G8	Generator	Real Time Power	Off Peak	25	913	913	10,956	226				114
HUU	ERCOT	ERCOT.WAP WAP G8 month on rtp	WAP WAP G8	Generator	Real Time Power	On Peak	25	913	913	10,956	227				113
GLR	MISO	MISO.WEC.N month off dap	WEC.N	Subzone	Day Ahead Power	Off Peak	25	1,014	1,014	12,168					
GLQ	MISO	MISO.WEC.N month on dap	WEC.N	Subzone	Day Ahead Power	On Peak	25	1,229	1,229	14,748					
GND	MISO_RTO	MISO_RTO.WEC.OKCG7 month off dac	WEC.OKCG7	Generator	DA Cong. + Energy	Off Peak	25	219	219	2,628					
GNC	MISO_RTO	MISO_RTO.WEC.OKCG7 month on dac	WEC.OKCG7	Generator	DA Cong. + Energy	On Peak	25	219	219	2,628					
GOX	MISO_RTO	MISO_RTO.WEC.PLEASA142 month off dac	WEC.PLEASA142	Generator	DA Cong. + Energy	Off Peak	25	154	154	1,848					
GOW	MISO_RTO	MISO_RTO.WEC.PLEASA142 month on dac	WEC.PLEASA142	Generator	DA Cong. + Energy	On Peak	25	154	154	1,848					
GNP	MISO_RTO	MISO_RTO.WEC.PLPRG41 month off dac	WEC.PLPRG41	Generator	DA Cong. + Energy	Off Peak	25	154	154	1,848					
GNO	MISO_RTO	MISO_RTO.WEC.PLPRG41 month on dac	WEC.PLPRG41	Generator	DA Cong. + Energy	On Peak	25	154	154	1,848					
GNR	MISO_RTO	MISO_RTO.WEC.PTBHGB1 month off dac	WEC.PTBHGB1	Generator	DA Cong. + Energy	Off Peak	25	296	296	3,552	228				
GNQ	MISO_RTO	MISO_RTO.WEC.PTBHGB1 month on dac	WEC.PTBHGB1	Generator	DA Cong. + Energy	On Peak	25	296	296	3,552	229				
FUT	MISO	MISO.WEC.PTBHGB1 month off dap	WEC.PTBHGB1	Generator	Day Ahead Power	Off Peak	25	296	296	3,552	228				118
FUS	MISO	MISO.WEC.PTBHGB1 month on dap	WEC.PTBHGB1	Generator	Day Ahead Power	On Peak	25	296	296	3,552	229				117
COF	MISO	MISO.WEC.PTBHGB2 month off dap	WEC.PTBHGB2	Generator	Day Ahead Power	Off Peak	25	296	296	3,552	228				118
COE	MISO	MISO.WEC.PTBHGB2 month on dap	WEC.PTBHGB2	Generator	Day Ahead Power	On Peak	25	296	296	3,552	229				117

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (Lots)	Single Month Accountability Level (Lots)	All Month Accountability Level (Lots)	New Aggregation Group*	Deleted Spot Month Position Limit (Lots)	Deleted Single Month Accountability Level (Lots)	Deleted All Month Accountability Level (Lots)	Old Aggregation Group
HGP	NYISO	NYISO.WEST month_off_dac	WEST	Main Hub	DA Cong. + Energy	Off Peak	25	1,026	1,026	12,308	230				
HGO	NYISO	NYISO.WEST month_on_dac	WEST	Main Hub	DA Cong. + Energy	On Peak	25	3,529	3,529	42,353	231				
DEV	NYISO	NYISO.WEST month_off_dap	WEST	Main Hub	Day Ahead Power	Off Peak	25	1,026	1,026	12,308	230				
DEU	NYISO	NYISO.WEST month_on_dap	WEST	Main Hub	Day Ahead Power	On Peak	25	3,529	3,529	42,353	231				
FTT	NYISO	NYISO.WEST month_off_rtp	WEST	Main Hub	Real Time Power	Off Peak	25	1,026	1,026	12,308					
FTS	NYISO	NYISO.WEST month_on_rtp	WEST	Main Hub	Real Time Power	On Peak	25	3,529	3,529	42,353					
HGR	NYISO	NYISO.WEST BABYLON IC month_off_dac	WEST BABYLON IC	Generator	DA Cong. + Energy	Off Peak	25	13	13	156					
HGQ	NYISO	NYISO.WEST BABYLON IC month_on_dac	WEST BABYLON IC	Generator	DA Cong. + Energy	On Peak	25	13	13	156					
GGR	PJM	PJM.WESTERN HUB month_off_dac	WESTERN HUB	Main Hub	DA Cong. + Energy	Off Peak	25	7,747	7,747	92,964	232				
GGQ	PJM	PJM.WESTERN HUB month_on_dac	WESTERN HUB	Main Hub	DA Cong. + Energy	On Peak	25	8,307	8,307	99,684	233				
GBY	PJM	PJM.WESTERN HUB month_2x16_dap	WESTERN HUB	Main Hub	Day Ahead Power	2x16 PeakWE	25	7,747	7,747	92,964	232				119
GBZ	PJM	PJM.WESTERN HUB month_7x8_dap	WESTERN HUB	Main Hub	Day Ahead Power	7x8 Off Peak	25	6,450	6,450	77,400	232				119
FHL	PJM	PJM.WESTERN HUB month_off_dap	WESTERN HUB	Main Hub	Day Ahead Power	Off Peak	25	7,747	7,747	92,964	232				119
FHK	PJM	PJM.WESTERN HUB month_on_dap	WESTERN HUB	Main Hub	Day Ahead Power	On Peak	25	8,307	8,307	99,684	233				
GCA	PJM	PJM.WESTERN HUB month_2x16_rtp	WESTERN HUB	Main Hub	Real Time Power	2x16 PeakWE	25	7,747	7,747	92,964	234				120
GCB	PJM	PJM.WESTERN HUB month_7x8_rtp	WESTERN HUB	Main Hub	Real Time Power	7x8 Off Peak	25	6,450	6,450	77,400	234				120
FKF	PJM	PJM.WESTERN HUB month_off_rtp	WESTERN HUB	Main Hub	Real Time Power	Off Peak	25	7,747	7,747	92,964	234				120
FKE	PJM	PJM.WESTERN HUB month_on_rtp	WESTERN HUB	Main Hub	Real Time Power	On Peak	25	8,307	8,307	99,684					
HNL	CAISO	CAISO.WESTWING_5_N501 month_off_dac	WESTWING_5_N501	Interface	DA Cong. + Energy	Off Peak	25	45	45	540					
HNK	CAISO	CAISO.WESTWING_5_N501 month_on_dac	WESTWING_5_N501	Interface	DA Cong. + Energy	On Peak	25	45	45	540					
HGT	NYISO	NYISO.WETHRSFD_WT_PWR month_off_dac	WETHRSFD_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	32	32	384					
HGS	NYISO	NYISO.WETHRSFD_WT_PWR month_on_dac	WETHRSFD_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	32	32	384					
HRH	PJM	PJM.WOODSDAL13.5 KVCT1 month_off_dac	WOODSDAL13.5 KVCT1	Generator	DA Cong. + Energy	Off Peak	25	122	122	1,464	235				
HRG	PJM	PJM.WOODSDAL13.5 KVCT1 month_on_dac	WOODSDAL13.5 KVCT1	Generator	DA Cong. + Energy	On Peak	25	122	122	1,464	236				
HRF	PJM	PJM.WOODSDAL13.5 KVCT1 month_off_dap	WOODSDAL13.5 KVCT1	Generator	Day Ahead Power	Off Peak	25	122	122	1,464	235				
HRE	PJM	PJM.WOODSDAL13.5 KVCT1 month_on_dap	WOODSDAL13.5 KVCT1	Generator	Day Ahead Power	On Peak	25	122	122	1,464	236				
GOH	MISO_RTO	MISO_RTO.WPS.COLUMBIA1 month_off_dac	WPS.COLUMBIA1	Generator	DA Cong. + Energy	Off Peak	25	143	143	1,716					
GOG	MISO_RTO	MISO_RTO.WPS.COLUMBIA1 month_on_dac	WPS.COLUMBIA1	Generator	DA Cong. + Energy	On Peak	25	143	143	1,716					
GAD	MISO	MISO.WPS.GLU month_off_dap	WPS.GLU	Subzone	Day Ahead Power	Off Peak	25	366	366	4,392	237				122
GAC	MISO	MISO.WPS.GLU month_on_dap	WPS.GLU	Subzone	Day Ahead Power	On Peak	25	443	443	5,316	238				121
FYZ	MISO_RTO	MISO_RTO.WPS.MPU month_off_dap	WPS.MPU	Subzone	Day Ahead Power	Off Peak	25	366	366	4,392	237				
FYF	MISO_RTO	MISO_RTO.WPS.MPU month_on_dap	WPS.MPU	Subzone	Day Ahead Power	On Peak	25	443	443	5,316	238				
CQJ	MISO	MISO.WPS.WPSM month_off_dap	WPS.WPSM	Zone	Day Ahead Power	Off Peak	25	366	366	4,392	237				
CQI	MISO	MISO.WPS.WPSM month_on_dap	WPS.WPSM	Zone	Day Ahead Power	On Peak	25	443	443	5,316	238				121
HUD	MISO	MISO.WPS.WPSM month_off_rtp	WPS.WPSM	Zone	Real Time Power	Off Peak	25	366	366	4,392					
HUC	MISO	MISO.WPS.WPSM month_on_rtp	WPS.WPSM	Zone	Real Time Power	On Peak	25	443	443	5,316					
HPB	MISO	MISO.WR month_off_dap	WR	Interface	Day Ahead Power	Off Peak	25	40	40	480					
HPA	MISO	MISO.WR month_on_dap	WR	Interface	Day Ahead Power	On Peak	25	40	40	480					
GQZ	MISO_RTO	MISO_RTO.WR.MOWR month_off_dac	WR.MOWR	Subzone	DA Cong. + Energy	Off Peak	25	747	747	8,964					
GQY	MISO_RTO	MISO_RTO.WR.MOWR month_on_dac	WR.MOWR	Subzone	DA Cong. + Energy	On Peak	25	905	905	10,860					
HSV	PJM	PJM.ZIMMER225 KVZM1 A month_off_dac	ZIMMER225 KVZM1 A	Generator	DA Cong. + Energy	Off Peak	25	357	357	4,284	69				124
HSU	PJM	PJM.ZIMMER225 KVZM1 A month_on_dac	ZIMMER225 KVZM1 A	Generator	DA Cong. + Energy	On Peak	25	357	357	4,284	70				123
FRI	HH	HH.HENRY HUB month_sf_xgs	HENRY HUB	Main Hub	Natural Gas Outright	Standard Fixed	200	4,000	24,000	48,000					

* In addition to the individual position limit of each contract, Nodal Exchange has a separate algorithm to check the combined position limit of contracts within the same aggregation group.